

CATALOG



NO. 40

Standard

★ WOODWORK ★

LISTS

SASH ★ DOORS ★ SCREENS



THE LAMSON CO.



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

2 Light to
40 Light
Windows
11

One L. Sash
and
Trap

Cellar, Barn
Door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Frames
169

Windows
and
Door
Lists
and
Extras
197

Door
Frames
and
Extras
229

1/2" thickness 14' x 8' 568 Shuts.

TABLE OF CONTENTS

	PAGE NO.
Blind Door Lists and Extras.....	143
Casement Sash Lists and Extras.....	56-64
Cellar Sash Lists.....	39-41
Combination Door Lists and Extras.....	160-181
Cupboard Door Lists and Extras.....	90-91
Cupboard Sash Lists and Extras.....	53-55
Decimal Equivalents of Fractions.....	233
Directions for Ordering.....	7
Divided Light Window and Sash Types Illustrated.....	71-76
Doors, Softwood:—	
Blind Door Lists and Extras.....	143
Colonial Door Lists and Extras.....	88-89
Combination Door Lists and Extras.....	160-181
Cupboard Door Lists and Extras.....	90-91
Extras, Panel and Sash Doors.....	147-157
Garage Door Designs Illustrated.....	153-159
Medicine Cabinet Door Lists and Extras.....	91
New England Door Basis.....	144-146
Panel Door Lists.....	86-87
Sash and French Door Lists.....	92-138
Side Light Lists.....	139-140
Standard Panel Door Lists.....	86-87
Sticking, Standard Types.....	4
Storm Door Lists and Extras.....	141
Toilet Door Lists and Extras.....	142
Flush Doors.....	222-230
Grading Rules.....	6
Handy Moulding List.....	232
Humidity and Dew Point Table.....	233
K. D. Sash Parts Lists.....	64-69
Lineal Moulded Sash Stock Lists.....	70
Markup and Profit Tables.....	234
Net Profit Table.....	234
Opening Sizes, Windows, Standard.....	5
Sash, Open and Glazed Lists:—	
Barn Sash.....	41-51
Casement Sash.....	56-64
Cellar Sash.....	39-41
Cupboard Sash.....	53-55
Extras, Sash.....	78-85
Hot Bed and Skylight Sash.....	52
One Light Sash and Transoms.....	34-38
Porch Sash.....	43
Screen Lists, Window and Sash.....	182-191
Specifications.....	3
Staining and Priming Extras, Doors.....	230
Storm Sash K. D. Parts.....	68-69
Trade Terminology.....	8-9
Veneered Doors:—	
Flush Door Index.....	222
Flush Door and Transom Lists and Extras.....	223-230
K. D. Door Stock Lists and Extras.....	221
Panel and French Door Lists and Extras.....	196-218
Sash and Transom Lists and Extras.....	220
Square Foot Table.....	195
Staining and Priming Extras.....	230
Toilet and Dwarf Door Lists and Extras.....	219
Veneered Door Index.....	192-193
Windows, Open and Glazed:—	
2 Light.....	10-14
4 and 6 Light.....	15-18
8, 9 and 12 Light.....	18-24
15 to 40 Light.....	25-32
Cottage Front.....	32
Directions for Ordering.....	6-7
Extras.....	78-85
K. D. Parts List.....	64-69
Lineal Length Sash Stock Lists.....	70

Standard Lists

Catalog No. 40

INCLUDING

Open and Glazed Windows and Sash
Softwood and Veneered Panel and Sash Doors
Flush Veneered Doors
Combination Doors
Window and Sash Screens
and
Extras

Corrected to March 1, 1941

1 to 9 Copies . . . \$1.00 Each
10 to 49 Copies . . .90 Each
50 to 99 Copies . . .80 Each
100 to 199 Copies .70 Each

For 200 or more, write for special quantity prices

10% Discount allowed for cash with order

Published and For Sale
by
PINNEY PRINTING COMPANY
123 FIFTH AVENUE
CLINTON, IOWA

2 Light to
40 Light
Window
11

One Lt. Sash
and
Transom

Cellar, Barn
door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door


Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
187

Sash-Door
Lists and
Extras
271

Standard Types of Door Stickings and Panels



Specifications

Doors

THICKNESSES

The standard thicknesses for doors are $1\frac{3}{8}$ " and $1\frac{3}{4}$ " but doors can be made $\frac{3}{4}$ ", $1\frac{1}{8}$ " and $2\frac{1}{4}$ " if so ordered.

A "thickness tolerance" not exceeding $\frac{1}{16}$ " less than above thicknesses shall be allowed for all doors.

WIDE RAILS OR PANELS

Rails or Panels wider than $9\frac{3}{4}$ " may be either solid or glued up, in solid doors.

CONSTRUCTION

All assembled with dowels extending into stiles and rails approximately one-half the width of stiles.

All solid stuck and machine sanded.

VENEERED INTERIOR DOORS OF STILE AND RAIL TYPE

These shall be constructed of thoroughly seasoned materials redried by door manufacturer before assembly to a proper and uniform moisture content suitable for the climate in which the doors are to be used. All core materials shall be of a soft Pine glued up of blocks not over 2 inches wide on the face, and joints in adjacent rows of core well staggered. Unless otherwise stated, exposed edges shall have a $\frac{3}{4}$ inch thick strip of the same wood as the face veneer.

Veneers for stiles and rails shall be $\frac{1}{8}$ inch before sanding unless otherwise noted. All glue used in the door construction must be high grade vegetable or water resistant casein glue, equally distributed over the surface and applied under pressure before "chilling." Panels shall be three or five ply as noted. Joints shall be assembled with hardwood dowels not less than $\frac{1}{2}$ "x5", joints 6" or less to have two dowels with an additional dowel for each additional 3 inches or fraction in width. All joints must be well fitted and all moulded edges smoothly machined. Unless otherwise noted, all doors shall be smoothly machine sanded with "00" sand-paper.

VENEERED INTERIOR DOORS OF FLUSH TYPE

These shall have cores constructed of vertical blocks not over 2 inches wide on the face, well glued together with joints well staggered and surrounded with $\frac{3}{4}$ inch edge-strip on all four edges of the same wood as the face veneer; or in lieu thereof the side edges are to have $\frac{3}{4}$ inch edges and the top and bottom edges are to have two coats of paint or varnish before leaving factory. All cores shall be soft Pine properly dried and seasoned as described above. Assembled core shall be brought to uniform surface to which shall be applied a horizontal cross banding extending to edges of door and a $\frac{1}{16}$ inch before sanding (or a $\frac{1}{8}$ inch before sanding if preferred by architect) vertical face veneer. All glue shall be high grade vegetable or water resistant casein product equally distributed and applied under pressure before "chilling". Unless otherwise noted all flush doors shall be smoothly machine sanded with "00" sand-paper. In lieu of all vertical blocks, the core shall be of stile, rail and panel units. Each unit made up entirely of blocks, all of which when assembled with dowels will make a solid core foundation for cross banding and veneer.

VENEERED EXTERIOR DOORS

These shall be made to the same specifications, except that veneers for stiles and rails and flush doors shall not be less than $\frac{1}{4}$ " before sanding and shall be applied with a high grade casein water resistant glue.

WINDOWS AND SASH

Standard thicknesses of sash are $1\frac{1}{8}$ ", $1\frac{3}{8}$ " and $1\frac{3}{4}$ " but can also be made up $\frac{3}{4}$ ", $2\frac{1}{4}$ " and $2\frac{1}{2}$ ".

A "thickness tolerance" not exceeding $\frac{1}{16}$ inch less than above thicknesses shall be allowed for all windows and sash.

MACHINING AND ASSEMBLY

If not otherwise specified, window and sash construction, at manufacturer's option, may be "mortised and tenoned" or "slot mortised."

2 Light to
40 Light
Windows
11

One Lt. Sash
and
Transom

Cellar, Barn
and
Sed

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sashes
79

Door Lists
Panel and
Cupboard
Pine
87

Single Door
Lists
Pine
93

Side Lights,
Transoms
and
Blind Doors
Pine
139

Extras,
Pine Doors
1


Combination
Doors and
Extras
161

Windows
18

Veneered
Door Lists
and Extras
187


Single Door
Sash and
Extras
271

Standards for Check Rail Windows



There are some variations in the dimensions and construction of sash as produced by different manufacturers. Where exactitude as to sticking and construction are desirable, specify the standards as established by the National Door Manufacturers Association, Inc.


These standard check rail windows are identified by the NDMA numbers shown in the accompanying details. Windows specified by these numbers conform exactly to the sticking contours and dimensions shown, and all joints are made in exact conformity to standard details to assure high quality of construction.



RABBETED BEVEL CHECK RAILS

Ovolo Sticking: No. NDMA-A2

Ogee Sticking: No. NDMA-B2



PLAIN BEVEL CHECK RAILS

Ogee Sticking: No. NDMA-B1

Ovolo Sticking: No. NDMA-A1

Window Opening Sizes

**ALLOWANCE TO BE ADDED TO GLASS SIZE ORDERED FOR
FINISHED WINDOW OPENINGS**

Includes Allowance for Glass Play

MARKET	1 3/8 and 1 3/4 2 Light Wds.		1 3/8 and 1 3/4 4 Light Wds.		1 3/8 and 1 3/4 8 Light Wds.	
	Width	Length	Width	Length	Width	Length
Boston.....	3 5/8	5	3 5/8	5	3 5/8	5
New York.....	4	6	4	6	4	6
Western (★).....	4	6	5	6	5	6
Ohio.....	4 1/2	6 1/8	4 1/2	6 1/8	4 1/2	6 1/8
Washington (*)...	4 1/2	6 1/4	*4 1/2	6 1/4	*4 1/2	6 1/4
Baltimore (*).....	4 1/2	6 1/4	*4 1/2	6 1/4	*4 1/2	6 1/4
Philadelphia.....	4 5/8	6 1/2	4 5/8	6 1/2	4 5/8	6 1/2
Indianapolis.....	5	6 1/2	5	6	5	6
Wilkes-Barre...	5	6	5	6	5	6
Southern.....	5	6	5	6	5	6

MARKET	1 3/8 and 1 3/4 12 Light Wds.		1 1/8 8 Light Wds.		1 1/8 12 Light Wds.	
	Width	Length	Width	Length	Width	Length
Boston.....	3 5/8	5	3 5/8	5	3 5/8	5
New York.....	4	6	4	6	4	6
Western (★).....	4 1/2	6	4 1/2	6	4	6
Ohio.....	4 1/2	6 1/8	4 1/2	6 1/8	4 1/2	6 1/8
Washington (*)...	4 1/2	6 1/4	*4 1/2	6 1/4	4 1/2	6 1/4
Baltimore (*).....	4 1/2	6 1/4	*4 1/2	6 1/4	4 1/2	6 1/4
Philadelphia.....	4 5/8	6 1/2	4 5/8	6 1/2	4 5/8	6 1/2
Indianapolis.....	4 1/2	6	4 1/2	6	4	6
Wilkes-Barre...	...	...	...	...	5	6
Southern.....	...	...	...	...	5	6

Explanation of Above Schedule

OPENING SIZE OF 2 LIGHT WINDOW IN VARIOUS MARKETS

Glass Size	Boston	New York	Western	Ohio
24"x24"	2'3 5/8"x4'5"	2'4"x4' 6"	2'4"x4' 6"	2'4 1/2"x4' 6 1/8" Etc.
x26"	x4'9"	x4'10"	x4'10"	x4'10 1/8" Etc.

OPENING SIZE OF 4 LIGHT WINDOW IN VARIOUS MARKETS

Glass Size	Boston	New York	Western	Ohio
12"x24"	2'3 5/8"x4'5"	2'4"x4' 6"	2'5"x4' 6"	2'4 1/2"x4' 6 1/8" Etc.
x26"	x4'9"	x4'10"	x4'10"	x4'10 1/8" Etc.

(★) Note: Unless otherwise specifically stated, the standard opening sizes shown in the following lists are Western openings.

(*) Note: There are exceptions to the above layout on 4 and 8 light Baltimore and Washington sizes. On Four and Eight Light Windows 13" and 14 1/2" wide, allow 5 1/2" for wood. On Four Light Windows 14" wide, allow 5" where opening is 2'9" and 6 1/2" where opening is 2'10 1/2". 13 1/4", 13 1/2" and 15" are not regular stock sizes. Where these layouts are ordered, a definite understanding as to width of stiles and muntins should be reached.

Note: Sizes of stiles and rails in all Markets may vary slightly with the different manufacturers but the finished opening or overall size of window is essentially the same in all cases.

2 Light to
40 Light
Windows
11

One Lt. Sash
and
Transom

Cellar, Barn
Door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
11

Various
Door Lists
and Extras
187

With Door
Lists and
Extras
271

Grading Rules

PINE DOORS (EXCEPT GARAGE DOORS)

No. 1 QUALITY: Material in No. 1 doors shall be practically free from defects. White sap, light brown water stain and light red kiln burn not considered defects. Also one (1) carefully repaired pitch seam not over $2\frac{1}{2}$ inches in length permissible in each stile or bottom rail.

Workmanship must be good.

LAMINATED PANEL DOORS: Panels shall have two good faces practically free from defects and may contain not to exceed 25% pieced faces. Inconspicuous patches shall be admitted.

No. 2 QUALITY: Material in No. 2 doors may contain light blue stain, medium brown water stain or medium red kiln burn showing on not to exceed 50% of the area of any piece. Also pitch streaks, checks, pitch pockets, if carefully slivered, tight sound knots not to exceed $\frac{3}{8}$ inch in diameter, and other defects, not one of which shall be more serious in nature than the defects already enumerated. Each stile must contain one (1) such defect, but no piece shall contain more than two (2), and no door shall contain more than eight (8) such defects on each side.

Plugs admitted but regarded as defects.

Slight defects in workmanship admitted.

LAMINATED PANEL DOORS: Panels may contain slight stains and discolorations. Any amount of unmatched pieced faces permissible. Inconspicuous patches shall be admitted.

No. 3 QUALITY: Material for No. 3 doors may contain all blue stain, brown water stain or red kiln burn, also worm holes, checks, pitch streaks, pitch pockets, fine shake, tight sound knots not to exceed $1\frac{1}{2}$ inches in diameter and other defects, not one of which shall be more serious in nature than defects already enumerated. Each stile must contain two (2) such defects, but no piece shall contain more than four (4) and no door shall contain more than twenty (20) such defects on each side.

Plugs admitted but regarded as defects.

Slight defects in workmanship admitted.

LAMINATED PANEL DOORS: Panels may contain medium to heavy stains and discolorations, also pin knots and other equivalent defects. Any amount of unmatched pieced faces and any number of patches permissible.

PINE GARAGE DOORS

Pine Garage Doors shall be graded according to Pine Door rules as shown above except mill-run grade which may contain blue stain, brown water stain or red kiln burn, checks, pitch streaks, pitch pockets, fine shake, tight sound knots not to exceed 2 inches in diameter and other defects none of which shall be more serious in nature than defects already enumerated.

PINE SASH AND WINDOWS

Material in No. 1 Sash and Windows shall be practically free from defects. White sap, light brown water stain and light red kiln burn not considered defects.

Workmanship must be good.

Directions for Ordering

Time, annoyance and expense can be saved by noting and following closely the suggestions below:

SASH AND WINDOWS

All orders and inquiries will be considered to be for regular Western style and sizes as described in this catalog, unless specifically ordered otherwise.

Always give width first, length or height second, then thickness.

Always use inches to designate glass size, and feet and inches for openings or outside measurements.

The term "Sash" indicates only one piece to fill opening. The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening, and thickness.

If a window, whether check or plain rail.

Where a window or sash is ordered with top and bottom lights of different heights (example, 2 light 40x30x38), it is understood that the first measurement (40) is the width of both lights, that the second measurement (30) is the height of the top light, and that the third measurement (38) is the height of the bottom light.

If segment or circle head, give number of style desired (see page 77) and radius of circle or segment if not regular. When Circle Head not otherwise specified, we will furnish Style No. 2 with a radius one-half the width of the sash, less the width of the stile, and for segment Head Style No. 4 with a radius the width of the sash, less the width of the stile.

When an odd sash or window is ordered, always give both glass size and number of lights and outside opening, and if possible send sketch.

If specific sizes of stiles, rails or bars are desired, they must be specified.

NOTE: All windows and sash are understood to be glazed unless specifically ordered open.

DOORS

State width, height and thickness, number of panels and arrangement of same and quality.

State style of sticking desired. (See Page 2).

If moulded, state whether flush or raised mould one or two sides.

If odd, send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels, unless specifically ordered otherwise.

One Lt. Sash
and
Trim

Cellar, Barn
door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tailor and
Blind Door
Pine
139

Extras,
Pine
1

Combination
Doors and
Extras
161

Window
Sashes
183

Weather
Door Lists
and Extras
187

With Glass
and
Extras
271

Trade Terminology

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

In General

MEASUREMENTS

Outside Opening—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.

Wood Allowance—The difference between the outside opening and the total glass measurement of a given window or sash.

Between Glass—The measurement across the face of any wood part which separates two sheets of glass.

Face Measure—The measurement across the face of any wood part exclusive of any solid mould or rabbet.

Finished Size—The measurement of any wood part overall, including the solid mould or rabbet.

Ripping Size—The width of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size.

MOULDING

Solid Mould or Solid Stuck—A mould which is worked on the article itself.

Applied Mould—A separate mould to be applied or attached.

Flush Mould—An applied moulding which finishes flush with, or below the face or surface of the stiles or rails.

Raised Mould—An applied moulding which partly covers or which extends above the face or surface of the stiles or rails.

MULLION

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applies also to upright bars in doors.

MUNTIN

Applies to any short or light bars—either vertical or horizontal—in a sash or door between glass or panels and not extending the full width or length of the article.

RAIL

The cross or horizontal pieces of the frame-work of a sash, door or screen.

STILES

The upright or vertical outside pieces of a sash, door or screen.

Applying to Sash or Windows

SASH

A sash indicates a single piece to fill a given opening.

WINDOW

A window indicates two pieces—one upper, one lower—to fill an opening, arranged to slide vertically.

FRONT WINDOW—A window in which the meeting rails are placed above the center of the opening.

FRONT SASH—A sash made to correspond to a front window.

FULL BOUND

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS

The rails of a window which meet when the window is hung and closed.

PLAIN RAILS—Meeting rails of the same thickness as balance of the window

CHECK RAILS—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame.

LUGS OR HORNS

An extension of the stiles of a window beyond the meeting rails.

SUSPENDED LIGHTS

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or muntins.

Applying to Doors

ASTRAGAL

MOULD—FOR FOLDING DOORS—A strip of moulding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

SINGLE—FOR FOLDING DOORS—A strip the length of the doors with a cross-section, usually similar to a letter "T"—used to form a rabbet.

DOUBLE—FOR SLIDING DOORS—A pair of strips the length of the doors—rabbeted to receive the doors on the back and moulded or grooved reciprocally on the face to make a closed joint.

JOINT—FOR SLIDING DOORS—A moulding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a closed joint.

BANDED DOORS

Doors with a thin band or strip—usually moulded—applied to the outside edge of the face of each stile and top and bottom rail—also called friction strips.

CHAMFERED DOORS

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.
STOP CHAMFER—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS

Doors put together with dowels instead of tenons.

DUTCH DOORS

A door cut horizontally through the lock rail, so that the upper part may be opened independently of the lower part.

GRADUATED PANELS

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL

The wide center rail of a door.

TENONS

THROUGH TENONED—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

BLIND TENONED OR MORTISED—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

UNSELECTED

The term "Unselected" when applied to veneered doors means unselected as to color and admits all of the natural variations of the wood.

2 Light to
40 Light
Window
11

One Lt. Sash
and
Transom

Cellar, Barn
and
Saw

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Transoms
and
Blind-Door
Pine
139

Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

French Case
List and
Extras
271

Two Light Check Rail Windows

1 3/8" thick—Continued

Glass Size	List Open	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
18x12.....	\$1.21	\$2.65	\$2.95	1-10x2- 6	5 1/2	9	11
16.....	1.30	2.95	3.35	3- 2	6 1/2	11	13
18.....	1.34	3.25	3.75	3- 6	6 1/2	12	14
20.....	1.38	3.40	3.95	3-10	7	13	16
22.....	1.42	3.75	4.50	4- 2	7 1/2	14	17
24.....	1.46	3.90	4.70	4- 6	8	16	18
26.....	1.50	4.15	5.05	4-10	8	17	19
28.....	1.55	4.30	5.30	5- 2	8 1/2	17	21
30.....	1.59	4.50	5.55	5- 6	9	18	22
32.....	1.71	4.65	5.70	5-10	9 1/2	20	23
34.....	1.75	4.95	6.10	6- 2	10	21	25
36.....	1.80	5.20	6.45	6- 6	10	21	25
20x12.....	1.25	2.75	3.10	2- 0x2- 6	6	10	12
14.....	1.30	2.90	3.30	2-10	6 1/2	12	13
15.....	1.32	3.15	3.60	3- 0	7	12	14
16.....	1.34	3.20	3.70	3- 2	7	13	15
18.....	1.38	3.40	3.95	3- 6	7	13	16
20.....	1.42	3.75	4.50	3-10	7 1/2	15	17
22.....	1.46	3.95	4.85	4- 2	8	16	19
24.....	1.50	4.15	5.05	4- 6	8	16	19
26.....	1.55	4.30	5.30	4-10	8 1/2	18	21
28.....	1.59	4.50	5.55	5- 2	9	19	22
30.....	1.63	4.70	5.85	5- 6	9 1/2	20	24
32.....	1.75	5.15	6.40	5-10	9 1/2	21	25
34.....	1.80	5.20	6.45	6- 2	10	22	26
36.....	1.84	5.60	6.95	6- 6	10 1/2	23	28
38.....	1.89	5.95	7.45	6-10	11	24	29
40.....	2.02	6.15	7.65	7- 2	11 1/2	25	30
22x14.....	1.34	3.20	3.70	2- 2x2-10	7	13	15
15.....	1.36	3.25	3.75	3- 0	7	13	15
16.....	1.38	3.40	3.95	3- 2	7	13	16
18.....	1.42	3.65	4.40	3- 6	7 1/2	14	17
20.....	1.46	3.95	4.85	3-10	8	16	19
22.....	1.50	4.15	5.05	4- 2	8	16	20
24.....	1.55	4.30	5.30	4- 6	8 1/2	18	21
26.....	1.59	4.50	5.55	4-10	9	19	23
28.....	1.63	4.70	5.85	5- 2	9 1/2	20	24
30.....	1.67	5.05	6.30	5- 6	9 1/2	21	25
32.....	1.80	5.40	6.80	5-10	10	22	27
34.....	1.84	5.65	6.95	6- 2	10 1/2	23	28
36.....	1.89	5.95	7.45	6- 6	11	25	30
38.....	1.93	6.00	7.50	6-10	11	25	31
40.....	2.07	6.95	8.70	7- 2	12	27	33
24x12.....	1.34	3.10	3.55	2- 4x2- 6	6 1/2	12	14
14.....	1.38	3.35	3.85	2-10	7	13	15
15.....	1.40	3.40	3.95	3- 0	7 1/2	14	16
16.....	1.42	3.55	4.30	3- 2	7 1/2	14	17
18.....	1.46	3.90	4.70	3- 6	8	16	18
20.....	1.50	4.15	5.05	3-10	8	16	20
22.....	1.55	4.30	5.30	4- 2	8 1/2	18	21
24.....	1.59	4.65	5.80	4- 6	9	19	23
26.....	1.63	4.70	5.85	4-10	9	20	24
28.....	1.67	5.05	6.30	5- 2	9 1/2	21	25

2 Light to
40 Light
Windows
11

One Lt. Sash
and
Frame

Cellar, Barn
and
Bed

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Vannered
Door Lists
and Extras
187

Flush Door
Lists and
Extras
271

Two Light Check Rail Windows

13/8" Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
24x30.....	\$1.71	\$5.30	\$6.70	2- 4x5- 6	10	22	27
32.....	1.84	5.90	7.40	5-10	10½	24	29
34.....	1.89	6.00	7.45	6- 2	11	25	30
36.....	1.93	6.40	8.05	6- 6	11	26	31
38.....	1.97	6.85	8.60	6-10	11½	27	33
40.....	2.11	7.00	8.75	7- 2	12	28	35
26x14.....	1.42	3.45	4.00	2- 6x2-10	8	14	17
15.....	1.44	3.80	4.55	3- 0	8	15	17
16.....	1.46	3.90	4.70	3- 2	8	15	18
18.....	1.50	4.15	5.05	3- 6	8	16	19
20.....	1.55	4.30	5.30	3-10	8½	18	21
22.....	1.59	4.50	5.55	4- 2	9	19	23
24.....	1.63	4.70	5.85	4- 6	9	20	24
26.....	1.67	5.05	6.30	4-10	9½	21	26
28.....	1.71	5.45	6.80	5- 2	10	22	27
30.....	1.75	5.80	7.30	5- 6	10½	23	29
32.....	1.89	6.00	7.45	5-10	10½	25	30
34.....	1.93	6.80	8.55	6- 2	11	26	32
36.....	1.97	6.85	8.60	6- 6	11½	27	34
38.....	2.02	7.40	9.40	6-10	12	29	35
40.....	2.16	7.55	9.60	7- 2	12	30	36
27x14.....	1.46	3.80	4.55	2- 7x2-10	8	15	17
16.....	1.50	4.00	4.90	3- 2	8	16	18
18.....	1.55	4.30	5.30	3- 6	8½	17	20
20.....	1.59	4.50	5.55	3-10	9	18	22
22.....	1.63	4.70	5.85	4- 2	9½	20	24
24.....	1.67	5.05	6.30	4- 6	9½	21	25
26.....	1.71	5.30	6.70	4-10	10	22	27
28.....	1.75	5.50	6.85	5- 2	10	23	28
30.....	1.80	5.85	7.35	5- 6	10½	24	30
32.....	1.93	6.65	8.40	5-10	11	26	31
28x14.....	1.46	3.80	4.55	2- 8x2-10	7	14	17
16.....	1.50	4.00	4.90	3- 2	8	16	19
18.....	1.55	4.30	5.30	3- 6	8½	17	21
20.....	1.59	4.50	5.55	3-10	9	19	22
22.....	1.63	4.70	5.85	4- 2	9½	20	24
24.....	1.67	5.05	6.30	4- 6	9½	21	25
26.....	1.71	5.45	6.80	4-10	10	23	27
28.....	1.75	5.80	7.30	5- 2	10	24	29
30.....	1.80	5.85	7.35	5- 6	10½	25	30
32.....	1.93	6.80	8.55	5-10	11	26	32
34.....	1.97	6.85	8.60	6- 2	11½	28	34
36.....	2.02	7.40	9.40	6- 6	12	29	36
38.....	2.06	7.45	9.45	6-10	12	30	37
40.....	2.20	8.30	10.60	7- 2	12½	32	39
30x12.....	1.46	3.65	4.35	2-10x2- 6	8	14	17
14.....	1.50	3.95	4.75	2-10	8	15	18
15.....	1.52	4.05	4.90	3- 0	8½	16	19
16.....	1.55	4.20	5.10	3- 2	8½	17	20
18.....	1.59	4.50	5.55	3- 6	9	18	22
20.....	1.63	4.70	5.85	3-10	9½	20	24
22.....	1.67	5.05	6.30	4- 2	10	21	26
24.....	1.71	5.30	6.70	4- 6	10	22	27

Two Light Check Rail Windows

1 3/8" Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
30x26.....	\$1.75	\$5.80	\$7.30	2-10x4-10	10 1/2	24	29
28.....	1.80	5.85	7.35	5- 2	10 1/2	25	30
30.....	1.84	6.70	8.45	5- 6	11	26	32
32.....	1.97	6.85	8.60	5-10	11 1/2	28	34
34.....	2.02	7.40	9.40	6- 2	12	29	36
36.....	2.06	7.45	9.45	6- 6	12	30	37
38.....	2.10	8.20	10.50	6-10	12 1/2	32	39
40.....	2.26	8.40	10.70	7- 2	13	33	41
32x14.....	1.63	4.20	5.05	3- 0x2-10	9	17	20
18.....	1.71	4.65	5.70	3- 6	9 1/2	20	23
20.....	1.75	5.15	6.40	3-10	9 1/2	21	25
22.....	1.80	5.40	6.80	4- 2	10	22	27
24.....	1.84	5.90	7.40	4- 6	10 1/2	24	29
26.....	1.89	5.95	7.45	4-10	10 1/2	25	30
28.....	1.93	6.80	8.55	5- 2	11	26	32
30.....	1.97	6.85	8.60	5- 6	11 1/2	28	34
32.....	2.02	7.40	9.40	5-10	12	29	36
34.....	2.06	7.45	9.45	6- 2	12	30	38
36.....	2.10	8.20	10.50	6- 6	12 1/2	32	40
38.....	2.15	9.00	11.35	6-10	13	34	42
40.....	2.30	9.20	11.55	7- 2	13	35	43
34x12.....	1.63	4.00	4.80	3- 2x2- 6	9	16	19
16.....	1.71	4.65	5.70	3- 2	9 1/2	19	23
20.....	1.80	5.20	6.45	3-10	10	22	26
24.....	1.89	5.95	7.45	4- 6	11	25	30
26.....	1.93	6.40	8.05	4-10	11	26	32
28.....	1.97	6.85	8.60	5- 2	11 1/2	28	34
30.....	2.02	7.40	9.40	5- 6	12	29	36
32.....	2.06	7.45	9.45	5-10	12 1/2	31	38
34.....	2.10	8.20	10.50	6- 2	12 1/2	32	40
36.....	2.15	9.00	11.35	6- 6	13	34	42
38.....	2.19	9.05	11.40	6-10	13	35	43
40.....	2.34	10.30	13.10	7- 2	13 1/2	36	45
36x14.....	1.71	4.50	5.50	3- 4x2-10	10	19	22
16.....	1.75	4.80	5.85	3- 2	10	20	24
18.....	1.80	5.20	6.45	3- 6	10	21	25
20.....	1.84	5.60	6.95	3-10	10 1/2	23	28
24.....	1.93	6.40	8.05	4- 6	11 1/2	26	32
26.....	1.97	6.85	8.60	4-10	11 1/2	27	34
28.....	2.02	7.40	9.40	5- 2	12	29	36
30.....	2.06	7.45	9.45	5- 6	12	30	38
32.....	2.10	8.20	10.50	5-10	12 1/2	32	40
34.....	2.15	9.00	11.35	6- 2	13	34	42
36.....	2.19	9.05	11.40	6- 6	13	35	43
38.....	2.24	10.15	12.95	6-10	13 1/2	37	46
40.....	2.39	10.35	13.15	7- 2	14	38	48
40x18.....	1.98	5.80	7.15	3- 8x3- 6	11	23	28
22.....	2.07	6.95	8.70	4- 2	12	27	33
24.....	2.11	7.00	8.75	4- 6	12	28	35
26.....	2.16	7.60	9.60	4-10	12	30	37
28.....	2.20	8.30	10.60	5- 2	12 1/2	31	39
30.....	2.26	8.40	10.70	5- 6	13	33	41
32.....	2.30	9.20	11.55	5-10	13	35	43

One Lt. Sash
and
Trim

Cellar, Barn
Door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Summit
183

Weathered
Door Lists
and Extras
187

Arch Doors
Arch and
Extras
271

Two Light Check Rail Windows

$1\frac{3}{8}$ " Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
40x34.....	\$2.34	\$10.30	\$13.10	3-8x6- 2	13½	36	45
36.....	2.39	10.35	13.15	6- 6	14	38	48
38.....	2.43		13.20	6-10	14	..	50
40.....	2.48		13.25	7- 2	14½	..	52
44x18.....	2.07		8.15	4-0x3- 6	11	..	30
22.....	2.16		9.60	4- 2	12	..	35
24.....	2.20		9.65	4- 6	12½	..	37
26.....	2.26		10.70	4-10	13	..	40
28.....	2.30		11.55	5- 2	13	..	42
30.....	2.34		13.10	5- 6	13½	..	44
32.....	2.39		13.15	5-10	13½	..	46
36.....	2.48		13.25	6- 6	14½	..	51
40.....	2.57		16.00	7- 2	15½	..	56
48x24.....	2.30		11.55	4-4x4- 6	13½	..	41
26.....	2.34		11.60	4-10	14	..	43
28.....	2.39		13.15	5- 2	14	..	45
30.....	2.43		13.20	5- 6	14½	..	48
32.....	2.48		13.25	5-10	14½	..	50
34.....	2.53		15.95	6- 2	15	..	53
36.....	2.57		16.00	6- 6	15½	..	56
38.....	2.62		17.10	6-10	16	..	58
40.....	2.66		17.15	7- 2	16½	..	61



Two Light Plain Rail Windows

Open and Glazed, $1\frac{1}{8}$ " Thick, Not Ploughed or Bored

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Meeting Rail not over $1\frac{5}{16}$ " high overall, not over $1\frac{5}{16}$ " between glass.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{3}{8}$ " face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
18x20.....	\$1.21	\$3.20		1-10x3-10	5	11	..
24.....	1.28	3.65		4- 6	5	13	..
20x20.....	1.25	3.55		2- 0x3-10	5	12	..
24.....	1.32	3.90		4- 6	5½	14	..
26.....	1.36	4.05		4-10	5½	16	..
24x20.....	1.32	3.90		2- 4x3-10	5½	14	..
24.....	1.40	4.40		4- 6	6	17	..
26.....	1.43	4.45		4-10	6	18	..
28.....	1.47	4.80		5- 2	6	20	..
26x24.....	1.43	4.45		2- 6x4- 6	6	18	..
26.....	1.47	4.80		4-10	6	20	..
28.....	1.50	5.20		5- 2	6½	21	..
30.....	1.54	5.55		5- 6	6½	22	..

Four Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored



Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 15/16" wide overall, not over 1 3/4" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 1/8" wide overall, not over 1/2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
8x10.....	\$1.20	\$2.50		1-8x2- 2	4	6	..
12x20.....	1.56	4.15		2-4x3-10	5 1/2	16	..
24.....	1.65	4.75		4- 6	6	18	..
26.....	1.71	5.00		4-10	6 1/2	19	..
28.....	1.75	5.25		5- 2	6 1/2	20	..
30.....	1.80	5.60		5- 6	7	20	..
14x20.....	1.63	4.45		2-8x3-10	6	17	..
24.....	1.72	5.20		4- 6	6 1/2	19	..
26.....	1.78	5.35		4-10	7	21	..
28.....	1.83	(5.90)		5- 2	7	21	..

Four Light Check Rail Windows

1 1/8" Thick, Open and Glazed, Ploughed and Bored



Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 15/16" wide overall, not over 1 3/4" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 1/8" wide overall, not over 1/2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
12x20.....	\$1.58	\$4.15		2-4x3-10	6	16	..
24.....	1.69	4.80		4- 6	6 1/2	18	..
26.....	1.75	5.05		4-10	6 1/2	19	..
28.....	1.79	5.30		5- 2	7	20	..

One Lt. Sash
and
Trim

Cellar, Barn
door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pin,
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens
183

Vinyl
Door Lists
and Extras
187

Blank Door
Lists and
Extras
271



Four Light Check Rail Windows

1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 5" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3 1/8" face.

Bars not over 1 1/4" wide overall, not over 1/8" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
9x12.....	\$1.42	\$2.90	\$3.15	1-11x2- 6	4 1/2	9	10
10x16.....	1.57	3.65	4.10	2- 1x3- 2	5 1/2	12	14
18.....	1.63	3.85	4.35	3- 6	6	13	15
20.....	1.69	4.05	4.60	3-10	6	13	16
22.....	1.73	4.20	4.80	4- 2	7	15	18
24.....	1.80	4.45	5.10	4- 6	8	17	20
26.....	1.85	4.80	5.60	4-10	8	17	21
28.....	1.91	5.00	5.85	5- 2	9	19	23
30.....	1.95	5.20	6.10	5- 6	9	20	24
11x16.....	1.66	3.85	4.35	2- 3x3- 2	6	12	15
18.....	1.72	4.10	4.65	3- 6	7	14	17
20.....	1.77	4.25	4.85	3-10	7	15	18
22.....	1.83	4.45	5.15	4- 2	8	17	20
24.....	1.88	4.90	5.70	4- 6	8	18	21
26.....	1.94	5.10	6.00	4-10	9	19	23
28.....	1.99	5.35	6.30	5- 2	9	20	24
12x16.....	1.66	3.95	4.45	2- 5x3- 2	6	13	15
18.....	1.72	4.20	4.80	3- 6	7	15	18
20.....	1.77	4.40	5.05	3-10	7	16	19
22.....	1.83	4.65	5.35	4- 2	8	17	21
24.....	1.88	5.05	5.90	4- 6	8	18	22
26.....	1.94	5.25	6.25	4-10	9	20	24
28.....	1.99	5.55	6.55	5- 2	9	21	25
30.....	2.05	5.95	7.30	5- 6	10	23	28
32.....	2.21	6.25	7.70	5-10	11	25	30
34.....	2.27	6.45	8.00	6- 2	12	26	32
36.....	2.32	6.70	8.30	6- 6	12	27	33
38.....	2.36	6.90	8.65	6-10	13	29	35
40.....	2.52	7.50	9.30	7- 2	13	30	36
13x16.....	1.74	4.15	4.70	2- 7x3- 2	8	16	18
18.....	1.79	4.35	5.00	3- 6	8 1/2	17	20
20.....	1.85	4.60	5.30	3-10	9	18	22
22.....	1.91	5.05	5.95	4- 2	9 1/2	20	24
24.....	1.96	5.30	6.25	4- 6	10	21	25
26.....	2.02	5.55	6.60	4-10	10 1/2	23	27
28.....	2.08	5.95	7.35	5- 2	11	24	29
30.....	2.13	6.30	7.85	5- 6	12	26	31
13 1/2 x16.....	1.74	4.25	4.90	2- 8x3- 2	8	16	19
18.....	1.79	4.45	5.15	3- 6	8 1/2	17	21
20.....	1.85	4.70	5.50	3-10	9	19	22
22.....	1.91	5.15	6.05	4- 2	9 1/2	20	24
24.....	1.96	5.40	6.40	4- 6	10	22	26
26.....	2.02	5.55	6.60	4-10	10 1/2	23	27
28.....	2.08	6.10	7.55	5- 2	11	24	29
30.....	2.13	6.45	8.05	5- 6	12	26	32
32.....	2.30	6.85	8.55	5-10	12	27	33
14x16.....	1.74	4.25	4.90	2- 9x3- 2	8	16	19
18.....	1.79	4.45	5.15	3- 6	8 1/2	18	21

Four Light Check Rail Windows

1 3/8" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
14x20.....	\$1.85	\$4.70	\$5.50	2- 9x3-10	9	19	23
22.....	1.91	5.25	6.20	4- 2	9 1/2	21	25
24.....	1.96	5.50	6.55	4- 6	10	22	26
26.....	2.02	5.65	6.75	4-10	10 1/2	23	28
28.....	2.08	6.25	7.75	5- 2	11	25	30
30.....	2.13	6.45	8.05	5- 6	12	27	32
32.....	2.30	6.85	8.55	5-10	12	28	34
34.....	2.35	7.10	8.95	6- 2	12 1/2	29	35
36.....	2.42	7.45	9.40	6- 6	13	31	37
38.....	2.45	7.70	9.65	6-10	13	32	38
40.....	2.63	8.20	10.30	7- 2	13	33	40
15x16.....	1.78	4.40	5.05	2-11x3- 2	9	18	21
18.....	1.83	4.65	5.35	3- 6	9	19	22
20.....	1.89	5.15	6.05	3-10	9 1/2	20	24
22.....	1.94	5.35	6.35	4- 2	10	22	26
24.....	2.01	5.65	6.75	4- 6	10 1/2	23	28
26.....	2.06	6.20	7.75	4-10	11	25	30
28.....	2.12	6.45	8.05	5- 2	11 1/2	26	32
30.....	2.17	6.70	8.40	5- 6	12	28	34
32.....	2.34	7.10	8.95	5-10	12	29	35
34.....	2.39	7.40	9.35	6- 2	12 1/2	30	37
36.....	2.46	8.00	10.10	6- 6	13	32	39
38.....	2.49	8.00	10.15	6-10	13 1/2	33	41
40.....	2.67	8.75	11.00	7- 2	14	35	43
16x16.....	1.91	4.70	5.40	3- 1x3- 2	9	18	22
18.....	1.97	4.95	5.75	3- 6	9	19	23
20.....	2.03	5.40	6.35	3-10	9 1/2	21	25
22.....	2.08	5.75	6.85	4- 2	10	22	27
24.....	2.14	5.95	7.10	4- 6	10 1/2	24	29
26.....	2.20	6.55	8.15	4-10	10 1/2	25	31
28.....	2.25	6.80	8.50	5- 2	11 1/2	27	33
30.....	2.31	7.05	8.90	5- 6	12 1/2	29	36
32.....	2.37	7.35	9.35	5-10	12 1/2	30	37
34.....	2.42	7.70	9.80	6- 2	13	32	39
36.....	2.48	8.00	10.15	6- 6	13 1/2	34	41
38.....	2.54	8.40	10.70	6-10	13 1/2	35	43
40.....	2.72	9.20	11.65	7- 2	14	36	45
18x16.....	2.00	5.00	5.75	3- 5x3- 2	9 1/2	20	24
18.....	2.06	5.50	6.50	3- 6	10	21	26
20.....	2.11	5.80	6.90	3-10	10	23	27
22.....	2.17	6.35	7.90	4- 2	10 1/2	25	30
24.....	2.23	6.60	8.20	4- 6	11	26	32
26.....	2.28	7.00	8.85	4-10	11	27	33
28.....	2.34	7.35	9.30	5- 2	12	30	36
30.....	2.40	7.65	9.80	5- 6	13	32	39
32.....	2.45	7.75	9.85	5-10	13	33	41
34.....	2.51	8.35	10.65	6- 2	14	35	43
36.....	2.57	8.80	11.30	6- 6	14 1/2	37	45
38.....	2.63	9.10	11.55	6-10	14 1/2	38	47
40.....	2.81	9.80	12.50	7- 2	15	40	49
20x26.....	2.49	7.50	9.50	3- 9x4-10	13	31	38
28.....	2.54	7.85	9.95	5- 2	13 1/2	33	40
30.....	2.61	8.25	10.55	5- 6	14	35	43
32.....	2.66	8.95	11.45	5-10	14 1/2	37	45

One Lt. Sash
and
Frame

Cellar, Barn
Door

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tall and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
187

French Doors
Lists and
Extras
271




Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Class Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
8x10.....	\$1.54	\$3.25	2- 4x2- 2	6	11
12.....	1.59	3.45	2- 6	6½	12
9x12.....	1.66	3.65	2- 7x2- 6	7	13
13.....	1.66	3.75	2- 8	7	14
14.....	1.69	3.85	2-10	7½	15
10x12.....	1.72	3.85	2-10x2- 6	7½	14
14.....	1.75	4.05	2-10	7½	15
15.....	1.78	4.20	3- 0	8	16
16.....	1.82	4.45	3- 2	8½	17
18.....	1.88	4.70	3- 6	9	19
20.....	1.94	4.95	3-10	9½	20



Opening sizes shown are based on 4½" of wood in width, 6" of wood in height over glass size.

Top Rail not over $1\frac{15}{16}$ " wide overall, not over $1\frac{3}{4}$ " face.

Bottom Rail not over $2\frac{7}{8}$ " wide overall, not over $2\frac{11}{16}$ " face.

Vertical Bars not over $1\frac{5}{16}$ " wide overall, not over $1\frac{5}{16}$ " face.

Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
7x 9.....	\$1.50	\$3.40	1- 6½x3- 6	5	10
8x10.....	1.61	3.70	1- 8½x3-10	5	10
12.....	1.70	4.00	4- 6	5½	12
9x12.....	1.73	4.20	1-10½x4- 6	6	14
14.....	1.84	4.55	5- 2	7	16
10x12.....	1.78	4.40	2- 0½x4- 6	7½	15
14.....	1.88	4.75	5- 2	8	18
16.....	2.06	5.60	5-10	9	20
18.....	2.15	5.95	6- 6	9	21
12x14.....	1.96	5.55	2- 4½x5- 2	9	19
16.....	2.14	6.05	5-10	11	22
18.....	2.23	6.50	6- 6	12	25
14x16.....	2.24	6.60	2- 8½x5-10	10	25
18.....	2.32	7.00	6- 6	10½	28
20.....	2.46	7.50	7- 2	11	31

Page 18

Eight Light Check Rail Windows

1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 5" of wood in width, 6" of wood in height, over glass size.

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 1 15/16" wide overall, not over 1 3/4" face.

Check Rail not over 1 15/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 2 7/8" wide overall, not over 2 11/16" face.

Vertical Bars not over 1 1/4" wide overall, not over 7/8" face.

Horizontal Bars not over 3/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
7x 9.....	\$1.70	\$3.70	1- 7x3- 6	7	12
8x10.....	1.83	4.10	1- 9x3-10	7 1/2	14
12.....	1.93	4.40	4- 6	8	15
13.....	1.99	4.55	4-10	9	17
9x12.....	1.97	4.60	1-11x4- 6	8 1/2	17
13.....	2.03	4.75	4-10	9	18
14.....	2.09	4.95	5- 2	9	18
10x10.....	1.92	4.45	2- 1x3-10	8 1/2	16
12.....	2.02	4.80	4- 6	9	18
13.....	2.08	5.00	4-10	9 1/2	19
14.....	2.14	5.20	5- 2	10	20
15.....	2.18	5.35	5- 6	10 1/2	22
16.....	2.34	6.05	5-10	11	23
18.....	2.44	6.40	6- 6	11 1/2	25
12x12.....	2.11	5.20	2- 5x4- 6	10	21
14.....	2.23	6.00	5- 2	11 1/2	24
16.....	2.43	6.50	5-10	12	26
18.....	2.53	7.00	6- 6	13	29
14x16.....	2.54	7.10	2- 9x5-10	13	29
18.....	2.64	7.50	6- 6	14	32
20.....	2.80	8.05	7- 2	15	35

Nine Light Plain Rail Windows

**1 1/8" Thick, Open and Glazed,
Not Ploughed or Bored**



Opening sizes shown are based on 4 1/2" of wood in width, 6 1/4" of wood in height over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 25/32" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
8x10.....	\$1.60	\$3.75	2- 4 1/2x3- 0 1/4	7	15

Unless otherwise ordered, 9 light windows will be made with 6 lights in the bottom sash.



Twelve Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 2" wide overall, not over 1 13/16" face.

Top Rail not over 1 15/16" wide overall, not over 1 3/4" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 2 7/8" wide overall, not over 2 11/16" face.

Bars not over 9/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$1.60	\$3.80	1-10x3- 2	5	12
7x 9.....	1.77	4.30	2- 1x3- 6	6	15
8x10.....	1.91	4.75	2- 4x3-10	7	16
12.....	2.00	5.15	4- 6	8	18
14.....	2.09	5.55	5- 2	9	19
9x12.....	2.04	5.40	2- 7x4- 6	9	20
13.....	2.09	5.60	4-10	9 1/2	21
14.....	2.13	5.85	5- 2	10	22
15.....	2.20	6.10	5- 6	11	23
10x12.....	2.11	5.70	2-10x4- 6	9	21
14.....	2.20	6.20	5- 2	9 1/2	23
15.....	2.27	6.45	5- 6	10	25
16.....	2.39	7.25	5-10	11	26
18.....	2.48	7.75	6- 6	12	29
12x12.....	2.28	6.35	3- 4x4- 6	10	24
14.....	2.37	7.35	5- 2	11	25
16.....	2.56	8.00	5-10	12	28
18.....	2.65	8.65	6- 6	13	31

For Texas Layout, use this list.

NOTE

To avoid errors and misunderstandings, always specify both glass and opening sizes on your orders; also width of bars wanted.

State whether open or glazed, SS or DS. It will be understood same are to be glazed unless specifically ordered otherwise.

Twelve Light Check Rail Windows

13/8" Thick, Open and Glazed, With 3/16" Bars
Between Glass



Opening sizes shown are based on 4 1/2" of wood in width, 6" of wood in height over glass size.

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 1 15/16" wide overall, not over 1 3/4" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 2 7/8" wide overall, not over 2 1/16" face.

Bars not over 3/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$1.82	\$4.20	1-10 1/2x3- 2	7	13
7x 9.....	2.01	4.70	2- 1 1/2x3- 6	8	16
8x 8.....	2.01	4.70	2- 4 1/2x3- 2	8	16
9.....	2.11	5.30	3- 6	8	16
10.....	2.17	5.35	3-10	8	17
11.....	2.23	5.75	4- 2	9	19
12.....	2.27	5.75	4- 6	9	20
13.....	2.33	5.80	4-10	10	22
14.....	2.37	6.00	5- 2	10	23
9x 8.....	2.06	5.25	2- 7 1/2x3- 2	8 1/2	17
9.....	2.16	5.25	3- 6	9	18
10.....	2.22	5.80	3-10	9 1/2	20
11.....	2.28	5.85	4- 2	10	21
12.....	2.32	5.85	4- 6	10	22
13.....	2.38	6.10	4-10	10 1/2	24
14.....	2.42	6.30	5- 2	11	25
15.....	2.50	6.60	5- 6	11 1/2	27
16.....	2.64	6.90	5-10	12 1/2	29
10x 8.....	2.14	5.15	2-10 1/2x3- 2	8 1/2	18
9.....	2.24	5.60	3- 6	9 1/2	20
10.....	2.30	5.70	3-10	10	21
11.....	2.36	6.40	4- 2	10 1/2	23
12.....	2.40	6.40	4- 6	11	25
13.....	2.46	6.45	4-10	11	26
14.....	2.50	6.70	5- 2	12	28
15.....	2.58	6.95	5- 6	12 1/2	29
16.....	2.72	7.85	5-10	13	31
17.....	2.78	8.65	6- 2	13 1/2	32
18.....	2.82	8.70	6- 6	14	34
11x15.....	2.72	7.90	3-1 1/2x5- 6	12 1/2	31
16.....	2.86	8.30	5-10	13	32
17.....	2.92	9.25	6- 2	13 1/2	34
18.....	2.96	9.30	6- 6	14 1/2	36
12x12.....	2.59	6.85	3- 4 1/2x4- 6	12	33
14.....	2.69	7.95	5- 2	13	37
15.....	2.77	8.25	5- 6	13 1/2	39
16.....	2.91	8.60	5-10	14	41
18.....	3.01	9.25	6- 6	15	45
20.....	3.12	9.80	7- 2	16	50

One Lt. Sash
and
Transom

Collar, Barn
and
Sash

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens
183

Vinyl
Door Lists
and Extras
187

Each Door
List and
Extras
271



Twelve Light Check Rail Windows

13/8" Thick, Open and Glazed, With 3/8" Bars
Between Glass

Opening sizes shown are based on 4 1/2" of wood in width, 6" of wood in height over glass size.

Stiles not over 2 1/16" wide overall, not over 1 7/8" face.

Top Rail not over 1 3/4" wide overall, not over 1 5/16" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 2 15/16" wide overall, not over 2 3/4" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$1.94	\$4.35	1-10 1/2 x 3- 2	7	13
7x 9.....	2.15	4.90	2- 1 1/2 x 3- 6	8	16
8x 8.....	2.15	4.90	2- 4 1/2 x 3- 2	8	16
9.....	2.25	5.50	3- 6	8	16
10.....	2.31	5.55	3-10	8	17
11.....	2.39	5.95	4- 2	9	19
12.....	2.43	5.95	4- 6	9	20
13.....	2.49	6.00	4-10	10	22
14.....	2.55	6.25	5- 2	10	23
9x 8.....	2.20	5.45	2- 7 1/2 x 3- 2	8 1/2	17
9.....	2.30	5.45	3- 6	9	18
10.....	2.36	5.95	3-10	9 1/2	20
11.....	2.44	6.05	4- 2	10	21
12.....	2.48	6.05	4- 6	10	22
13.....	2.54	6.30	4-10	10 1/2	24
14.....	2.59	6.55	5- 2	11	25
15.....	2.64	6.85	5- 6	11 1/2	27
16.....	2.77	7.15	5-10	12 1/2	29
10x 8.....	2.28	5.35	2-10 1/2 x 3- 2	8 1/2	18
9.....	2.38	5.80	3- 6	9 1/2	20
10.....	2.44	5.90	3-10	10	21
11.....	2.52	6.60	4- 2	10 1/2	23
12.....	2.56	6.60	4- 6	11	25
13.....	2.62	6.65	4-10	11	26
14.....	2.68	6.95	5- 2	12	28
15.....	2.76	7.20	5- 6	12 1/2	29
16.....	2.86	8.10	5-10	13	31
17.....	2.98	8.90	6- 2	13 1/2	32
18.....	3.02	8.95	6- 6	14	34
11x15.....	2.86	8.15	3- 1 1/2 x 5- 6	12 1/2	31
16.....	2.90	8.55	5-10	13	32
17.....	3.14	9.55	6- 2	13 1/2	34
18.....	3.18	9.60	6- 6	14 1/2	36
12x12.....	2.77	7.10	3- 4 1/2 x 4- 6	12	33
14.....	2.89	8.20	5- 2	13	37
15.....	2.97	8.50	5- 6	13 1/2	39
16.....	3.11	8.85	5-10	14	41
18.....	3.23	9.55	6- 6	15	45
20.....	3.36	10.10	7- 2	16	50

Twelve Light Check Rail Windows

$1\frac{3}{8}$ " Thick, Open and Glazed

With $\frac{3}{16}$ " Bars Between Glass To Fill 2 Light Openings



Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over $1\frac{1}{16}$ " wide overall, not over $1\frac{3}{4}$ " face.

Top Rail not over $1\frac{1}{16}$ " wide overall, not over $1\frac{3}{4}$ " face.

Check Rail not over $1\frac{1}{16}$ " high overall, not over $\frac{15}{16}$ " between glass.

Bottom Rail not over $2\frac{7}{8}$ " wide overall, not over $2\frac{1}{16}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Class Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
$6\frac{5}{8} \times 7\frac{1}{2}$	\$1.86	\$4.80	2- 0x3- 0	7	13
8.....	1.86	4.80	3- 2	7	13
9.....	1.96	4.85	3- 6	8	15
10.....	2.02	5.20	3-10	8	16
11.....	2.08	5.35	4- 2	8	17
12.....	2.12	5.65	4- 6	$8\frac{1}{2}$	18
13.....	2.18	5.85	4-10	9	19
14.....	2.22	6.05	5- 2	9	20
15.....	2.30	6.50	5- 6	$9\frac{1}{2}$	21
8 x 9.....	2.08	5.25	2- 4x3- 6	8	16
10.....	2.14	5.25	3-10	8	17
11.....	2.20	5.70	4- 2	9	19
12.....	2.24	5.75	4- 6	9	20
13.....	2.30	5.80	4-10	10	22
14.....	2.34	6.00	5- 2	10	23
15.....	2.42	6.20	5- 6	11	25
$8\frac{5}{8} \times 9$	2.11	5.30	2- 6x3- 6	9	18
10.....	2.17	5.95	3-10	$9\frac{1}{2}$	20
11.....	2.23	6.00	4- 2	10	21
12.....	2.27	6.05	4- 6	10	22
13.....	2.33	6.25	4-10	$10\frac{1}{2}$	23
14.....	2.37	6.50	5- 2	11	25
15.....	2.45	6.80	5- 6	$11\frac{1}{2}$	26
$9\frac{5}{16} \times 10$	2.22	5.80	2- 8x3-10	10	21
12.....	2.32	6.35	4- 6	11	24
13.....	2.38	6.65	4-10	11	25
14.....	2.42	6.85	5- 2	12	27
15.....	2.50	7.15	5- 6	$12\frac{1}{2}$	28
10 x 10.....	2.26	5.65	2-10x3-10	10	21
12.....	2.36	6.15	4- 6	11	25
13.....	2.42	6.40	4-10	11	26
14.....	2.46	6.65	5- 2	12	28
15.....	2.54	6.90	5- 6	$12\frac{1}{2}$	29
$10\frac{5}{8} \times 10$	2.37	6.40	3- 0x3-10	$10\frac{1}{2}$	23
12.....	2.47	6.75	4- 6	11	25
13.....	2.53	7.00	4-10	$11\frac{1}{2}$	27
14.....	2.57	7.30	5- 2	12	29
15.....	2.65	7.75	5- 6	$12\frac{1}{2}$	30
$11\frac{5}{16} \times 10$	2.43	6.45	3- 2x3-10	11	24
12.....	2.53	7.05	4- 6	12	27
13.....	2.59	7.40	4-10	$12\frac{1}{2}$	29
14.....	2.63	8.20	5- 2	13	31
15.....	2.71	8.55	5- 6	$13\frac{1}{2}$	32

One Lt. Sash
and
Transom

Cellar, Barn
and
Stable

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Transoms and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Summers
183

Removal
Door Lists
and Extras
187

Each Door
Sash and
Extras
274



Twelve Light Check Rail Windows

1 $\frac{3}{8}$ " Thick, Open and Glazed

With $\frac{3}{8}$ " Bars Between Glass To Fill 2 Light Openings

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 $\frac{1}{16}$ " wide overall, not over 1 $\frac{5}{8}$ " face.

Top Rail not over 1 $\frac{3}{4}$ " wide overall, not over 1 $\frac{9}{16}$ " face.

Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " face.

Bottom Rail not over 2 $\frac{1}{16}$ " wide overall, not over 2 $\frac{3}{4}$ " face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6 $\frac{5}{8}$ x 7 $\frac{1}{2}$	\$1.96	\$4.60	2- 0x3- 0	7	13
8.....	1.98	4.65	3- 2	7	13
9.....	2.08	4.85	3- 6	8	15
10.....	2.14	5.20	3-10	8	16
11.....	2.22	5.40	4- 2	8	17
12.....	2.26	5.60	4- 6	8 $\frac{1}{2}$	18
13.....	2.32	5.75	4-10	9	19
14.....	2.38	5.95	5- 2	9	20
15.....	2.46	6.15	5- 6	9 $\frac{1}{2}$	21
8 x 9.....	2.22	5.35	2- 4x3- 6	8	16
10.....	2.28	5.45	3-10	8	17
11.....	2.36	5.75	4- 2	9	19
12.....	2.40	5.95	4- 6	9	20
13.....	2.46	6.00	4-10	10	22
14.....	2.52	6.25	5- 2	10	23
15.....	2.60	6.45	5- 6	11	25
8 $\frac{5}{8}$ x 9.....	2.25	5.50	2- 6x3- 6	9	18
10.....	2.31	6.15	3-10	9 $\frac{1}{2}$	20
11.....	2.39	6.20	4- 2	10	21
12.....	2.43	6.25	4- 6	10	22
13.....	2.49	6.45	4-10	10 $\frac{1}{2}$	23
14.....	2.55	6.75	5- 2	11	25
15.....	2.63	7.05	5- 6	11 $\frac{1}{2}$	26
9 $\frac{5}{16}$ x10.....	2.36	5.95	2- 8x3-10	10	21
12.....	2.48	6.50	4- 6	11	24
13.....	2.54	6.85	4-10	11	25
14.....	2.60	7.10	5- 2	12	27
15.....	2.68	7.30	5- 6	12 $\frac{1}{2}$	28
10 x10.....	2.40	5.85	2-10x3-10	10	21
12.....	2.52	6.35	4- 6	11	25
13.....	2.58	6.60	4-10	11	26
14.....	2.64	6.90	5- 2	12	28
15.....	2.72	7.15	5- 6	12 $\frac{1}{2}$	29
10 $\frac{5}{8}$ x10.....	2.51	6.60	3- 0x3-10	10 $\frac{1}{2}$	23
12.....	2.63	6.95	4- 6	11	25
13.....	2.69	7.20	4-10	11 $\frac{1}{2}$	27
14.....	2.75	7.55	5- 2	12	29
15.....	2.83	8.00	5- 6	12 $\frac{1}{2}$	30
11 $\frac{5}{16}$ x10.....	2.59	6.65	3- 2x3-10	11	24
12.....	2.71	7.30	4- 6	12	27
13.....	2.77	7.65	4-10	12 $\frac{1}{2}$	29
14.....	2.83	8.30	5- 2	13	31
15.....	2.91	8.80	5- 6	13 $\frac{1}{2}$	32

Fifteen Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

Opening sizes shown are based on 4 15/16" of wood in width, 7 1/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass

Bottom Rail not over 3 5/16" wide overall, not over 3 5/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.16	\$4.80	1-10 15/16x3-11 1/16
7x 9.....	2.25	5.25	2- 1 15/16x4- 4 7/16
8x10.....	2.36	5.75	2- 4 15/16x4- 9 1/16
12.....	2.53	6.30	5- 7 7/16
14.....	2.62	6.80	6- 5 7/16
9x12.....	2.59	6.65	2- 7 15/16x5- 7 7/16
13.....	2.63	6.90	6- 0 7/16
14.....	2.76	7.25	6- 5 7/16
16.....	2.86	7.80	7- 3 7/16
10x12.....	2.64	7.00	2-10 15/16x5- 7 7/16
14.....	2.82	7.65	6- 5 7/16
15.....	2.87	7.90	6-10 7/16
16.....	2.93	8.80	7- 3 7/16
18.....	3.42	9.90	8- 1 7/16
12x12.....	2.75	7.65	3- 4 15/16x5- 7 7/16
14.....	2.95	9.00	6- 5 7/16
16.....	3.04	9.65	7- 3 7/16
18.....	3.55	10.95	8- 1 7/16

Unless otherwise ordered, 15 Light Windows will be made with 9 lights in the Bottom Sash.

If above windows are made with 3/16" bars between glass, 9/16" wide overall, making the opening 3/8" narrower and 9/16" shorter, deduct from the open list..... \$0.14
from the glazed list.... .18

Fifteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 4 15/16" of wood in width, 7 1/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 5/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$2.45	\$5.30	1-10 15/16x3-11 1/16	6 1/2	14
7x 9.....	2.56	5.80	2- 1 15/16x4- 4 7/16	7 1/2	17
8x10.....	2.68	6.30	2- 4 15/16x4- 9 1/16	8 1/2	20
12.....	2.87	6.90	5- 7 7/16	8 1/2	23
14.....	2.98	7.40	6- 5 7/16	9 1/2	25
9x12.....	2.94	7.20	2- 7 15/16x5- 7 7/16	9	25
13.....	2.99	7.45	6- 0 7/16	9 1/2	26
14.....	3.14	7.90	6- 5 7/16	10	28
16.....	3.25	8.40	7- 3 7/16	11	31

One Lt. Sash
and
Transom

Cellar, Barn
door

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
184

Veneered
Door Lists
and Extras
197

Veneer Door
Lists and
Extras
224

Fifteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
10x12.....	\$3.00	\$ 7.55	2-10 15/16x5- 7 7/16	9 1/2	26
14.....	3.21	8.30	6- 5 7/16	10 1/2	30
15.....	3.26	8.55	6-10 7/16	11	32
16.....	3.33	9.55	7- 3 7/16	11 1/2	33
18.....	3.89	10.70	8- 1 7/16	12	36
12x12.....	3.13	8.25	3- 4 15/16x5- 7 7/16	10 1/2	30
14.....	3.35	9.75	6- 5 7/16	11 1/2	34
16.....	3.46	10.35	7- 3 7/16	12	38
18.....	4.03	11.75	8- 1 7/16	12 1/2	42

Unless otherwise ordered, 15 Light Windows will be made with 9 lights in the Bottom Sash.

If above windows are made with 3/16" bars between glass, 9/16" wide overall making the opening 5/8" narrower and 9/16" shorter, deduct from the open list..... \$0.16
from the glazed list..... .20



Sixteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 5 3/8" of wood in width, 6" of wood in height, over glass size.

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 1 3/4" wide overall, not over 1 1/16" face.

Check Rail not over 1 1/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 2 15/16" wide overall, not over 2 3/4" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$2.58	\$5.60	2-5 3/8x3- 2	7	15
7x 9.....	2.71	6.15	2-9 3/8x3- 6	8	18
8x10.....	2.92	6.80	3-1 3/8x3-10	8 1/2	21
12.....	3.01	7.25	4- 6	9	24
14.....	3.09	7.75	5- 2	10	27
9x12.....	3.09	7.65	3-5 3/8x4- 6	10	26
13.....	3.14	7.90	4-10	10	28
14.....	3.18	8.20	5- 2	10 1/2	29
16.....	3.27	8.70	5-10	11	32
10x12.....	3.28	8.15	3-9 3/8x4- 6	10 1/2	28
13.....	3.32	8.45	4-10	11	30
14.....	3.38	8.80	5- 2	11	32
15.....	3.42	9.05	5- 6	11 1/2	34
16.....	3.46	9.95	5-10	11 1/2	35
18.....	4.03	11.20	6- 6	12	38
-12x12.....	3.46	8.95	4-5 3/8x4- 6	11 1/2	33
14.....	3.55	10.25	5- 2	12	37
16.....	3.65	10.95	5-10	12 1/2	41
18.....	4.22	12.35	6- 6	13 1/2	45

If above windows are made with 3/16" bars between glass, 9/16" wide overall, making opening 5/16" narrower and 3/8" shorter, deduct from the open list..... \$0.17
from the glazed list..... .21

Eighteen Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored



Opening sizes shown are based on 4 15/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Class Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.43	\$5.55	1-10 15/16x4-7 7/8
7x 9.....	2.54	6.10	2- 1 15/16x5-1 7/8
8x10.....	2.65	6.65	2- 4 15/16x5-7 7/8
12.....	2.84	7.30	6-7 7/8
14.....	3.04	8.00	7-7 7/8
9x12.....	2.90	7.70	2- 7 15/16x6-7 7/8
13.....	2.96	8.00	7-1 7/8
14.....	3.12	8.45	7-7 7/8
16.....	3.23	9.05	8-7 7/8
10x12.....	2.96	8.10	2-10 15/16x6-7 7/8
14.....	3.17	8.90	7-7 7/8
15.....	3.23	9.20	8-1 7/8
16.....	3.29	10.25	8-7 7/8
18.....	4.10	11.80	9-7 7/8
12x12.....	3.08	8.85	3- 4 15/16x6-7 7/8
14.....	3.29	10.45	7-7 7/8
16.....	3.41	11.20	8-7 7/8
18.....	4.22	13.00	9-7 7/8

If above windows are made with 3/16" bars between glass 9/16" wide overall, making opening 3/8" narrower and 3/4" shorter, deduct from the open list..... \$0.17
from the glazed list..... .21

Eighteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 4 15/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Class Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$2.76	\$6.10	1-10 15/16x4-7 7/8	7 1/2	16
7x 9.....	2.89	6.70	2- 1 15/16x5-1 7/8	8 1/2	20
8x10.....	3.01	7.25	2- 4 15/16x5-7 7/8	9	23
12.....	3.23	7.95	6-7 7/8	10	27
14.....	3.46	8.70	7-7 7/8	11	30
9x12.....	3.30	8.35	2- 7 15/16x6-7 7/8	10 1/2	29

One Lt. Sash
and
Trace

Callor, Barn
and
ed

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


French Door
Lists and
Extras
271

Eighteen Light Check Rail Windows

$\frac{13}{8}$ " Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
9x13.....	\$3.36	\$ 8.65	2- $7\frac{15}{16} \times 7-1\frac{7}{8}$	11	31
14.....	3.54	9.15	7- $7\frac{7}{8}$	11	33
16.....	3.67	9.75	8- $7\frac{7}{8}$	12	36
10x12.....	3.36	8.75	2- $10\frac{15}{16} \times 6-7\frac{7}{8}$	11	31
14.....	3.60	9.60	7- $7\frac{7}{8}$	$11\frac{1}{2}$	35
15.....	3.67	9.90	8- $1\frac{7}{8}$	12	37
16.....	3.74	11.05	8- $7\frac{7}{8}$	$12\frac{1}{2}$	39
18.....	4.66	12.75	9- $7\frac{7}{8}$	$13\frac{1}{2}$	43
12x12.....	3.50	9.55	3- $4\frac{15}{16} \times 6-7\frac{7}{8}$	$11\frac{1}{2}$	36
14.....	3.75	11.25	7- $7\frac{7}{8}$	$12\frac{1}{2}$	40
16.....	3.88	12.00	8- $7\frac{7}{8}$	$13\frac{1}{2}$	45
18.....	4.80	13.95	9- $7\frac{7}{8}$	14	49

If above windows are made with $\frac{3}{16}$ " bars between glass, $\frac{9}{16}$ " wide overall, making opening $\frac{3}{8}$ " narrower and $\frac{3}{4}$ " shorter, deduct from the open list..... \$0.19
from the glazed list..... .23



Twenty Light Check Rail Windows

$\frac{13}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on $5\frac{3}{8}$ " of wood in width, $7\frac{7}{16}$ " of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over $1\frac{5}{16}$ " high overall, not over $\frac{15}{16}$ " between glass.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.


Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$2.95	\$ 6.65	2- $5\frac{3}{8} \times 3-11\frac{7}{16}$	$7\frac{1}{2}$	17
7x 9.....	3.08	7.25	2- $9\frac{3}{8} \times 4-4\frac{7}{16}$	$8\frac{1}{2}$	21
8x10.....	3.31	8.05	3- $1\frac{3}{8} \times 4-9\frac{7}{16}$	$9\frac{1}{2}$	25
12.....	3.42	8.65	5- $7\frac{7}{16}$	10	28
14.....	3.53	9.25	6- $5\frac{7}{16}$	11	32
9x12.....	3.50	9.10	3- $5\frac{3}{8} \times 5-7\frac{7}{16}$	11	31
13.....	3.56	9.40	6- $0\frac{7}{16}$	11	33
14.....	3.72	9.90	6- $5\frac{7}{16}$	$11\frac{1}{2}$	35
16.....	3.83	10.55	7- $3\frac{7}{16}$	12	39
10x12.....	3.70	9.70	3- $9\frac{3}{8} \times 5-7\frac{7}{16}$	11	34
14.....	3.81	10.45	6- $5\frac{7}{16}$	12	38
15.....	3.86	10.75	6- $10\frac{7}{16}$	$12\frac{1}{2}$	40
16.....	3.93	12.00	7- $3\frac{7}{16}$	$12\frac{1}{2}$	42
18.....	4.88	13.80	8- $1\frac{7}{16}$	13	46
12x12.....	3.88	10.60	4- $5\frac{3}{8} \times 5-7\frac{7}{16}$	$12\frac{1}{2}$	39
14.....	4.00	12.30	6- $5\frac{7}{16}$	13	44
16.....	4.55	13.70	7- $3\frac{7}{16}$	$13\frac{1}{2}$	49
18.....	5.56	15.80	8- $1\frac{7}{16}$	$14\frac{1}{2}$	54

Unless otherwise ordered, 20 Light Windows will be made with 12 Lights in the Bottom Sash.

Twenty-Four Light Check Rail Windows

13/8" Thick, Open and Glazed



Opening sizes shown are based on 5 3/8" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.


Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$3.33	\$ 7.65	2-5 3/8x4-7 7/8	8 1/2	20
7x 9.....	3.48	8.35	2-9 3/8x5-1 7/8	9	24
8x10.....	3.72	9.25	3-1 3/8x5-7 7/8	10 1/2	29
12.....	3.85	9.95	6-7 7/8	11	33
14.....	4.09	10.85	7-7 7/8	12	38
9x12.....	3.94	10.45	3-5 3/8x6-7 7/8	11 1/2	36
13.....	4.00	10.85	7-1 7/8	12	39
14.....	4.19	11.45	7-7 7/8	12 1/2	41
16.....	4.32	12.20	8-7 7/8	13 1/2	46
10x12.....	4.13	11.15	3-9 3/8x6-7 7/8	12	39
14.....	4.28	12.05	7-7 7/8	13	44
15.....	4.34	12.45	8-1 7/8	13 1/2	47
16.....	4.41	13.90	8-7 7/8	13 1/2	49
18.....	5.53	16.00	9-7 7/8	14 1/2	54
12x12.....	4.32	12.20	4-5 3/8x6-7 7/8	13 1/2	45
14.....	4.46	14.40	7-7 7/8	14	51
16.....	5.04	15.75	8-7 7/8	15	57
18.....	6.22	18.30	9-7 7/8	16	63

Thirty Light Check Rail Windows

13/8" Thick, Open and Glazed



Opening sizes shown are based on 5 13/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$3.97	\$ 9.30	2-11 13/16x4-7 7/8	9	24
7x 9.....	4.14	10.20	3- 4 13/16x5-1 7/8	10 1/2	29
8x10.....	4.42	11.30	3- 9 13/16x5-7 7/8	11	35

One Lt. Sash
and
Transom

Cellar, Barn
door and
Sash

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Weathered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

Thirty Light Check Rail Windows

1³/₈" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
8x12.....	\$4.55	\$12.15	3-9 ¹³ / ₁₆ x6-7 ⁷ / ₈	12	40
14.....	4.70	13.05	7-7 ⁷ / ₈	13	45
9x12.....	4.67	12.80	4-2 ¹³ / ₁₆ x6-7 ⁷ / ₈	13	44
13.....	4.74	13.25	7-1 ⁷ / ₈	13 ¹ / ₂	46
14.....	4.81	13.80	7-7 ⁷ / ₈	13 ¹ / ₂	49
16.....	5.39	15.30	8-7 ⁷ / ₈	14 ¹ / ₂	55
10x12.....	5.03	13.80	4-7 ¹³ / ₁₆ x6-7 ⁷ / ₈	13 ¹ / ₂	48
14.....	5.18	14.90	7-7 ⁷ / ₈	14 ¹ / ₂	54
15.....	5.74	16.00	8-1 ⁷ / ₈	15	57
16.....	5.81	17.75	8-7 ⁷ / ₈	15 ¹ / ₂	60
18.....	7.03	20.20	9-7 ⁷ / ₈	16	66
12x12.....	5.28	15.15	5-5 ¹³ / ₁₆ x6-7 ⁷ / ₈	15	55
14.....	5.44	17.65	7-7 ⁷ / ₈	16	62
16.....	6.04	19.40	8-7 ⁷ / ₈	16 ¹ / ₂	69
18.....	7.29	22.25	9-7 ⁷ / ₈	17 ¹ / ₂	76



Thirty-Two Light Check Rail Windows

1³/₈" Thick, Open and Glazed

Opening sizes shown are based on 5³/₈" of wood in width, 8³/₄" of wood in height, over glass size.

Stiles and Top Rail not over 2³/₁₆" wide overall, not over 2" face.

Check Rail not over 1¹/₁₆" high overall, not over 1⁵/₁₆" between glass.

Bottom Rail not over 3³/₁₆" wide overall, not over 3¹/₈" face.

Bars not over 3¹/₄" wide overall, not over 3¹/₈" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$4.15	\$ 9.85	2-5 ³ / ₈ x 6-0 ³ / ₄	9 ¹ / ₂	25
7x 9.....	4.32	10.80	2-9 ³ / ₈ x 6-8 ³ / ₄	10 ¹ / ₂	30
8x10.....	4.61	11.90	3-1 ³ / ₈ x 7-4 ³ / ₄	11 ¹ / ₂	37
12.....	4.79	12.90	8-8 ³ / ₄	13	42
14.....	5.22	14.20	10-0 ³ / ₄	13 ¹ / ₂	48
9x12.....	4.88	13.55	3-5 ³ / ₈ x 8-8 ³ / ₄	13 ¹ / ₂	46
13.....	5.22	14.35	9-4 ³ / ₄	14	49
14.....	5.32	14.95	10-0 ³ / ₄	14 ¹ / ₂	52
16.....	5.52	16.05	11-4 ³ / ₄	15 ¹ / ₂	58
10x12.....	4.97	14.25	3-9 ³ / ₈ x 8-8 ³ / ₄	13 ¹ / ₂	50
14.....	5.42	15.75	10-0 ³ / ₄	15	57
15.....	5.52	16.30	10-8 ³ / ₄	15 ¹ / ₂	60
16.....	5.62	18.25	11-4 ³ / ₄	16	63
18.....	6.93	20.85	12-8 ³ / ₄	17	70
12x12.....	5.60	16.15	4-5 ³ / ₈ x 8-8 ³ / ₄	15	58
14.....	6.10	19.20	10-0 ³ / ₄	16	66
16.....	6.30	20.55	11-4 ³ / ₄	17	73
18.....	7.64	23.60	12-8 ³ / ₄	18 ¹ / ₂	81

Thirty-Six Light Check Rail Windows

1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 5 3/8" of wood in width, 9 3/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$4.61	\$11.05	2-5 3/8x 6-9 3/16	10	28
7x 9.....	4.81	12.05	2-9 3/8x 7-6 3/16	11	34
8x10.....	5.00	13.20	3-1 3/8x 8-3 3/16	12 1/2	40
12.....	5.20	14.30	9-9 3/16	13 1/2	47
14.....	5.68	15.75	11-3 3/16	15	53
9x12.....	5.29	15.00	3-5 3/8x 9-9 3/16	14	51
13.....	5.66	15.90	10-6 3/16	15	55
14.....	5.77	16.55	11-3 3/16	15 1/2	58
16.....	6.00	17.80	12-9 3/16	16 1/2	65
10x12.....	5.39	15.75	3-9 3/8x 9-9 3/16	14 1/2	55
14.....	5.88	17.50	11-3 3/16	16	63
15.....	5.99	18.10	12-0 3/16	16 1/2	67
16.....	6.10	20.30	12-9 3/16	17	70
18.....	7.56	23.20	14-3 3/16	18 1/2	78
12x12.....	6.01	17.80	4-5 3/8x 9-9 3/16	16	64
14.....	6.55	21.25	11-3 3/16	17	73
16.....	6.78	22.75	12-9 3/16	18 1/2	81
18.....	8.28	26.20	14-3 3/16	19 1/2	90

Unless otherwise ordered, 36 Light Windows will be made with 16 Lights in the Bottom Sash.

Forty Light Check Rail Windows

1 3/8" Thick, Open and Glazed


Opening sizes shown are based on 5 13/16" of wood in width, 8 3/4" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$4.84	\$11.85	2-11 13/16x 6-0 3/4	10 1/2	30
7x 9.....	5.04	13.00	3- 4 13/16x 6-8 3/4	12	36
8x10.....	5.24	14.20	3- 9 13/16x 7-4 3/4	13	44
12.....	5.53	15.50	8-8 3/4	13 1/2	50
14.....	5.98	17.00	10-0 3/4	15	58
9x12.....	6.09	16.85	4- 2 13/16x 8-8 3/4	14 1/2	56

One Lt. Sash
and
Transom

Cellar, Barn
and
Sed

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
17

Combination
Doors and
Extras
161


Window
Screens
183

Yosemite
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Forty Light Check Rail Windows 13/8" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
9x13.....	\$6.18	\$17.50	4-2 13/16x 9-4 3/4	15	59
14.....	6.58	18.55	10-0 3/4	16	63
16.....	6.78	19.85	11-4 3/4	16 1/2	70
10x12.....	6.51	18.10	4-7 13/16x 8-8 3/4	15 1/2	61
14.....	6.88	19.80	10-0 3/4	16	68
15.....	6.98	20.45	10-8 3/4	17	73
16.....	7.06	22.80	11-4 3/4	17 1/2	77
18.....	8.67	26.05	12-8 3/4	18 1/2	85
12x12.....	6.76	19.80	5-5 13/16x 8-8 3/4	16 1/2	70
14.....	7.14	23.35	10-0 3/4	18	79
16.....	7.34	24.95	11-4 3/4	18 1/2	90
18.....	8.94	28.70	12-8 3/4	20	98



No. 14

Front Windows

13/8" Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 1/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bottom Light	Glass Size		Open List	List Glazed DS	List Glazed DS Bot.		Standard Opening
	Top Light				Glazed SS Top		
36x34	36x14.....		\$2.10	\$ 8.85	\$ 8.35		3-4x4- 6
36x36	36x16.....		2.13	9.00	8.50		4-10
36x40	36x16.....		2.29	9.95	9.45		5- 2
36x36	36x20.....		2.17	9.55	8.85		5- 2
40x34	40x14.....		2.29	9.95	9.45		3-8x4- 6
40x36	40x16.....		2.32	10.30	9.70		4-10
40x40	40x16.....		2.37	10.35	9.75		5- 2
40x44	40x16.....		2.42	11.75	11.15		5- 6
40x48	40x16.....		2.46	12.30	11.65		5-10
40x40	40x20.....		2.42	10.85	10.10		5- 6
40x44	40x20.....		2.46	12.20	11.45		5-10
44x34	44x14.....		2.38	10.25	9.70		4-0x4- 6
44x36	44x16.....		2.43	10.65	10.00		4-10
44x40	44x16.....		2.46	12.00	11.30		5- 2
44x44	44x16.....		2.51	13.20	12.50		5- 6
44x40	44x20.....		2.51	12.70	11.85		5- 6
44x44	44x20.....		2.55	13.95	13.05		5-10
48x34	48x14.....		2.48	12.00	11.35		4-4x4- 6
48x36	48x16.....		2.52	12.45	11.70		4-10
48x40	48x16.....		2.55	13.00	12.20		5- 2
48x42	48x18.....		2.60	14.10	13.20		5- 6
48x46	48x18.....		2.64	16.45	15.60		5-10
48x50	48x18.....		2.70	18.35	17.45		6- 2

Front Sash


13/8" Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Horizontal Bar not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.



No. 15

Bottom Light	Glass Size Top Light	Open List	List Glazed DS	List Glazed DS Bot. Glazed SS Top	Standard Opening
36x34	36x14.....	\$1.94	\$ 8.65	\$ 8.15	3-4x4- 6
36x36	36x16.....	1.98	8.85	8.30	4-10
36x40	36x16.....	2.02	9.65	9.10	5- 2
36x36	36x20.....	2.02	9.35	8.65	5- 2
40x34	40x14.....	2.00	9.60	9.10	3-8x4- 6
40x36	40x16.....	2.05	9.95	9.35	4-10
40x40	40x16.....	2.09	10.00	9.40	5- 2
40x44	40x16.....	2.15	11.40	10.80	5- 6
40x48	40x16.....	2.19	11.95	11.35	5-10
40x40	40x20.....	2.15	10.55	9.80	5- 6
40x44	40x20.....	2.19	11.90	11.15	5-10
44x34	44x14.....	2.07	9.90	9.35	4-0x4- 6
44x36	44x16.....	2.11	10.25	9.60	4-10
44x40	44x16.....	2.17	11.60	10.95	5- 2
44x44	44x16.....	2.21	12.80	12.15	5- 6
44x40	44x20.....	2.21	12.35	11.45	5- 6
44x44	44x20.....	2.26	13.60	12.70	5-10
48x34	48x14.....	2.15	11.60	10.95	4-4x4- 6
48x36	48x16.....	2.19	12.05	11.30	4-10
48x40	48x16.....	2.23	12.60	11.80	5- 2
48x42	48x18.....	2.28	13.70	12.80	5- 6
48x46	48x18.....	2.32	16.25	15.40	5-10
48x50	48x18.....	2.37	18.15	17.25	6- 2

One Lt. Sash
and
Transom

Cellar, Barn
and
other

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
19

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screen
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271



One Light Sash

1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 5" of wood in height over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Class Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
10x12.....	\$0.67	\$1.20		1- 2x1- 5
14.....	.69	1.25		1- 7
16.....	.71	1.40		1- 9
12x14.....	.71	1.40	\$1.50	1- 4x1- 7
16.....	.73	1.45	1.60	1- 9
18.....	.75	1.55	1.70	1-11
20.....	.77	1.60	1.75	2- 1
24.....	.79	1.75	1.95	2- 5
16x16.....	.75	1.60	1.75	1- 8x1- 9
18.....	.77	1.65	1.85	1-11
20.....	.79	1.80	2.05	2- 1
24.....	.81	1.90	2.20	2- 5
18x18.....	.79	1.80	2.05	1-10x1-11
20.....	.81	1.90	2.15	2- 1
24.....	.83	2.10	2.50	2- 5
26.....	.85	2.25	2.70	2- 7
28.....	.87	2.30	2.80	2- 9
30.....	.89	2.40	2.95	2-11
32.....	.92	2.45	3.00	3- 1
36.....	.97	2.75	3.35	3- 5
20x16.....	.79	1.80	2.05	2- 0x1- 9
18.....	.81	1.90	2.15	1-11
20.....	.83	2.10	2.45	2- 1
24.....	.85	2.25	2.70	2- 5
26.....	.87	2.30	2.80	2- 7
28.....	.89	2.40	2.95	2- 9
30.....	.91	2.50	3.10	2-11
32.....	.95	2.70	3.35	3- 1
36.....	.99	2.95	3.65	3- 5
24x16.....	.81	1.95	2.30	2- 4x1- 9
18.....	.83	2.10	2.50	1-11
20.....	.85	2.25	2.70	2- 1
24.....	.87	2.45	3.05	2- 5
26.....	.89	2.50	3.05	2- 7
28.....	.91	2.65	3.30	2- 9
30.....	.93	2.80	3.50	2-11
32.....	1.00	3.10	3.85	3- 1
36.....	1.04	3.35	4.20	3- 5
26x16.....	.81	2.10	2.50	2- 6x1- 9
18.....	.83	2.20	2.65	1-11
20.....	.87	2.30	2.80	2- 1
24.....	.90	2.50	3.05	2- 5
26.....	.92	2.65	3.30	2- 7
28.....	.94	2.90	3.55	2- 9
30.....	.96	3.05	3.80	2-11
32.....	1.05	3.15	3.90	3- 1
36.....	1.07	3.65	4.55	3- 5
28x16.....	.84	2.15	2.60	2- 8x1- 9
18.....	.86	2.30	2.80	1-11
20.....	.88	2.40	2.95	2- 1

One Light Sash—1 $\frac{3}{8}$ " Thick—Continued

Class Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
28x24.....	\$.92	\$2.65	\$3.30	2- 8x2- 5
28.....	.96	3.05	3.80	2- 9
30.....	.98	3.10	3.85	2-11
32.....	1.05	3.60	4.50	3- 1
36.....	1.10	3.95	4.95	3- 5
30x16.....	.86	2.25	2.70	2-10x1- 9
18.....	.88	2.40	2.95	1-11
20.....	.90	2.50	3.05	2- 1
24.....	.95	2.80	3.50	2- 5
26.....	.97	3.05	3.80	2- 7
28.....	.99	3.10	3.85	2- 9
30.....	1.00	3.55	4.45	2-11
32.....	1.08	3.65	4.55	3- 1
36.....	1.12	3.95	4.95	3- 5
32x16.....	.91	2.35	2.85	3- 0x1- 9
18.....	.93	2.45	3.00	1-11
20.....	.96	2.70	3.35	2- 1
24.....	1.00	3.10	3.85	2- 5
26.....	1.02	3.15	3.90	2- 7
28.....	1.04	3.60	4.50	2- 9
30.....	1.06	3.65	4.50	2-11
32.....	1.09	3.90	4.90	3- 1
36.....	1.13	4.30	5.45	3- 5
34x16.....	.93	2.45	3.00	3- 2x1- 9
18.....	.96	2.65	3.20	1-11
20.....	.99	2.75	3.40	2- 1
24.....	1.03	3.15	3.90	2- 5
26.....	1.05	3.50	4.35	2- 7
28.....	1.07	3.65	4.55	2- 9
30.....	1.09	3.90	4.90	2-11
32.....	1.11	3.95	4.95	3- 1
36.....	1.16	4.70	5.90	3- 5
40.....	1.25	5.35	6.75	3- 9
36x16.....	.99	2.60	3.10	3- 4x1- 9
18.....	1.01	2.80	3.40	1-11
20.....	1.03	3.00	3.70	2- 1
24.....	1.07	3.40	4.20	2- 5
26.....	1.09	3.65	4.55	2- 7
28.....	1.11	3.95	4.95	2- 9
30.....	1.14	4.00	5.00	2-11
32.....	1.16	4.35	5.50	3- 1
36.....	1.21	4.80	5.95	3- 5
40.....	1.29	5.40	6.80	3- 9
48.....	1.38		8.25	4- 5
40x16.....	1.09	2.95	3.60	3- 8x1- 9
18.....	1.11	3.10	3.80	1-11
20.....	1.13	3.25	4.00	2- 1
24.....	1.18	3.80	4.65	2- 5
28.....	1.23		5.60	2- 9
30.....	1.25		5.60	2-11
32.....	1.27		6.00	3- 1
36.....	1.32		6.85	3- 5
40.....	1.36		6.90	3- 9
44.....	1.39		8.25	4- 1
48.....	1.43		8.85	4- 5
52.....	1.61		9.25	4- 9

One Lt. Sash
and
Trans.Cellar, Barn
and
SedCupboard
Sash
Casement
Sash
53Extras,
Window
and Sash
79Door Lists
Panel and
Cupbo-
Pine
87Sash-Door
Lists
Pine
93Side Lights,
Toilet and
Blind Door
Pine
139Extras,
Pine Door
1Combination
Doors and
Extras
161Window
Screens
183Venomered
Door Lists
and Extras
197Trench Door
Lists and
Extras
274

One Light Sash— $1\frac{3}{8}$ " Thick—Continued

Class Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
40x60.....	\$1.72		\$13.20	3- 8x5- 5
64.....	1.76		14.05	5- 9
68.....	1.89		18.80	6- 1
44x16.....	1.14		3.80	4- 0x1- 9
18.....	1.17		4.35	1-11
20.....	1.19		4.70	2- 1
24.....	1.24		5.10	2- 5
28.....	1.29		6.05	2- 9
30.....	1.31		6.85	2-11
32.....	1.33		6.85	3- 1
36.....	1.38		6.90	3- 5
40.....	1.40		8.25	3- 9
44.....	1.44		8.85	4- 1
48.....	1.55		11.30	4- 5
52.....	1.74		13.25	4- 9
56.....	1.80		13.35	5- 1
60.....	1.85		16.40	5- 5
64.....	1.90		18.80	5- 9
68.....	2.03		20.80	6- 1
48x16.....	1.18		4.35	4- 4x1- 9
18.....	1.20		4.70	1-11
20.....	1.22		4.70	2- 1
24.....	1.27		6.00	2- 5
28.....	1.34		6.85	2- 9
30.....	1.36		6.90	2-11
32.....	1.38		6.90	3- 1
36.....	1.43		8.30	3- 5
40.....	1.45		8.85	3- 9
44.....	1.56		11.35	4- 1
48.....	1.84		13.40	4- 5
52.....	2.05		13.65	4- 9
54.....	2.07		14.45	4-11
56.....	2.11		16.70	5- 1
60.....	2.16		19.15	5- 5
64.....	2.21		21.00	5- 9
68.....	2.31		29.25	6- 1
50x40.....	1.47		8.90	4- 6x3- 9
44.....	1.60		11.40	4- 1
48.....	1.87		13.45	4- 5
52.....	2.09		14.50	4- 9
56.....	2.14		19.10	5- 1
60.....	2.19		19.15	5- 5
64.....	2.24		21.05	5- 9
68.....	2.35		29.30	6- 1
54x54.....	2.26		24.10	4-10x4-11
56x40.....	1.78		13.30	5- 0x3- 9
44.....	1.83		13.40	4- 1
48.....	2.13		16.75	4- 5
52.....	2.26		19.25	4- 9
56.....	2.33		24.25	5- 1
60.....	2.38		29.35	5- 5
64.....	2.43		29.40	5- 9
68.....	2.58		32.40	6- 1
60x54.....	2.35		29.20	5- 4x4-11
66x54.....	2.46		29.45	5-10x4-11
72x54.....	2.62		35.30	6- 4x4-11

For divided lights, add extra per Rule 10, page 80.

One Light Transoms

1 $\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 4" of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
26x 6	\$0.64	\$1.35		2- 6x0-10
8	.64	1.40		1- 0
10	.66	1.55		1- 2
12	.68	1.65		1- 4
14	.70	1.75		1- 6
16	.72	2.00		1- 8
18	.74	2.10		1-10
20	.76	2.20		2- 0
28x 6	.66	1.40		2- 8x0-10
8	.66	1.50		1- 0
10	.68	1.60		1- 2
12	.70	1.70		1- 4
14	.72	1.95		1- 6
16	.74	2.05		1- 8
18	.76	2.20		1-10
20	.78	2.25		2- 0
30x 8	.68	1.60		2-10x1- 0
10	.70	1.65		1- 2
12	.72	1.85		1- 4
14	.74	2.00		1- 6
16	.76	2.10		1- 8
18	.78	2.25		1-10
20	.80	2.40		2- 0
32x 8	.74	1.70		3- 0x1- 0
10	.76	1.85		1- 2
12	.78	2.00		1- 4
14	.80	2.10		1- 6
16	.82	2.25		1- 8
18	.84	2.35		1-10
20	.87	2.60		2- 0
36x 8	.78	1.85		3- 4x1- 0
10	.80	1.95		1- 2
12	.82	2.10		1- 4
14	.84	2.30		1- 6
16	.87	2.45		1- 8
18	.89	2.65		1-10
20	.91	2.85		2- 0
40x 8	.86	2.10		3- 8x1- 0
10	.88	2.20		1- 2
12	.91	2.35		1- 4
14	.94	2.50		1- 6
16	.96	2.80		1- 8
18	.98	2.95		1-10
20	1.00	3.10	\$3.85	2- 0
22	1.02	3.60	4.45	2- 2
24	1.05	3.65	4.50	2- 4
26	1.07	3.90	4.90	2- 6

Cellar, Barn
and
ed

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupbo - 4,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Door
Pine
139

Extras,
Pine Do
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

One Light Transoms

1 $\frac{3}{8}$ " Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
44x 8.....	\$0.91		\$2.55	4- 0x1- 0
10.....	.94		2.80	1- 2
12.....	.96		3.05	1- 4
14.....	.98		3.30	1- 6
16.....	1.00		3.65	1- 8
18.....	1.02		4.15	1-10
20.....	1.05		4.50	2- 0
22.....	1.07		4.90	2- 2
24.....	1.09		4.90	2- 4
26.....	1.11		5.45	2- 6
56x12.....	1.24		4.25	5- 0x1- 4
14.....	1.26		4.75	1- 6
16.....	1.29		5.15	1- 8
18.....	1.31		5.60	1-10
20.....	1.34		6.20	2- 0
22.....	1.38		6.25	2- 2
24.....	1.40		7.05	2- 4
26.....	1.43		7.15	2- 6
68x12.....	1.51			6- 0x1- 4
14.....	1.54			1- 6
16.....	1.57			1- 8
18.....	1.59			1-10
20.....	1.62			2- 0
22.....	1.65			2- 2
24.....	1.67			2- 4
26.....	1.70			2- 6
80x12.....	1.67			7- 0x1- 4
14.....	1.70			1- 6
16.....	1.73			1- 8
18.....	1.76			1-10
20.....	1.78			2- 0
22.....	1.82			2- 2
24.....	1.85			2- 4
26.....	1.87			2- 6
92x12.....	1.99			8- 0x1- 4
14.....	2.02			1- 6
16.....	2.04			1- 8
18.....	2.07			1-10
20.....	2.10			2- 0
22.....	2.13			2- 2
24.....	2.16			2- 4
26.....	2.19			2- 6

For divided lights, add extra per Rule 10, page 80.

Transoms 68x12 and larger are not listed glazed, as they are usually divided into smaller lights. Figure these open, and add for divided lights, glass and glazing.

Two Light Cellar Sash

1 1/8" and 1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 5" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 1/16" wide overall, not over 3" face.

Bar not over 1 1/4" wide overall, not over 7/8" face.

Class Size	1 1/8" Thick			1 3/8" Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
7x 9.....	\$0.59	\$1.20	\$1.95	\$0.66	\$1.30	\$ 2.05	1- 7x1- 2
8x10.....	.62	1.30	2.10	.70	1.40	2.20	1- 9x1- 3
12.....	.64	1.35	2.20	.72	1.45	2.35	1- 5
9x12.....	.66	1.40	2.30	.75	1.55	2.45	1-11x1- 5
13.....	.67	1.45	2.35	.76	1.55	2.50	1- 6
14.....	.69	1.50	2.45	.78	1.65	2.60	1- 7
10x12.....	.68	(1.45)	2.40	.77	(1.60)	(2.55)	2- 1x1- 5
14.....	.71	1.55	2.55	.80	1.70	2.70	1- 7
15.....	.72	1.60	2.60	.81	1.75	2.75	1- 8
16.....	.73	1.80	2.90	.83	1.90	3.05	1- 9
18.....	.75	1.85	3.00	.86	2.00	3.20	1-11
20.....	.77	1.95	3.15	.88	2.10	3.35	2- 1
22.....	.80	2.05	3.30	.91	2.20	3.50	2- 3
24.....	.82	2.15	3.50	.94	2.30	3.65	2- 5
12x 8.....	.68	1.40	2.25	.77	1.55	2.40	2- 5x1- 1
12.....	.73	1.60	2.60	.82	1.75	2.75	1- 5
14.....	.75	1.85	2.95	.85	1.95	3.10	1- 7
15.....	.76	1.90	3.05	.86	2.00	3.20	1- 8
16.....	.77	1.95	3.10	.88	2.10	3.25	1- 9
18.....	.79	2.05	3.30	.91	2.20	3.50	1-11
20.....	.82	2.15	3.50	.93	2.30	3.65	2- 1
22.....	.84	2.25	3.65	.96	2.40	3.85	2- 3
24.....	.86	2.45	4.00	.99	2.65	4.20	2- 5
14x14.....	.79	1.95	3.15	.90	2.10	3.35	2- 9x1- 7
16.....	.81	2.10	3.35	.93	2.25	3.55	1- 9
18.....	.84	2.20	3.55	.96	2.35	3.75	1-11
20.....	.86	2.30	3.75	.98	2.45	3.95	2- 1
22.....	.88	2.60	4.20	1.01	2.75	4.40	2- 3
24.....	.90	2.70	4.40	1.04	2.90	4.60	2- 5
28.....	.95	3.05	5.00	1.09	3.25	5.25	2- 9
15x12.....	.79	1.90	3.05	.90	2.05	3.25	2-11x1- 5
14.....	.81	2.15	3.55	.93	2.35	3.70	1- 7
16.....	.83	2.15	3.50	.95	2.30	3.65	1- 9
18.....	.86	2.25	3.70	.98	2.45	3.85	1-11
20.....	.88	2.55	4.10	1.00	2.70	4.30	2- 1
22.....	.90	2.65	4.30	1.03	2.85	4.50	2- 3
24.....	.92	2.80	4.55	1.06	2.95	4.75	2- 5
26.....	.95	3.05	5.00	1.09	3.25	5.25	2- 7
28.....	.97	3.15	5.20	1.12	3.35	5.40	2- 9
16x12.....	.81	2.00	3.15	.92	2.15	3.30	3- 1x1- 5
14.....	.83	2.10	3.40	.95	2.25	3.60	1- 7
16.....	.85	2.25	3.60	.98	2.40	3.80	1- 9

Cellar, Barn
Sash

Cupboard
Sash
Casement
Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Uncovered
Door Lists
and Extras
187

Flush Door
Lights and
Extras
273

Two Light Cellar Sash

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	$1\frac{1}{8}$ " Thick			$1\frac{3}{8}$ " Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
16x18.....	\$0.88	\$2.35	\$3.85	\$1.00	\$2.55	\$4.05	3- 1x1-11
20.....	.90	2.60	4.20	1.03	2.80	4.40	2- 1
22.....	.92	2.80	4.55	1.06	2.95	4.75	2- 3
24.....	.95	2.90	4.70	1.09	3.05	4.90	2- 5
26.....	.97	3.15	5.20	1.11	3.35	5.40	2- 7
28.....	.99	3.30	5.40	1.14	3.45	5.60	2- 9



Three Light Cellar Sash

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles not over $1\frac{1}{16}$ " wide overall, not over $1\frac{3}{4}$ " face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over 3" face.

Bars not over $\frac{1}{16}$ " wide overall, not over $\frac{1}{16}$ " face.

Glass Size	$1\frac{1}{8}$ " Thick			$1\frac{3}{8}$ " Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
6x 8.....	\$0.65	\$1.35	\$2.45	\$0.72	\$1.45	\$2.55	1-10x1- 1
7x 9.....	.69	1.45	2.60	.77	1.60	2.75	2- 1x1- 2
8x10.....	.73	1.60	2.80	.82	1.70	2.95	2- 4x1- 3
12.....	.75	1.70	3.00	.85	1.80	3.15	1- 5
14.....	.78	1.80	3.15	.87	1.90	3.30	1- 7
16.....	.80	1.90	3.30	.90	2.00	3.50	1- 9
9x 7.....	.73	1.50	2.65	.82	1.65	2.80	2- 7x1- 0
9.....	.76	1.65	2.85	.85	1.75	3.00	1- 2
10.....	.77	1.75	3.15	.86	1.80	3.25	1- 3
11.....	.78	1.80	3.20	.88	1.85	3.30	1- 4
12.....	.78	1.80	3.20	.89	1.90	3.30	1- 5
13.....	.80	1.85	3.25	.90	1.95	3.35	1- 6
14.....	.81	1.90	3.30	.91	2.05	3.45	1- 7
15.....	.82	1.95	3.40	.93	2.10	3.60	1- 8
16.....	.83	2.00	3.50	.94	2.15	3.65	1- 9
18.....	.85	2.25	3.95	.97	2.45	4.15	1-11
20.....	.87	2.35	4.10	.99	2.55	4.30	2- 1
10x 8.....	.78	1.65	2.85	.87	1.75	3.00	2-10x1- 1
10.....	.80	1.75	3.05	.90	1.90	3.25	1- 3
12.....	.82	1.85	3.25	.92	2.00	3.45	1- 5
14.....	.84	2.00	3.50	.95	2.15	3.65	1- 7
16.....	.86	2.25	3.90	.98	2.45	4.10	1- 9
18.....	.88	2.40	4.10	1.00	2.55	4.30	1-11
20.....	.91	2.50	4.35	1.03	2.70	4.55	2- 1
24.....	.95	2.75	4.75	1.09	2.95	5.00	2- 5
11x15.....	.93	2.35	4.05	1.06	2.55	4.25	3- 1x1- 8
16.....	.95	2.45	4.15	1.07	2.60	4.35	1- 9


Three Light Cellar Sash

1 1/8" and 1 3/8" Thick, Open and Glazed—Continued

Glass Size	1 1/8" Thick			1 3/8" Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
11x17.....	\$0.96	\$2.65	\$4.60	\$1.09	\$2.85	\$4.80	3- 1x1-10
18.....	.97	2.65	4.65	1.10	2.85	4.85	1-11
12x12.....	.92	2.10	3.60	1.05	2.30	3.80	3- 4x1- 5
14.....	.95	2.40	4.10	1.08	2.60	4.30	1- 7
15.....	.97	2.50	4.25	1.10	2.70	4.45	1- 8
16.....	.97	2.55	4.30	1.10	2.70	4.55	1- 9
18.....	1.00	2.70	4.60	1.13	2.90	4.85	1-11
20.....	1.02	2.85	4.85	1.17	3.05	5.10	2- 1
24.....	1.06	3.20	5.55	1.22	3.45	5.80	2- 5

Four Light Sash, Four Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 5 3/8" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.80	\$1.65	\$0.89	\$1.80	2-5 3/8x1- 1
7x 9.....	.85	1.80	.95	1.95	2-9 3/8x1- 2
8x10.....	.96	2.05	1.08	2.20	3-1 3/8x1- 3
12.....	.99	2.15	1.11	2.35	1- 5
9x12.....	1.03	2.30	1.17	2.45	3-5 3/8x1- 5
13.....	1.04	2.35	1.19	2.55	1- 6
14.....	1.06	2.45	1.20	2.60	1- 7
16.....	1.08	2.55	1.24	2.75	1- 9
10x12.....	1.12	2.45	1.28	2.70	3-9 3/8x1- 5
14.....	1.16	2.65	1.31	2.85	1- 7
16.....	1.19	3.00	1.35	3.20	1- 9
18.....	1.21	3.15	1.39	3.40	1-11
20.....	1.24	3.30	1.42	3.55	2- 1
12x12.....	1.21	2.70	1.39	2.95	4-5 3/8x1- 5
14.....	1.24	3.10	1.42	3.35	1- 7
16.....	1.28	3.30	1.46	3.55	1- 9
18.....	1.31	3.50	1.50	3.75	1-11
20.....	1.33	3.65	1.53	3.95	2- 1
24.....	1.40	3.95	1.61	4.25	2- 5

Cupboard Sash Casement Sash 53

Extras, Window and Sash 79

Door Lists Panel and Cupboard Pine 87

Sash-Door Lists Pine 93

Side Lights, Toilet and Blind Door Pine 139

Extras, Pine Door 1

Combination Doors and Extras 161

Window Screens 183

Veneered Door Lists and Extras 197

Flush Door Lists and Extras 273



Four Light Sash, Two Lights Wide

**1 1/8" and 1 3/8" Thick, Heavy Vertical Bar
Open and Glazed**

Opening sizes shown are based on 4 1/2" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 13/16" face.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Vertical Bar not over 1 1/4" wide overall, not over 1/8" face.

Horizontal Bars not over 9/16" wide overall, not over 3/16" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8	\$0.75	\$1.60	\$0.83	\$1.70	1- 4 1/2 x 1- 9
7x 9	.79	1.70	.89	1.85	1- 6 1/2 x 1- 11
8x 10	.84	1.90	.94	2.05	1- 8 1/2 x 2- 1
12	.88	2.05	1.00	2.20	2- 5
14	.93	2.20	1.05	2.35	2- 9
16	1.02	2.40	1.16	2.60	3- 1
9x 12	.91	2.15	1.02	2.30	1- 10 1/2 x 2- 5
13	.93	2.20	1.05	2.35	2- 7
14	.95	2.30	1.08	2.45	2- 9
15	.98	2.40	1.11	2.55	2- 11
16	1.05	2.50	1.19	2.70	3- 1
10x 10	.89	2.05	1.00	2.20	2- 0 1/2 x 2- 1
12	.93	2.25	1.05	2.40	2- 5
14	.98	2.40	1.11	2.60	2- 9
15	1.00	2.50	1.13	2.65	2- 11
16	1.07	2.85	1.22	3.05	3- 1
18	1.12	3.05	1.28	3.25	3- 5
20	1.22	3.30	1.40	3.55	3- 9
12x 12	.98	2.45	1.11	2.60	2- 4 1/2 x 2- 5
14	1.02	2.85	1.16	3.05	2- 9
16	1.12	3.10	1.28	3.30	3- 1
18	1.17	3.30	1.33	3.55	3- 5
20	1.28	3.60	1.46	3.85	3- 9
24	1.38	3.95	1.57	4.20	4- 5

DEDUCTIONS

	1 1/8"	1 3/8"
1. If the above sash are made with vertical bar 3/16" face, or not over 3/8" face, thereby making the opening at least 1/2" narrower, deduct list per sash.....	Open.. \$0.05 Glazed .06	\$0.06 .08
2. If the above sash are made with vertical bar not over 1/2" face and stiles are made correspondingly narrower to provide for opening at least 1/2" narrower, deduct list per sash.....	Open.. \$0.05 Glazed .06	\$0.06 .08

Five Light Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4 $\frac{1}{4}$ " of wood in width, 5 $\frac{3}{4}$ " of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Cross Bar not over 1 $\frac{1}{8}$ " wide overall, not over $\frac{3}{4}$ " face.

Vertical Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size Bottom Light	Open List	List Glazed SS	Standard Opening
19 $\frac{1}{2}$	\$1.23	\$3.35	1- 8 $\frac{1}{4}$ x2-11 $\frac{3}{4}$
32.....	1.57	4.30	4- 5 $\frac{3}{4}$
36.....	1.81	4.85	5- 1 $\frac{3}{4}$
32.....	1.62	4.60	1-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.84	5.35	5- 1 $\frac{3}{4}$
26.....	1.57	4.45	2- 0 $\frac{1}{4}$ x4- 0
32.....	1.65	4.90	4- 5 $\frac{3}{4}$
36.....	1.88	5.60	5- 1 $\frac{3}{4}$
32.....	1.68	5.15	2- 2 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.92	5.80	5- 1 $\frac{3}{4}$
26.....	1.65	4.75	2- 4 $\frac{1}{4}$ x4- 0
32.....	1.72	5.25	4- 5 $\frac{3}{4}$
36.....	1.95	5.95	5- 1 $\frac{3}{4}$
32.....	1.75	5.55	2- 6 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.99	6.50	5- 1 $\frac{3}{4}$
32.....	1.79	5.75	2- 8 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	2.03	6.55	5- 1 $\frac{3}{4}$
32.....	1.83	6.10	2-10 $\frac{1}{4}$ x4 5 $\frac{3}{4}$
36.....	2.08	7.00	5- 1 $\frac{3}{4}$
32.....	1.86	6.35	3- 0 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	2.11	7.10	5- 1 $\frac{3}{4}$

Six Light Sash, Two Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4 $\frac{1}{4}$ " of wood in width, 5 $\frac{1}{2}$ " of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Bars not over $\frac{1}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.88	\$2.00	\$0.99	\$2.15	1- 4 $\frac{1}{4}$ x2- 5 $\frac{1}{2}$
10.....	.94	2.25	1.05	2.40	2-11 $\frac{1}{2}$
7x 9.....	.93	2.20	1.04	2.35	1- 6 $\frac{1}{4}$ x2- 8 $\frac{1}{2}$
12.....	1.07	2.70	1.22	2.90	3- 5 $\frac{1}{2}$
8x10.....	.99	2.40	1.11	2.60	1- 8 $\frac{1}{4}$ x2-11 $\frac{1}{2}$
12.....	1.10	2.70	1.25	2.90	3- 5 $\frac{1}{2}$
14.....	1.22	3.00	1.39	3.25	3-11 $\frac{1}{2}$
16.....	1.28	3.20	1.46	3.45	4- 5 $\frac{1}{2}$
9x12.....	1.12	2.80	1.28	3.05	1-10 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$
14.....	1.25	3.15	1.42	3.40	3-11 $\frac{1}{2}$

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupbo-
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilets and
Blind Doors
Pine
139

Extras,
Pine Do
1

Combination
Doors and
Extras
161

Window
Screens
183

Unmanned
Door Lists
and Extras
197

Tooth Door
Lists and
Extras
283

Six Light Sash, Two Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed—Continued

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
9x16.....	\$1.32	\$3.40	\$1.49	\$3.65	1-10 1/4x4- 5 1/2
10x12.....	1.15	2.95	1.30	3.20	2- 0 1/4x3- 5 1/2
14.....	1.28	3.30	1.44	3.55	3-11 1/2
16.....	1.35	3.95	1.55	4.25	4- 5 1/2
18.....	1.51	4.35	1.71	4.65	4-11 1/2
12x14.....	1.35	4.05	1.53	4.30	2- 4 1/4x3-11 1/2
16.....	1.41	4.30	1.61	4.60	4- 5 1/2
18.....	1.55	4.75	1.77	5.10	4-11 1/2



Six Light Sash, Two Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed

Heavy Vertical Bars

Opening sizes shown are based on 4 1/2" of wood in width, 5 1/2" of wood in height, over glass size.

Stiles not over 2" wide overall, not over 1 13/16" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 3/16" wide overall, not over 3 1/8" face.

Vertical Bar not over 1 1/4" wide overall, not over 7/8" face.

Munts not over 9/16" wide overall, not over 3/16" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.91	\$2.05	\$1.02	\$2.20	1- 4 1/2x2- 5 1/2
10.....	.97	2.30	1.10	2.45	2-11 1/2
7x 9.....	.97	2.25	1.09	2.45	1- 6 1/2x2- 8 1/2
12.....	1.12	2.75	1.27	2.95	3- 5 1/2
8x10.....	1.03	2.45	1.16	2.65	1- 8 1/2x2-11 1/2
12.....	1.16	2.75	1.30	2.95	3- 5 1/2
14.....	1.28	3.05	1.45	3.30	3-11 1/2
16.....	1.35	3.30	1.55	3.55	4- 5 1/2
9x12.....	1.18	2.90	1.33	3.10	1-10 1/2x3- 5 1/2
14.....	1.31	3.20	1.50	3.50	3-11 1/2
16.....	1.39	3.50	1.58	3.75	4- 5 1/2
10x12.....	1.21	3.05	1.38	3.30	2- 0 1/2x3- 5 1/2
14.....	1.34	3.40	1.53	3.65	3-11 1/2
15.....	1.38	3.50	1.57	3.80	4- 2 1/2
16.....	1.41	4.05	1.62	4.35	4- 5 1/2
18.....	1.55	4.40	1.78	4.75	4-11 1/2
12x14.....	1.40	4.10	1.60	4.40	2- 4 1/2x3-11 1/2
16.....	1.47	4.40	1.68	4.70	4- 5 1/2
18.....	1.61	4.80	1.85	5.20	4-11 1/2

DEDUCTIONS

	1 1/8"	1 3/8"
1. If the above sash are made with vertical bar 3/16" face, or not over 3/8" face, thereby making the opening at least 1/2" narrower, deduct list per sash.....	Open.. \$0.05	\$0.06
	Glazed .06	.08
2. If the above sash are made with vertical bar not over 1/2" face and stiles are made correspondingly narrower to provide for opening at least 1/2" narrower, deduct list per sash.....	Open.. \$0.05	\$0.06
	Glazed .06	.08

Six Light Sash, Two Lights Wide

1 $\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles not over 2 $\frac{1}{16}$ " wide overall, not over 1 $\frac{7}{8}$ " face.

Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{8}$ " wide overall, not over 3 $\frac{1}{16}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
7x 8.....	\$1.01	\$2.40	1-6x2-6
10.....	1.08	2.55	3-0
12.....	1.22	2.90	3-6
14.....	1.36	3.20	4-0
16.....	1.43	3.45	4-6
8x 8.....	1.09	2.45	1-8x2-6
10.....	1.12	2.60	3-0
12.....	1.25	2.90	3-6
14.....	1.39	3.25	4-0
16.....	1.47	3.45	4-6
10x 6.....	1.04	2.40	2-0x2-0
8.....	1.11	2.60	2-6
10.....	1.18	2.85	3-0
12.....	1.32	3.20	3-6
14.....	1.46	3.55	4-0
16.....	1.55	4.25	4-6

Six Light Sash, Three Lights Wide

1 $\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4 $\frac{1}{2}$ " of wood in width, 5 $\frac{1}{4}$ " of wood in height over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
6 $\frac{1}{2}$ x 6 $\frac{3}{8}$	\$0.94	\$2.25	2-0x1-6
9 $\frac{3}{8}$	1.02	2.55	2-0
12 $\frac{3}{8}$	1.10	3.00	2-6
15 $\frac{3}{8}$	1.25	3.35	3-0
8 $\frac{1}{2}$ x 9 $\frac{3}{8}$	1.11	3.00	2-6x2-0
12 $\frac{3}{8}$	1.19	3.40	2-6
15 $\frac{3}{8}$	1.33	3.80	3-0
10 $\frac{1}{2}$ x 6 $\frac{3}{8}$	1.17	3.00	3-0x1-6
9 $\frac{3}{8}$	1.23	3.35	2-0
12 $\frac{3}{8}$	1.33	3.85	2-6
15 $\frac{3}{8}$	1.43	4.55	3-0

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Transoms and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273



Six Light Sash, Three Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 1/16" face

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Vertical Bars not over 9/16" wide overall, not over 3/16" face.

Munts not over 9/16" wide overall, not over 3/16" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.82	\$1.93	\$0.91	\$2.05	1-10x1- 9
10.....	.87	2.18	.97	2.30	2- 1
7x 9.....	.88	2.13	.98	2.30	2- 1x1-11
10.....	.91	2.33	1.02	2.50	2- 1
8x10.....	.94	2.38	1.06	2.55	2- 4x2- 1
12.....	1.00	2.58	1.13	2.75	2- 5
14.....	1.05	2.78	1.19	3.00	2- 9
16.....	1.17	3.08	1.33	3.30	3- 1
9x12.....	1.03	2.73	1.17	2.90	2- 7x2- 5
13.....	1.06	2.83	1.20	3.05	2- 7
14.....	1.09	2.93	1.23	3.15	2- 9
15.....	1.12	3.08	1.27	3.30	2-11
16.....	1.20	3.23	1.37	3.50	3- 1
10x10.....	1.01	2.63	1.14	2.80	2-10x2- 1
12.....	1.07	2.88	1.21	3.05	2- 5
14.....	1.12	3.13	1.28	3.35	2- 9
15.....	1.15	3.23	1.31	3.45	2-11
16.....	1.24	3.83	1.41	4.10	3- 1
18.....	1.31	4.08	1.49	4.40	3- 5
20.....	1.36	4.33	1.56	4.65	3- 9
12x12.....	1.20	3.23	1.37	3.50	3- 4x2- 5
14.....	1.27	3.93	1.43	4.20	2- 9
16.....	1.32	4.18	1.51	4.50	3- 1
18.....	1.38	4.53	1.58	4.85	3- 5
20.....	1.51	4.88	1.73	5.25	3- 9
24.....	1.63	5.63	1.88	6.15	4- 5

EXTRAS

	1 1/8"	1 3/8"
1. If the above sash are made with vertical bars wider than 3/16" face but not more than 7/8" face, thereby causing the opening width to be not over 1 1/2" wider than the Standard Opening shown, add list per sash.....	Open... \$0.10 Glazed .12	\$0.12 .15

2. For wider parts other than above, see Rule 3, page 53.

Eight Light Sash, Two Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles not over $2\frac{1}{16}$ " wide overall, not over $1\frac{7}{8}$ " face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.


Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{3}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
7x 9	\$1.31	\$3.20	1-6x3-6
10½	1.45	4.05	4-0
12	1.54	4.10	4-6
8x10½	1.51	3.95	1-8x4-0
12	1.57	4.00	4-6
10x 9	1.43	3.90	2-0x3-6
10½	1.57	4.35	4-0
12	1.65	4.40	4-6

Eight Light Sash, Two Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed



Opening sizes shown are based on 4¼" of wood in width, 5¾" of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{3}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
7x10	\$1.44	\$3.55	1- 6¼x3-9¾
12	1.55	3.90	4-5¾
13	1.61	4.20	4-9¾
8x10	1.49	3.65	1- 8¼x3-9¾
12	1.58	3.95	4-5¾
13	1.64	4.10	4-9¾
14	1.69	4.25	5-1¾
15	1.75	4.40	5-5¾
9x12	1.63	4.10	1-10¼x4-5¾
14	1.73	4.45	5-1¾
10x12	1.66	4.30	2- 0¼x4-5¾
13	1.72	4.50	4-9¾
14	1.77	4.70	5-1¾
15	1.83	4.85	5-5¾
16	1.88	5.50	5-9¾
12x14	1.85	5.55	2- 4¼x5-1¾

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toll and
Blind Doors
Pine
139


Extras,
Pine Doors
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Finish Door
Lists and
Extras
229



Eight Light Sash, Two Lights Wide

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on $4\frac{1}{2}$ " of wood in width, $6\frac{3}{8}$ " of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	$1\frac{1}{8}$ " Thick		$1\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.14	\$2.75	\$1.26	\$2.95	1- $4\frac{1}{2}$ x3- $2\frac{3}{8}$
10.....	1.29	3.15	1.47	3.45	3- $10\frac{3}{8}$
7x 9.....	1.22	3.05	1.37	3.30	1- $6\frac{1}{2}$ x3- $6\frac{3}{8}$
8x10.....	1.36	3.40	1.53	3.70	1- $8\frac{1}{2}$ x3- $10\frac{3}{8}$
12.....	1.45	3.70	1.66	4.05	4- $6\frac{3}{8}$
14.....	1.54	4.00	1.75	4.35	5- $2\frac{3}{8}$
16.....	1.64	4.30	1.87	4.65	5- $10\frac{3}{8}$
9x12.....	1.49	3.90	1.69	4.20	1- $10\frac{1}{2}$ x4- $6\frac{3}{8}$
13.....	1.53	4.05	1.73	4.35	4- $10\frac{3}{8}$
14.....	1.57	4.20	1.80	4.55	5- $2\frac{3}{8}$
16.....	1.67	4.55	1.90	4.90	5- $10\frac{3}{8}$
10x12.....	1.52	4.05	1.72	4.40	2- $0\frac{1}{2}$ x4- $6\frac{3}{8}$
14.....	1.62	4.45	1.84	4.80	5- $2\frac{3}{8}$
16.....	1.72	5.25	1.93	5.55	5- $10\frac{3}{8}$
18.....	1.79	5.55	2.06	5.95	6- $6\frac{3}{8}$
20.....	1.89	5.95	2.17	6.35	7- $2\frac{3}{8}$
12x12.....	1.60	4.45	1.85	4.80	2- $4\frac{1}{2}$ x4- $6\frac{3}{8}$
14.....	1.68	5.25	1.94	5.65	5- $2\frac{3}{8}$
16.....	1.77	5.65	2.03	6.05	5- $10\frac{3}{8}$
18.....	1.87	6.15	2.17	6.60	6- $6\frac{3}{8}$
20.....	1.96	6.50	2.26	6.95	7- $2\frac{3}{8}$
22.....	2.05	6.95	2.38	7.45	7- $10\frac{3}{8}$
24.....	2.15	7.70	2.47	8.20	8- $6\frac{3}{8}$
14x16.....	1.84	6.15	2.13	6.60	2- $8\frac{1}{2}$ x5- $10\frac{3}{8}$
18.....	1.94	6.60	2.22	7.00	6- $6\frac{3}{8}$
20.....	2.02	7.05	2.31	7.45	7- $2\frac{3}{8}$
22.....	2.11	8.00	2.44	8.50	7- $10\frac{3}{8}$
24.....	2.21	8.50	2.54	9.00	8- $6\frac{3}{8}$



Eight Light Sash, Four Lights Wide

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on $5\frac{3}{8}$ " of wood in width, $5\frac{1}{2}$ " of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	$1\frac{1}{8}$ " Thick		$1\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.09	\$2.70	\$1.22	\$2.90	2- $5\frac{3}{8}$ x1- $9\frac{1}{2}$
10.....	1.14	3.00	1.28	3.20	2- $1\frac{1}{2}$
7x 9.....	1.16	2.95	1.31	3.20	2- $9\frac{3}{8}$ x1- $11\frac{1}{2}$

Eight Light Sash, Four Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed—Continued

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
8x10.....	\$1.30	\$3.35	\$1.47	\$3.60	3-1 3/8x2- 1 1/2
12.....	1.35	3.60	1.54	3.90	2- 5 1/2
14.....	1.42	3.85	1.61	4.15	2- 9 1/2
16.....	1.48	4.10	1.68	4.45	3- 1 1/2
9x12.....	1.41	3.80	1.60	4.10	3-5 3/8x2- 5 1/2
13.....	1.44	3.95	1.64	4.25	2- 7 1/2
14.....	1.47	4.10	1.67	4.40	2- 9 1/2
16.....	1.52	4.35	1.74	4.70	3- 1 1/2
10x12.....	1.53	4.10	1.74	4.40	3-9 3/8x2- 5 1/2
14.....	1.60	4.40	1.82	4.75	2- 9 1/2
16.....	1.65	5.15	1.89	5.50	3- 1 1/2
18.....	1.72	5.45	1.96	5.85	3- 5 1/2
20.....	1.77	5.80	2.04	6.20	3- 9 1/2
12x12.....	1.64	4.50	1.87	4.85	4-5 3/8x2- 5 1/2
14.....	1.69	5.30	1.95	5.70	2- 9 1/2
16.....	1.76	5.65	2.01	6.05	3- 1 1/2
18.....	1.83	6.10	2.09	6.50	3- 5 1/2
20.....	1.88	6.40	2.17	6.85	3- 9 1/2
22.....	1.95	6.80	2.23	7.25	4- 1 1/2
24.....	2.00	7.55	2.31	8.00	4- 5 1/2
14x16.....	1.87	6.20	2.15	6.65	5-1 3/8x3- 1 1/2
18.....	1.93	6.55	2.22	7.00	3- 5 1/2
20.....	1.99	7.00	2.26	7.40	3- 9 1/2
22.....	2.05	7.90	2.37	8.40	4- 1 1/2
24.....	2.11	8.35	2.44	8.85	4- 5 1/2

Nine Light Sash, Three Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 1 3/4" wide overall, not over 1 3/4" face.

Bottom Rail not over 2 3/4" wide overall, not over 2 3/4" face.

Bars not over 3/16" wide overall, not over 3/16" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.09	\$2.80	\$1.22	\$3.00	1-10x2- 5
7x 9.....	1.15	3.05	1.29	3.30	2- 1x2- 8
8x10.....	1.23	3.35	1.38	3.60	2- 4x2-11
12.....	1.35	3.75	1.53	4.00	3- 5
14.....	1.50	4.15	1.69	4.45	3-11
16.....	1.57	4.45	1.78	4.75	4- 5
9x12.....	1.40	3.95	1.58	4.25	2- 7x3- 5
13.....	1.51	4.20	1.69	4.50	3- 8
14.....	1.54	4.35	1.75	4.70	3-11

Cupboard Sash
Casement Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
182

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Nine Light Sash, Three Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
9x15.....	\$1.57	\$4.50	\$1.79	\$4.85	2- 7x4- 2
16.....	1.62	4.70	1.84	5.05	4- 5
18.....	1.69	5.45	1.93	5.85	4-11
10x10.....	1.30	3.70	1.47	4.00	2-10x2-11
12.....	1.44	4.15	1.63	4.45	3- 5
14.....	1.58	4.60	1.79	4.95	3-11
15.....	1.62	4.75	1.84	5.10	4- 2
16.....	1.66	5.40	1.88	5.75	4- 5
18.....	1.74	5.75	1.97	6.15	4-11
12x12.....	1.52	4.55	1.74	4.90	3- 4x3- 5
14.....	1.67	5.50	1.91	5.90	3-11
16.....	1.75	5.90	2.00	6.30	4- 5
18.....	1.82	6.40	2.09	6.85	4-11



Twelve Light Sash, Three Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 1 $\frac{3}{16}$ " wide overall, not over 1 $\frac{3}{16}$ " face.

Bottom Rail not over 2 $\frac{5}{16}$ " wide overall, not over 2 $\frac{1}{2}$ " face.

Bars not over $\frac{3}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.44	\$3.65	\$1.60	\$3.90	1-10x3-1
7x 9.....	1.52	4.00	1.69	4.30	2- 1x3-5
8x10.....	1.69	4.50	1.88	4.80	2- 4x3-9
12.....	1.78	4.90	2.00	5.25	4-5
14.....	1.89	5.30	2.12	5.70	5-1
16.....	1.99	5.75	2.24	6.10	5-9
9x12.....	1.84	5.15	2.06	5.55	2- 7x4-5
13.....	1.88	5.35	2.12	5.75	4-9
14.....	1.94	5.65	2.18	6.00	5-1
15.....	1.98	5.85	2.24	6.25	5-5
16.....	2.04	6.05	2.30	6.45	5-9
18.....	2.13	7.10	2.42	7.55	6-5
10x10.....	1.78	4.95	2.00	5.30	2-10x3-9
12.....	1.88	5.45	2.12	5.80	4-5
14.....	1.98	5.95	2.24	6.35	5-1
15.....	2.04	6.15	2.30	6.55	5-5
16.....	2.08	6.95	2.35	7.40	5-9
18.....	2.18	7.45	2.48	7.90	6-5
12x12.....	1.98	6.00	2.23	6.35	3- 4x4-5
14.....	2.08	7.10	2.35	7.50	5-1
16.....	2.18	7.60	2.46	8.05	5-9
18.....	2.28	8.25	2.59	8.75	6-5

Twelve Light Sash, Four Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed



Opening sizes shown are based on 5" of wood in width, 5 1/2" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 13/16" face.

Bottom Rail not over 2 15/16" wide overall, not over 2 3/4" face.

Vertical Bars not over 3/4" wide overall, not over 3/8" face.

Muntins not over 3/4" wide overall, not over 3/8" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8	\$1.46	\$3.65	\$1.62	\$3.95	2-5x2- 5 1/2
7x 9	1.56	4.05	1.74	4.35	2-9x2- 8 1/2
8x10	1.73	4.55	1.95	4.90	3-1x2-11 1/2
12	1.83	4.95	2.06	5.35	3- 5 1/2
14	2.00	5.45	2.27	5.90	3-11 1/2
16	2.09	5.85	2.38	6.30	4- 5 1/2
9x12	1.88	5.20	2.12	5.60	3-5x3- 5 1/2
13	1.92	5.40	2.17	5.80	3- 8 1/2
14	2.07	5.80	2.33	6.20	3-11 1/2
15	2.11	6.00	2.39	6.45	4- 2 1/2
16	2.16	6.20	2.44	6.65	4- 5 1/2
18	2.24	7.20	2.55	7.70	4-11 1/2
10x10	1.95	5.20	2.19	5.55	3-9x2-11 1/2
12	2.04	5.65	2.30	6.05	3- 5 1/2
14	2.12	6.10	2.41	6.55	3-11 1/2
15	2.17	6.35	2.46	6.75	4- 2 1/2
16	2.22	7.10	2.52	7.60	4- 5 1/2
18	2.31	7.60	2.63	8.10	4-11 1/2
12x12	2.16	6.20	2.44	6.65	4-5x3- 5 1/2
14	2.24	7.30	2.55	7.75	3-11 1/2
16	2.34	7.80	2.66	8.30	4- 5 1/2
18	2.43	8.45	2.77	9.00	4-11 1/2

DEDUCTIONS

If the above sash are made with bars not over 5/16" wide overall, not over 3/16" face, making the opening 1/2" narrower and 1/2" shorter deduct list per sash.....

	1 1/8"	1 3/8"
Open..	\$0.08	\$0.09
Glazed	.10	.11

Cupboard Sash
Casement Sash
53

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Doors
Pine
139


Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
183

Weathered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



Hot Bed Sash

1 $\frac{3}{8}$ " and 1 $\frac{3}{4}$ " Thick, Open and Glazed

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Bottom Rail on 1 $\frac{3}{8}$ " Hot Bed Sash, not over $\frac{3}{4}$ "x3 $\frac{1}{8}$ " wide overall.
 Bottom Rail on 1 $\frac{3}{4}$ " Hot Bed Sash, not over 1 $\frac{1}{8}$ "x3 $\frac{1}{8}$ " wide overall.


Bars in the following widths:

- 3-0, with 3 rows of glass 10" wide not over 1 $\frac{5}{16}$ " wide overall, not over 1 $\frac{5}{16}$ " face.
- 3-0, 3-4 and 4-0, with 4 rows of glass 7, 8, and 10 inches wide, not over 1 $\frac{5}{8}$ " wide overall, not over 1 $\frac{1}{4}$ " face.
- 3-2, with 4 rows of glass 8" wide, not over 3 $\frac{1}{32}$ " wide overall, not over 1 $\frac{9}{32}$ " face.
- 3-0, with 5 rows of glass 6" wide, not over 1 $\frac{3}{16}$ " wide overall, not over $\frac{7}{16}$ " face.
- 3-6, with 5 rows of glass 7" wide, not over 1 $\frac{1}{16}$ " wide overall, not over 1 $\frac{1}{16}$ " face.
- 4-0, with 5 rows of glass 8" wide, not over 1 $\frac{3}{16}$ " wide overall, not over 1 $\frac{3}{16}$ " face.
- 3-6, with 6 rows of glass 6" wide, not over 1 $\frac{1}{16}$ " wide overall, not over $\frac{5}{16}$ " face.

Standard Opening	1 $\frac{3}{8}$ " Thick		1 $\frac{3}{4}$ " Thick		Rows of Glass	Width of Glass
	Open List	List Glazed SS	Open List	List Glazed SS		
3-0x4-0.....	\$2.68	\$ 7.00	\$3.34	\$ 7.95	3	10
3-0x6-0.....	3.15	8.85	4.04	10.15	3	10
3-0x6-0.....	3.61	9.30	4.66	10.85	4	7
3-2x6-0.....	3.28	9.30	4.18	10.70	4	8
3-4x6-0.....	3.67	9.85	4.73	11.40	4	8
4-0x7-0.....	4.32	13.30	5.68	15.35	4	10
3-0x6-0.....	3.55	9.75	4.51	11.25	5	6
3-0x7-0.....	3.82	11.75	4.92	13.45	5	6
3-6x6-0.....	3.78	10.65	4.87	12.30	5	7
3-6x7-0.....	4.34	11.95	5.64	13.95	5	7
4-0x6-0.....	4.04	12.55	5.25	14.40	5	8
3-6x7-0.....	4.25	13.60	5.49	15.55	6	6

All Hot Bed Sash are furnished with one hardwood Cross-bar, not over $\frac{3}{8}$ "x1 $\frac{1}{2}$ ".

	Open	Glazed
If additional Hardwood Cross-bars are wanted, add for each extra bar, per bar, list.....	\$0.40	\$0.50
If Hardwood Cross-bar is omitted, deduct from above list.....	.40	.50
If Stiles are extended not over 2" beyond rails, at each end, forming lugs, not shaped or sticking removed, add for 1 $\frac{3}{8}$ " sash.....	.07	.09
Add for 1 $\frac{3}{4}$ " sash.....	.10	.13



Skylight Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Bottom Rail not over $\frac{3}{4}$ "x3 $\frac{1}{8}$ " overall.
 Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Standard Opening	Open List	List Glazed Lapped Glass SS	List Glazed Strip Glass SS
2-0x2-6.....	\$1.02	\$3.05	\$ 3.20
3-0.....	1.17	3.80	3.85
2-2x3-2.....	1.22	3.80	4.05
2-4x3-4.....	1.28	4.55	4.70
2-6x3-0.....	1.24	4.50	4.55
3-6.....	1.44	5.25	5.40
4-0.....	1.85	6.00	6.75
3-0x4-0.....	1.93	6.40	7.55
5-0.....	2.34	8.05	10.05

Cupboard Sash

1 1/8" Thick, Open and Glazed

No Beads for Glass

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Standard Opening	1 Light High			2 Lights High		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
1- 4x3-0.....	\$0.74	\$1.85	\$2.25	\$0.82	\$2.00	\$2.25
3-6.....	.79	2.05	2.50	.87	2.20	2.55
4-0.....	.88	2.40	2.85	.96	2.40	2.75
4-6.....	.94	2.80	3.40	1.02	2.75	3.20
5-0.....	1.10	3.40	4.00	1.21	3.05	3.60
5-6.....	1.17		4.50	1.28	3.60	4.30
6-0.....	1.28		5.35	1.39	3.80	4.55
1- 6x3-0.....	.76	2.00	2.45	.84	2.15	2.45
3-6.....	.81	2.25	2.75	.89	2.35	2.75
4-0.....	.90	2.55	3.15	.98	2.70	3.15
4-6.....	.97	3.10	3.80	1.05	2.95	3.50
5-0.....	1.12	3.80	4.50	1.23	3.60	4.35
5-6.....	1.19		5.20	1.30	3.85	4.70
6-0.....	1.30		6.00	1.41	4.10	5.00
1- 8x3-0.....	.78	2.15	2.65	.86	2.25	2.60
3-6.....	.83	2.40	3.00	.91	2.60	3.10
4-0.....	.92	2.80	3.50	1.00	2.85	3.40
4-6.....	.99	3.25	4.05	1.07	3.45	4.30
5-0.....	1.16		4.85	1.27	3.80	4.65
5-6.....	1.21		5.35	1.32	4.10	5.05
6-0.....	1.33		5.55	1.45	4.40	5.45
1-10x3-0.....	.80	2.25	2.75	.88	2.35	2.75
3-6.....	.85	2.60	3.20	.93	2.80	3.35
4-0.....	.96	3.20	4.00	1.04	3.05	3.65
4-6.....	1.01	3.50	4.35	1.09	3.70	4.60
5-0.....	1.18		5.30	1.29	4.05	5.05
5-6.....	1.23		5.95	1.34	4.25	5.30
6-0.....	1.36		6.50	1.47	4.70	5.80
2- 0x3-0.....	.82	2.50	3.10	.90	2.60	3.05
3-6.....	.87	2.90	3.65	.95	2.95	3.55
4-0.....	.98	3.45	4.30	1.06	3.55	4.40
4-6.....	1.03	3.75	4.75	1.11	3.80	4.80
5-0.....	1.20		5.90	1.31	4.20	5.25
5-6.....	1.25		6.00	1.36	4.70	5.95
6-0.....	1.38		7.35	1.50	4.90	6.15

See page 38 for Rabbeting, etc., Cupboard Sash.

See page 45 for Rabbeting, etc., Casement Sash.

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupbo
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Door
Pine
139

Extras,
Pine Do
1

Combination
Doors and
Extras
161

Window
Screens
187

Weathered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

Cupboard Sash

1 1/8" Thick (No Beads for Glass)

Same Layout as shown on page 53

Standard Opening	3 Lights High		4 Lights High	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 4x3-0	\$0.86	\$1.95	\$0.90	\$2.15
3-6	.91	2.10	.95	2.30
4-0	1.00	2.60	1.04	2.55
4-6	1.06	2.80	1.10	2.70
5-0	1.27	3.20	1.32	3.45
5-6	1.33	3.35	1.39	3.70
6-0	1.45	3.65	1.51	4.05
1- 6x3-0	.88	2.05	.92	2.25
3-6	.93	2.55	.97	2.40
4-0	1.02	2.75	1.06	2.70
4-6	1.09	3.00	1.13	3.20
5-0	1.29	3.35	1.34	3.65
5-6	1.35	3.55	1.41	3.95
6-0	1.47	4.00	1.53	4.25
1- 8x3-0	.90	2.45	.94	2.40
3-6	.95	2.65	.99	2.55
4-0	1.04	2.95	1.08	3.20
4-6	1.11	3.15	1.15	3.40
5-0	1.32	3.55	1.38	3.95
5-6	1.38	3.90	1.43	4.20
6-0	1.51	4.30	1.56	4.60
1-10x3-0	.92	2.55	.96	2.85
3-6	.97	2.80	1.01	3.05
4-0	1.08	3.10	1.12	3.45
4-6	1.13	3.35	1.17	3.65
5-0	1.34	3.90	1.40	4.10
5-6	1.40	4.15	1.45	4.45
6-0	1.53	4.65	1.59	5.00
2- 0x3-0	.94	2.70	.98	3.00
3-6	.99	2.95	1.03	3.20
4-0	1.10	3.25	1.14	3.60
4-6	1.15	3.60	1.19	3.80
5-0	1.36	4.10	1.42	4.35
5-6	1.42	4.55	1.47	4.80
6-0	1.55	4.95	1.61	5.30

Cupboard Sash

1 1/8" Thick (No Beads for Glass)

Same Layout as shown on page 36

Standard Opening	4 Lights		6 Lights		8 Lights	
	2 Lights Wide		2 Lights Wide		2 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS	Open List	List Glazed SS
1- 4x3-0.....	\$0.94	\$2.35	\$1.04	\$2.45	\$1.14	\$2.95
3-6.....	.99	2.60	1.09	2.60	1.19	3.10
4-0.....	1.12	3.05	1.24	3.00	1.36	3.60
4-6.....	1.18	3.35	1.30	3.20	1.42	3.70
5-0.....	1.41	3.75	1.56	3.65	1.66	4.20
5-6.....	1.47	4.20	1.63	4.20	1.73	4.50
6-0.....	1.60	4.45	1.76	4.50	1.92	4.95
1- 6x3-0.....	.96	2.50	1.06	2.55	1.16	3.20
3-6.....	1.01	2.95	1.11	2.80	1.21	3.30
4-0.....	1.14	3.30	1.26	3.15	1.38	3.85
4-6.....	1.21	3.60	1.33	3.40	1.45	3.95
5-0.....	1.43	4.10	1.58	3.85	1.68	4.45
5-6.....	1.50	4.55	1.65	4.40	1.75	4.80
6-0.....	1.62	4.85	1.78	4.85	1.94	5.25
1- 8x3-0.....	.98	2.65	1.08	2.70	1.18	3.25
3-6.....	1.03	3.15	1.13	2.95	1.23	3.60
4-0.....	1.16	3.55	1.28	3.30	1.40	4.05
4-6.....	1.23	3.75	1.35	3.55	1.47	4.15
5-0.....	1.46	4.45	1.62	4.45	1.72	4.70
5-6.....	1.52	4.85	1.67	4.70	1.77	4.90
6-0.....	1.66	5.30	1.82	5.20	1.98	5.60
1-10x3-0.....	1.00	2.80	1.10	2.85	1.20	3.55
3-6.....	1.05	3.35	1.15	3.10	1.25	3.60
4-0.....	1.20	3.70	1.32	3.50	1.44	4.15
4-6.....	1.25	4.20	1.37	3.75	1.49	4.35
5-0.....	1.49	4.85	1.64	4.70	1.74	4.95
5-6.....	1.54	5.05	1.69	4.95	1.79	5.15
6-0.....	1.68	5.60	1.84	5.35	2.00	6.30
2- 0x3-0.....	1.02	3.00	1.12	2.95	1.22	3.55
3-6.....	1.07	3.50	1.17	3.25	1.27	3.90
4-0.....	1.22	3.85	1.34	3.70	1.46	4.15
4-6.....	1.27	4.30	1.39	4.35	1.51	4.35
5-0.....	1.51	4.95	1.66	4.90	1.76	4.95
5-6.....	1.56	5.40	1.72	5.20	1.81	5.20
6-0.....	1.70	5.95	1.86	5.60	2.02	6.35

CUPBOARD SASH EXTRAS

- | | | |
|-----|---|---------------|
| (A) | For Cupboard Sash $\frac{3}{4}$ " thick, deduct 5% of the open sash list from the open or glazed sash list. | |
| (B) | For Cupboard Sash rabbeted plain or rabbeted and beaded, add per pair, open, list (This includes extra for wide meeting stiles)..... | \$0.35 |
| | Add per pair, glazed, list (This includes extra for wide meeting stiles) | .45 |
| (C) | For lipping all four edges of cupboard sash (includes wider face stiles and rails), add per sash..... | Open.. \$0.40 |
| | | Glazed 0.50 |
| (D) | For Cupboard Sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add to the proper list for a pair, one cent per lineal foot list, open, for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile.
If sash is glazed add \$.01 $\frac{1}{4}$ per lineal foot list for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile. | |
| (E) | If beads are wanted, add as per Rule 11, page 56. | |

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pins
87

Sash-Door
Lists
Pine
93

Side Lights
Toilet and
Blind Doors
Pine
139

Extras,
Pine Do
1'

Combination
Doors and
Extras
161

Window
Screens
10

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over 3" face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
1-0x2- 6	\$0.71	\$1.45	\$1.60	\$1.01	\$2.10
3- 0	.77	1.75	2.00	1.07	2.30
3- 6	.88	2.00	2.30	1.24	2.60
4- 0	.95	2.20	2.55	1.37	2.85
4- 2	.97	2.35	2.70	1.39	2.95
4- 6	1.01	2.55	2.95	1.43	3.05
4-10	1.17	3.25	3.60	1.59	3.40
5- 2	1.22		3.70	1.64	3.55
5- 6	1.28		4.00	1.70	3.55
5-10	1.35		4.15	1.77	4.25
6- 2	1.46		4.75	1.94	4.45
6- 6	1.52		4.85	2.00	4.45
1-2x2- 6	.74	1.65	1.85	1.04	2.25
3- 0	.80	1.90	2.20	1.10	2.45
3- 6	.90	2.15	2.50	1.26	2.75
4- 0	.98	2.40	2.85	1.40	3.05
4- 2	1.00	2.50	2.95	1.42	3.10
4- 6	1.05	2.70	3.20	1.47	3.25
4-10	1.20	3.45	3.90	1.62	3.65
5- 2	1.24		4.25	1.66	3.80
5- 6	1.30		4.40	1.72	3.80
5-10	1.37		5.10	1.79	4.45
6- 2	1.50		5.25	1.98	4.80
6- 6	1.55		5.40	2.03	4.80
1-4x2- 6	.80	1.75	2.00	1.06	2.35
3- 0	.83	2.05	2.40	1.13	2.55
3- 6	.94	2.30	2.75	1.30	2.90
4- 0	1.00	2.65	3.10	1.42	3.25
4- 2	1.02	2.75	3.25	1.44	3.40
4- 6	1.07	3.15	3.75	1.49	3.45
4-10	1.22	3.75	4.30	1.68	3.95
5- 2	1.29		4.60	1.75	4.20
5- 6	1.33		5.05	1.79	4.45
5-10	1.40		5.10	1.88	4.85
6- 2	1.53		6.10	2.09	5.30
6- 6	1.57		6.80	2.14	5.30
1-6x2- 6	.78	1.90	2.15	1.08	2.45
3- 0	.85	2.20	2.65	1.15	2.70
3- 6	.96	2.50	3.00	1.32	3.10
4- 0	1.03	2.85	3.40	1.45	3.40
4- 2	1.06	3.00	3.60	1.48	3.75
4- 6	1.10	3.45	4.15	1.52	3.75
4-10	1.25		4.55	1.72	4.20
5- 2	1.31		4.95	1.77	4.80

Casement Sash

1³/₈" Thick, Open and Glazed—Continued

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
1- 6x5- 6	\$1.35		\$5.75	\$1.82	\$4.80
5-10	1.44		5.95	1.91	5.25
6- 2	1.56		6.75	2.13	5.55
6- 6	1.62		7.60	2.19	5.60
1- 8x2- 6	.82	\$2.10	2.50	1.10	2.50
3- 0	.88	2.35	2.85	1.18	2.75
3- 6	.99	2.70	3.30	1.35	3.15
4- 0	1.06	3.10	3.80	1.48	3.45
4- 2	1.08	3.40	4.10	1.50	3.70
4- 6	1.12	3.65	4.40	1.54	3.70
4-10	1.29		5.25	1.75	4.65
5- 2	1.34		5.35	1.80	4.90
5- 6	1.40		5.85	1.86	4.95
5-10	1.47		6.00	1.95	5.45
6- 2	1.59		7.10	2.15	5.70
6- 6	1.65		7.15	2.21	5.75
1-10x2- 6	.84	2.20	2.70	1.12	2.70
3- 0	.90	2.45	3.00	1.20	3.00
3- 6	1.01	2.90	3.55	1.37	3.40
4- 0	1.09	3.60	4.35	1.51	3.80
4- 2	1.11	3.60	4.40	1.53	4.05
4- 6	1.16		4.75	1.58	4.45
4-10	1.32		5.75	1.78	5.10
5- 2	1.36		5.80	1.83	5.40
5- 6	1.42		6.45	1.88	5.45
5-10	1.46		6.55	1.93	5.75
6- 2	1.63		7.15	2.20	6.30
6- 6	1.68		8.25	2.24	6.35
2- 0x2- 6	.86	2.30	2.80	1.14	2.70
3- 0	.93	2.75	3.35	1.23	3.05
3- 6	1.05	3.25	4.00	1.41	3.45
4- 0	1.11	3.80	4.70	1.53	3.80
4- 2	1.13	3.85	4.75	1.55	4.05
4- 6	1.18		5.20	1.60	4.50
4-10	1.34		5.80	1.80	5.15
5- 2	1.41		6.45	1.87	5.45
5- 6	1.45		6.55	1.91	5.30
5-10	1.49		7.85	1.96	5.75
6- 2	1.66		8.05	2.22	6.35
6- 6	1.70		8.25	2.27	6.40
2- 2x2- 6	.86	2.40	2.95	1.16	2.90
3- 0	.96	2.90	3.60	1.26	3.25
3- 6	1.07	3.30	4.05	1.43	3.70
4- 0	1.14	4.15	5.15	1.56	3.95
4- 2	1.17	4.15	5.15	1.59	4.70
4- 6	1.21		5.55	1.63	4.70
4-10	1.38		6.40	1.84	5.40
5- 2	1.43		6.50	1.89	5.70
5- 6	1.47		7.40	1.94	5.75
5-10	1.53		7.90	1.99	6.05
6- 2	1.66		8.20	2.25	6.80

See page 45 for rabbeting, etc.

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
165

Veneered
Door Lists
and Extras
187

Flush Door
Lists and
Extras
271

Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
2-2x6- 6.....	\$1.71		\$10.90	\$2.31	\$6.80
2-4x2- 6.....	.89	\$2.55	3.10	1.19	2.95
3- 0.....	.99	3.20	3.95	1.29	3.30
3- 6.....	1.10	3.80	4.70	1.56	3.75
4- 0.....	1.17	4.15	5.15	1.59	4.55
4- 2.....	1.19	4.25	5.25	1.61	4.90
4- 6.....	1.23		6.15	1.65	4.95
4-10.....	1.41		6.45	1.87	5.65
5- 2.....	1.46		7.35	1.93	6.00
5- 6.....	1.52		7.90	1.98	6.05
5-10.....	1.56		7.95	2.02	6.40
6- 2.....	1.68		9.60	2.27	7.25
6- 6.....	1.74		10.90	2.31	7.30
2-6x2- 6.....	.91	2.70	3.35	1.21	3.05
3- 0.....	1.01	3.20	3.95	1.31	3.45
3- 6.....	1.12	4.10	5.10	1.48	3.90
4- 0.....	1.20	4.55	5.75	1.62	4.85
4- 2.....	1.22	4.95	6.15	1.64	5.45
4- 6.....	1.27		6.20	1.69	5.50
4-10.....	1.44		7.30	1.90	6.05
5- 2.....	1.49		7.40	1.95	6.40
5- 6.....	1.54		9.25	2.00	6.45
5-10.....	1.58		9.45	2.05	6.95
6- 2.....	1.73		10.90	2.28	7.75
6- 6.....	1.77		10.95	2.32	7.80

For pairs of Casement Sash, rabbeting, etc., see page 45.



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Eight Lights, Two Lights Wide

Same Layout as shown on page 56

Standard Opening	Open List	List Glazed SS	Standard Opening	Open List	List Glazed SS
1-0x2- 6.....	\$1.19	\$2.70	1-2x3- 0.....	\$1.28	\$3.05
3- 0.....	1.25	2.90	3- 6.....	1.38	3.35
3- 6.....	1.36	3.15	4- 0.....	1.46	3.60
4- 0.....	1.43	3.40	4- 2.....	1.55	3.70
4- 2.....	1.53	3.50	4- 6.....	1.60	3.80
4- 6.....	1.57	3.55	4-10.....	1.76	4.05
4-10.....	1.73	3.80	5- 2.....	1.80	4.20
5- 2.....	1.78	3.95	5- 6.....	1.86	4.35
5- 6.....	1.84	4.10	5-10.....	1.93	4.55
5-10.....	1.91	4.25	6- 2.....	2.10	4.95
6- 2.....	2.06	4.60	6- 6.....	2.15	5.00
6- 6.....	2.12	4.65	1-4x2- 6.....	1.24	3.15
1-2x2- 6.....	1.22	2.85	3- 0.....	1.31	3.25

Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Eight Lights, Two Lights Wide

Standard Opening	Open List	List Glazed SS	Standard Opening	Open List	List Glazed SS
1- 4x3- 6.....	\$1.42	\$3.45	2- 0x3- 0.....	\$1.41	\$3.75
4- 0.....	1.48	3.80	3- 6.....	1.53	4.15
4- 2.....	1.57	3.95	4- 0.....	1.59	4.55
4- 6.....	1.62	4.00	4- 2.....	1.68	4.65
4-10.....	1.78	4.30	4- 6.....	1.73	4.75
5- 2.....	1.85	4.50	4-10.....	1.90	5.10
5- 6.....	1.89	4.65	5- 2.....	1.97	5.35
5-10.....	1.96	4.85	5- 6.....	2.01	5.50
6- 2.....	2.23	5.40	5-10.....	2.05	6.15
6- 6.....	2.28	5.45	6- 2.....	2.26	6.70
1- 6x2- 6.....	1.26	3.15	6- 6.....	2.30	6.75
3- 0.....	1.33	3.50	2- 2x2- 6.....	1.34	3.70
3- 6.....	1.44	3.65	3- 0.....	1.44	4.00
4- 0.....	1.51	4.10	3- 6.....	1.55	4.30
4- 2.....	1.61	4.20	4- 0.....	1.62	4.95
4- 6.....	1.65	4.25	4- 2.....	1.72	5.05
4-10.....	1.81	4.70	4- 6.....	1.76	5.10
5- 2.....	1.87	4.75	4-10.....	1.94	5.30
5- 6.....	1.91	5.05	5- 2.....	1.99	5.55
5-10.....	2.00	5.20	5- 6.....	2.03	6.20
6- 2.....	2.27	5.70	5-10.....	2.09	6.45
6- 6.....	2.33	5.80	6- 2.....	2.29	7.05
1- 8x2- 6.....	1.28	3.15	6- 6.....	2.34	7.10
3- 0.....	1.36	3.55	2- 4x2- 6.....	1.37	3.70
3- 6.....	1.47	3.85	3- 0.....	1.47	4.05
4- 0.....	1.54	4.15	3- 6.....	1.58	4.35
4- 2.....	1.63	4.25	4- 0.....	1.65	4.95
4- 6.....	1.67	4.30	4- 2.....	1.74	5.10
4-10.....	1.85	4.75	4- 6.....	1.78	5.15
5- 2.....	1.90	4.85	4-10.....	1.97	5.55
5- 6.....	1.96	5.10	5- 2.....	2.02	6.25
5-10.....	2.03	5.25	5- 6.....	2.08	6.50
6- 2.....	2.29	5.85	5-10.....	2.12	6.70
6- 6.....	2.35	6.30	6- 2.....	2.31	7.35
1-10x2- 6.....	1.30	3.35	6- 6.....	2.36	7.40
3- 0.....	1.38	3.75	2- 6x2- 6.....	1.39	3.80
3- 6.....	1.49	3.85	3- 0.....	1.49	4.20
4- 0.....	1.57	4.20	3- 6.....	1.60	4.50
4- 2.....	1.66	4.35	4- 0.....	1.68	4.95
4- 6.....	1.71	4.50	4- 2.....	1.77	5.10
4-10.....	1.88	4.85	4- 6.....	1.82	5.35
5- 2.....	1.92	5.05	4-10.....	2.00	6.60
5- 6.....	1.98	5.25	5- 2.....	2.05	6.70
5-10.....	2.02	5.45	5- 6.....	2.10	6.75
6- 2.....	2.19	6.40	5-10.....	2.14	6.95
6- 6.....	2.28	6.50	6- 2.....	2.33	7.60
2- 0x2- 6.....	1.32	3.45	6- 6.....	2.37	7.65

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tailor and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
185

Veneered
Door Lists
and Extras
187

Flush Door
Lists and
Extras
279




Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Same Layout as shown on page 56



Standard Opening	9 Marginal Lights			9 Lights, 6 Square at Top 3 long at Bottom		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
1- 4x3- 6.....	\$1.66	\$4.00		\$1.66	\$4.00	
4- 0.....	1.72	4.25		1.72	4.25	
4- 2.....	1.83	4.45	\$4.85	1.83	4.45	
4- 6.....	1.88	4.65	5.15	1.88	4.65	
4-10.....	2.03		5.50	2.03		\$5.50
5- 2.....	2.10		5.85	2.10		5.85
5- 6.....	2.14		6.30	2.14		6.30
5-10.....	2.21		6.65	2.21		6.65
6- 2.....	2.43		7.35	2.43		7.35
6- 6.....	2.47		7.40	2.47		7.40
1- 6x2- 6.....	1.50	3.45		1.50	3.50	
3- 0.....	1.57	3.70		1.57	3.80	
3- 6.....	1.68	4.00		1.68	4.05	
4- 0.....	1.75	4.25		1.75	4.30	
4- 2.....	1.82	4.45	4.90	1.87	4.50	5.00
4- 6.....	1.91	4.65	5.15	1.91	4.70	5.25
4-10.....	2.06		5.50	2.06		5.60
5- 2.....	2.12		5.90	2.12		5.90
5- 6.....	2.16		6.35	2.16		6.35
5-10.....	2.25		7.20	2.25		7.25
6- 2.....	2.46		7.45	2.46		7.55
6- 6.....	2.52		8.30	2.52		8.40
1- 8x2- 6.....	1.52	3.55		1.52	3.55	
3- 0.....	1.60	3.90		1.60	3.85	
3- 6.....	1.71	4.20		1.71	4.15	
4- 0.....	1.78	4.55		1.78	4.45	
4- 2.....	1.89	4.70	5.30	1.89	4.70	
4- 6.....	1.93	5.00	5.70	1.93	4.85	5.30
4-10.....	2.10		6.15	2.10	5.20	5.70
5- 2.....	2.15		6.60	2.15		5.95
5- 6.....	2.21		6.90	2.21		6.50
5-10.....	2.28		7.65	2.28		7.30
6- 2.....	2.49		7.90	2.49		7.85
6- 6.....	2.55		8.50	2.55		8.45
1-10x2- 6.....	1.54	3.55		1.54	3.85	
3- 0.....	1.62	3.95		1.62	4.20	
3- 6.....	1.73	4.50		1.73	4.55	
4- 0.....	1.81	4.80		1.81	4.95	
4- 2.....	1.92	5.05	5.70	1.92	5.15	
4- 6.....	1.97	5.35	6.00	1.97	5.35	6.00
4-10.....	2.13		6.60	2.13		6.55
5- 2.....	2.17		7.00	2.17		6.80
5- 6.....	2.23		7.30	2.23		7.50
5-10.....	2.27		8.15	2.27		8.20
6- 2.....	2.53		8.50	2.53		8.90
6- 6.....	2.58		9.20	2.58		9.25
2- 0x2- 6.....	1.56	3.85		1.56	4.05	
3- 0.....	1.65	4.30		1.65	4.40	



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Continued

Standard Opening	9 Marginal Lights			9 Lights, 6 Square at Top 3 long at Bottom		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
2-0x3- 6.....	\$1.77	\$4.65		\$1.77	\$4.90	
4- 0.....	1.83	5.00		1.83	5.30	
4- 2.....	1.94	5.30	\$6.00	1.94	5.50	
4- 6.....	1.99	5.55	6.30	1.99	5.80	\$6.50
4-10.....	2.15		7.00	2.15	6.15	6.95
5- 2.....	2.22		7.10	2.22		7.30
5- 6.....	2.26		8.10	2.26		8.00
5-10.....	2.30		8.85	2.30		8.60
6- 2.....	2.56		9.20	2.56		9.75
6- 6.....	2.60		9.25	2.60		9.80
2-2x2- 6.....	1.58	3.85		1.58	4.10	
3- 0.....	1.68	4.35		1.68	4.40	
3- 6.....	1.79	4.70		1.79	4.95	
4- 0.....	1.86	5.20		1.86	5.35	
4- 2.....	1.98	5.55	6.30	1.98	5.55	
4- 6.....	2.02		6.85	2.02	5.95	
4-10.....	2.19		7.50	2.19	6.20	7.10
5- 2.....	2.24		7.80	2.24		7.35
5- 6.....	2.28		8.75	2.28		8.05
5-10.....	2.34		8.85	2.34		8.65
6- 2.....	2.59		10.15	2.59		9.80
6- 6.....	2.65		10.60	2.65		9.85
2-4x2- 6.....	1.61	3.85		1.61	4.25	
3- 0.....	1.71	4.40		1.71	4.65	
3- 6.....	1.82	4.75		1.82	5.15	
4- 0.....	1.89	5.45		1.89	5.50	
4- 2.....	2.00	5.85	6.65	2.00	6.05	
4- 6.....	2.04		6.90	2.04	6.35	
4-10.....	2.22		7.55	2.22		7.80
5- 2.....	2.27		8.75	2.27		8.60
5- 6.....	2.33		8.85	2.33		8.65
5-10.....	2.37		9.90	2.37		9.65
6- 2.....	2.61		10.20	2.61		10.05
6- 6.....	2.67		10.65	2.67		11.05
2-6x2- 6.....	1.63	4.05		1.63	4.30	
3- 0.....	1.73	4.55		1.73	4.70	
3- 6.....	1.84	5.00		1.84	5.20	
4- 0.....	1.92	5.80		1.92	5.65	
4- 2.....	2.03	6.10	6.95	2.03	6.15	
4- 6.....	2.08		7.70	2.08	6.40	
4-10.....	2.25		8.50	2.25		7.95
5- 2.....	2.30		8.85	2.30		8.65
5- 6.....	2.35		9.80	2.35		9.15
5-10.....	2.39		9.95	2.39		9.70
6- 2.....	2.65		10.70	2.65		10.75
6- 6.....	2.71		12.20	2.71		10.95

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
113

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
277




Casement Sash

1 3/8" Thick, Open and Glazed

Same Layout as shown on page 39



Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 0x3- 6	\$1.48	\$3.40		
4- 0	1.55	3.65	\$1.67	\$3.90
4- 2	1.67	3.80	1.81	4.05
4- 6	1.71	3.85	1.85	4.10
4-10	1.87	4.20	2.01	4.35
5- 2	1.92	4.25	2.06	4.50
5- 6	1.98	4.35	2.12	4.60
5-10	2.05	4.50	2.19	4.80
6- 2	2.26	4.85	2.42	5.20
6- 6	2.32	5.00	2.48	5.30
1- 2x3- 6	1.50	3.55		
4- 0	1.58	3.85	1.70	4.15
4- 2	1.70	4.00	1.84	4.35
4- 6	1.75	4.10	1.89	4.40
4-10	1.90	4.45	2.04	4.65
5- 2	1.94	4.50	2.08	4.80
5- 6	2.00	4.60	2.14	4.95
5-10	2.07	4.80	2.21	5.15
6- 2	2.30	5.15	2.46	5.65
6- 6	2.35	5.30	2.51	5.70
1- 4x3- 6	1.54	3.80		
4- 0	1.60	3.95	1.72	4.35
4- 2	1.72	4.10	1.86	4.55
4- 6	1.77	4.30	1.91	4.60
4-10	1.92	4.60	2.06	4.90
5- 2	1.99	4.80	2.13	5.05
5- 6	2.03	4.85	2.17	5.20
5-10	2.10	5.10	2.24	5.40
6- 2	2.33	5.55	2.49	5.95
6- 6	2.37	5.70	2.53	6.00
1- 6x3- 6	1.56	4.10	1.68	4.15
4- 0	1.63	4.20	1.75	4.55
4- 2	1.76	4.35	1.90	4.75
4- 6	1.80	4.55	1.94	4.80
4-10	1.95	4.85	2.09	5.05
5- 2	2.01	5.15	2.15	5.25
5- 6	2.05	5.20	2.19	5.40
5-10	2.14	5.60	2.28	5.65
6- 2	2.36	5.85	2.52	6.25
6- 6	2.42	6.25	2.58	6.30
1- 8x3- 6	1.59	4.15	1.71	4.30
4- 0	1.66	4.40	1.78	4.60
4- 2	1.78	4.55	1.92	4.75
4- 6	1.82	4.60	1.96	4.80
4-10	1.99	5.10	2.13	5.15
5- 2	2.04	5.20	2.18	5.35
5- 6	2.10	5.25	2.24	5.50



Casement Sash

1 3/8" Thick, Open and Glazed

Continued

Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 8x5-10.....	\$2.17	\$5.65	\$2.31	\$5.75
6- 2.....	2.39	5.90	2.55	6.30
6- 6.....	2.45	6.30	2.61	6.35
1-10x3- 6.....	1.61	4.35	1.73	4.50
4- 0.....	1.69	4.45	1.81	5.05
4- 2.....	1.81	4.60	1.95	5.20
4- 6.....	1.86	5.00	2.00	5.30
4-10.....	2.02	5.20	2.16	5.65
5- 2.....	2.06	5.25	2.20	5.90
5- 6.....	2.12	5.50	2.26	6.10
5-10.....	2.16	5.70	2.30	6.30
6- 2.....	2.43	6.20	2.59	7.00
6- 6.....	2.48	6.45	2.64	7.05
2- 0x3- 6.....	1.65	4.40	1.77	4.80
4- 0.....	1.71	4.80	1.83	5.20
4- 2.....	1.83	4.95	1.97	5.35
4- 6.....	1.88	5.05	2.02	5.45
4-10.....	2.04	5.60	2.18	6.20
5- 2.....	2.11	5.70	2.25	6.30
5- 6.....	2.15	5.75	2.29	6.70
5-10.....	2.19	6.00	2.33	6.75
6- 2.....	2.46	6.50	2.62	7.40
6- 6.....	2.50	6.75	2.66	7.45
2- 2x3- 6.....	1.67	4.70	1.79	4.85
4- 0.....	1.74	4.85	1.86	5.45
4- 2.....	1.87	5.20	2.01	5.65
4- 6.....	1.91	5.45	2.05	5.70
4-10.....	2.08	5.85	2.22	6.25
5- 2.....	2.13	5.90	2.27	6.35
5- 6.....	2.17	5.95	2.31	6.75
5-10.....	2.23	6.25	2.37	6.80
6- 2.....	2.50	6.80	2.66	7.65
6- 6.....	2.56	7.20	2.70	7.70
2- 4x3- 6.....	1.70	4.75	1.82	5.10
4- 0.....	1.77	5.05	1.89	5.50
4- 2.....	1.89	5.20	2.03	5.70
4- 6.....	1.93	5.50	2.07	5.75
4-10.....	2.11	5.90	2.25	6.25
5- 2.....	2.16	6.50	2.30	6.40
5- 6.....	2.22	6.50	2.36	6.75
5-10.....	2.26	6.55	2.40	6.85
6- 2.....	2.52	7.45	2.68	7.65
6- 6.....	2.58	7.75	2.72	8.15
2- 6x3- 6.....	1.72	4.95	1.84	5.10
4- 0.....	1.80	5.25	1.92	5.80
4- 2.....	1.92	5.40	2.06	6.00
4- 6.....	1.97	5.70	2.11	6.05

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
70

Yewwood
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Casement Sash

$1\frac{3}{8}$ " Thick, Open and Glazed—Continued

Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
2- 6x4-10	\$2.14	\$6.10	\$2.28	\$6.45
5- 2	2.19	6.45	2.33	6.70
5- 6	2.24	6.50	2.38	7.00
5-10	2.28	7.65	2.42	7.20
6- 2	2.57	8.00	2.73	8.60
6- 6	2.61	8.65	2.77	8.65

CASEMENT SASH EXTRAS

- (A) For pairs, double the list of a single Casement Sash of the size necessary to make a pair, and if rabbeted, add extra shown below.
- (B) For meeting stiles rabbeted plain or rabbeted and beaded, add per pair, if open, list \$0.35
 If glazed, list45
 This includes extra for wide meeting stiles to permit rabbeting.
- (C) For Casement Sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add for the meeting stiles, to the sash open, one cent per lineal foot for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile.
- If sash is glazed, add \$.01 $\frac{1}{4}$ per lineal foot list for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile.
- If beads are wanted, add as per Rule 11, page 56.

K. D. Sash Parts

2 Light Check Rail Windows, $1\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over $1\frac{1}{16}$ " high overall, not over $1\frac{5}{16}$ " between glass.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over $3\frac{1}{16}$ " face.

List Per Piece

Class	Stile	Top Rail	Check Rail	Bottom Rail	Bars not over $\frac{1}{4}$ " overall, $\frac{1}{8}$ " between Glass
12	\$0.14	\$0.14	\$0.12	\$0.17	\$0.065
14	.15	.15	.12	.19	.07
16	.16	.16	.13	.21	.075
18	.17	.17	.14	.22	.075
20	.18	.18	.15	.23	.09
22	.19	.19	.16	.25	.095
24	.20	.20	.17	.26	.105
26	.21	.21	.17	.28	.105
28	.22	.22	.18	.29	.11
30	.23	.23	.19	.31	.115
32	.26	.26	.21	.34	.125
34	.27	.27	.22	.35	.13
36	.28	.28	.23	.37	.135
38	.29	.29	.23	.38	.135
40	.31	.31	.25	.42	.15
42	.34	.34	.26	.43	.15
44	.36	.36	.29	.47	.16
46	.37	.37	.30	.48	.17

K. D. Sash Parts

2 Light Check Rail Windows $1\frac{3}{8}$ " Thick—Continued

List Per Piece

Glass	Stile	Top Rail	Check Rail	Bottom Rail	Bars not over $\frac{1}{4}$ " overall, $\frac{1}{8}$ " between glass
48.....	\$0.41	\$0.41	\$0.33	\$0.55	\$0.185
50.....	.45	.45	.36	.61	.205
52.....	.49	.49	.38	.66	.215
54.....	.52	.52	.42	.70	.23
56.....	.56	.56	.45	.75	.245
58.....	.60	.60	.48	.77	.25
60.....	.62	.62	.50	.80	.255
62.....	.64	.64	.51	.81	.26
64.....	.66	.66	.53	.84	.27
66.....	.68	.68	.54	.86	.275
68.....	.70	.70	.56	.89	.28
70.....	.72	.72	.57	.90	.29
72.....	.74	.74	.59	.92	.295

For $1\frac{1}{8}$ " Thick, Plain Rail Windows, deduct 12%.

For $1\frac{3}{8}$ " Check Rail Windows, deduct 10%.

K. D. Sash Parts

4 Light Check Rail Windows, $1\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over $1\frac{5}{16}$ " high overall, not over $1\frac{1}{16}$ " between glass.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bar not over $1\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

List Per Piece

Glass	Stiles	Bars not over $1\frac{1}{4}$ " overall, not over $\frac{7}{8}$ " between glass	Top Rail	Check Rail	Bottom Rail
9..	\$0.12	\$0.08	\$0.18	\$0.15	\$0.23
10..	.13	.09	.19	.16	.25
12..	.14	.09	.21	.17	.28
14..	.15	.10	.23	.19	.31
15..	.15	.10	.26	.21	.32
16..	.16	.11	.27	.22	.35
18..	.17	.11	.29	.23	.37
20..	.18	.12	.34	.26	.43
22..	.19	.13	.37	.30	.47
24..	.20	.13	.45	.36	.55
26..	.21	.14	.52	.42	.66
28..	.22	.15	.60	.48	.75
30..	.23	.15	.64	.51	.80
32..	.26	.17			
34..	.27	.17			
36..	.28	.18			
38..	.29	.19			
40..	.31	.20			
42..	.34	.21			

List Per Piece

Glass	Stiles	Bars not over $1\frac{1}{4}$ " overall; not over $\frac{7}{8}$ " between glass
44..	\$0.36	\$0.22
46..	.37	.23
48..	.41	.26
50..	.45	.28
52..	.49	.31
54..	.52	.33
56..	.56	.35
58..	.60	.36
60..	.62	.37
62..	.64	.38
64..	.66	.39
66..	.68	.39
68..	.70	.41
70..	.72	.42
72..	.74	.42

For $1\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For $1\frac{3}{8}$ " Thick Check Rail Windows, deduct 10%.

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupbo-4,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Dr
1

Combination
Doors and
Extras
161

Window
Screens

Yanovered
Door Lists
and Extras
191

Flush Door
Lists and
Extras
273

K. D. Sash Parts

8 Light Check Rail Windows, 1 $\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over 1 $\frac{3}{16}$ " wide overall, not over 1 $\frac{3}{4}$ " face.

Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " between glass.

Bottom Rail not over 3 $\frac{3}{16}$ " wide overall, not over 3" face.

Vertical Bar not over 1 $\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

List Per Piece

Glass	Stiles 2 Lights High	Vertical Bar, 2 Lights High	Top Rail	Check Rail	Bottom Rail	Horizontal Bar, 1 Light Wide
7.....	\$0.155	\$0.12	\$0.15	\$0.13	\$0.21	\$0.035
8.....	.165	.12	.17	.14	.22	.04
9.....	.175	.12	.18	.15	.23	.04
10.....	.185	.13	.19	.16	.25	.04
12.....	.205	.14	.21	.17	.28	.045
13.....	.215	.15	.22	.18	.29	.05
14.....	.225	.16	.23	.19	.31	.05
15.....	.235	.16	.26	.21	.32	.055
16.....	.265	.18	.27	.22	.35	.055
18.....	.285	.19	.29	.23	.37	.065
20.....	.315	.21	.34	.26	.43	.07
22.....	.365	.23	.37	.30	.47	.075
24.....	.415	.27	.45	.36	.55	.075
26.....	.495	.32	.52	.42	.66	.075
28.....	.565	.36	.60	.48	.75	.085
30.....	.625	.38	.64	.51	.80	.085

For 1 $\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For 1 $\frac{1}{8}$ " Thick Check Rail Windows, deduct 10%.

K. D. Sash Parts

12 Light Check Rail Windows, 1 $\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles, Top Rail, Check Rail and Bottom Rail same dimensions as for 8 Light (above).

Vertical and Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face, or
not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

List Per Piece

Glass	Stiles	Vertical Bars	Vertical Bars	Top Rail	Check Rail	Bot. Rail	Horiz. Bars	Horiz. Bars
	2 Lts. High	$\frac{1}{4}$ " Betw. Gl. 2 Lts. High	$\frac{3}{8}$ " Betw. Gl. 2 Lts. High				$\frac{1}{4}$ " Betw. Gl. 1 Lt. Wide	$\frac{3}{8}$ " Betw. Gl. 1 Lt. Wide
6...	\$0.145	\$0.06	\$0.07	\$0.17	\$0.14	\$0.22	\$0.035	\$0.045
7...	.155	.065	.075	.19	.16	.25	.035	.045
8...	.165	.07	.08	.21	.17	.28	.04	.05
9...	.175	.085	.095	.22	.18	.30	.04	.05
10...	.185	.09	.10	.24	.195	.33	.04	.05
11...	.195	.095	.105	.26	.22	.37	.045	.055
12...	.205	.095	.115	.29	.23	.37	.045	.065
13...	.215	.10	.12	.31	.25	.39	.05	.07
14...	.225	.10	.12	.36	.29	.43	.05	.07
15...	.235	.11	.13	.37	.30	.48	.055	.075
16...	.265	.115	.135	.45	.36	.55	.055	.075
18...	.285	.12	.14	.56	.45	.71	.065	.075
20...	.315	.13	.15	.64	.51	.81	.07	.09
22...	.365	.145	.165	.70	.56	.86	.075	.095
24...	.415	.15	.18	.76	.61	.94	.075	.105

For 1 $\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For 1 $\frac{1}{8}$ " Thick Check Rail Windows, deduct 10%.

K. D. Sash Parts

2 Light Check Rail Windows Divided 16 Lights, 1 $\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " between glass.
 Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.
 Vertical Bar not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " between glass.
 Horizontal Bar not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " between glass.

List Per Piece

Glass Size 2 Lt.	Stiles 2 Lights High	Vert. Bar 2 Lights High	Top Rail 4 Lights Wide	Check Rail 4 Lights Wide	Bottom Rail 4 Lights Wide	Horizontal Bar, 1 Light Wide
14.....	\$0.155	\$0.075				
16.....	.165	.08				
18.....	.175	.08				
20.....	.185	.095				
22.....	.195	.10				
24.....	.205	.11	\$0.215	\$0.185	\$0.275	\$0.045
26.....	.215	.11	.225	.185	.295	.045
28.....	.225	.115	.235	.195	.305	.045
30.....	.235	.12	.245	.205	.325	.05
32.....	.265	.13	.275	.225	.355	.05
34.....	.275	.135	.285	.235	.365	.05
36.....	.285	.14	.295	.245	.385	.05
40.....	.315	.155	.325	.265	.435	.05

For 1 $\frac{3}{8}$ " Thick Plain Rail Windows, deduct 12%.
 For 1 $\frac{3}{8}$ " Thick Check Rail Windows, deduct 10%.

K. D. Sash Parts

2 Light Check Rail Windows Divided 18 Lights, 1 $\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Parts dimensions same as 16 Light above

List Per Piece

Glass Size 2 Lt.	Stiles 3 Lights High	Vert. Bar 3 Lights High	Top Rail 3 Lights Wide	Check Rail 3 Lights Wide	Bottom Rail 3 Lights Wide	Horizontal Bar, 1 Light Wide
14.....	\$0.16	\$0.08	\$0.16	\$0.13	\$0.20	\$0.04
16.....	.17	.085	.17	.14	.22	.04
18.....	.18	.085	.18	.15	.23	.045
20.....	.19	.10	.19	.16	.24	.045
22.....	.20	.105	.20	.17	.26	.05
24.....	.21	.115	.21	.18	.27	.05
26.....	.22	.115	.22	.18	.29	.05
28.....	.23	.12	.23	.19	.30	.05
30.....	.24	.125	.24	.20	.32	.05
32.....	.27	.135	.27	.22	.35	.055
34.....	.28	.14	.28	.23	.36	.06
36.....	.29	.145	.29	.24	.38	.065
40.....	.32	.16	.32	.26	.43	.07

For 1 $\frac{3}{8}$ " Thick Plain Rail Windows, deduct 12%.
 For 1 $\frac{3}{8}$ " Thick Check Rail Windows, deduct 10%.

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
16

Veneered
Door Lists
and Extras
197

Fresh Door
Lists and
Extras
279

K. D. Storm Sash Parts

2 Light Storm Sash, $1\frac{1}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over $2\frac{3}{16}$ " wide overall, not over 2" face.Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.Cross Bar not over $1\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.Bottom Rail not over $4\frac{1}{16}$ " wide overall, not over $4\frac{1}{2}$ " face.

List Per Piece

Glass Size	Stiles Per Single Stile 2 Lights High	Top Rail	Cross Rail	Bottom Rail	Vertical Bar For 2 Light. Cut 4 Light, Not over $\frac{3}{4}$ " Wide overall, Not over $\frac{5}{8}$ " Face. Per Bar
12.....	\$0.315	\$0.14	\$0.09	\$0.25	\$0.065
14.....	.335	.15	.10	.27	.07
16.....	.355	.16	.11	.29	.075
18.....	.375	.17	.11	.31	.075
20.....	.39	.18	.12	.34	.09
22.....	.41	.19	.13	.36	.095
24.....	.44	.20	.13	.38	.105
26.....	.46	.21	.14	.40	.105
28.....	.48	.22	.15	.42	.11
30.....	.51	.23	.15	.44	.115
32.....	.57	.26	.17	.49	.125
34.....	.60	.27	.17	.51	.13
36.....	.62	.28	.18	.54	.135
38.....	.66	.29	.19	.56	.135
40.....	.705	.31	.20	.60	.15
42.....	.735	.34	.21	.63	.15
44.....	.765	.36	.22	.65	.16
46.....	.795	.37	.23	.67	.17
48.....	.825	.41	.26	.79	.185
50.....	.96	.45	.28	.88	.205
52.....	1.03	.49	.31	.94	.215
54.....	1.09	.52	.33	1.00	.23
56.....	1.17	.56	.35	1.07	.245
58.....	1.25	.60	.36	1.10	.25
60.....	1.29	.62	.37	1.13	.255
62.....	1.33	.64	.38	1.16	.26
64.....	1.37	.66	.39	1.20	.27
66.....	1.41	.68	.39	1.23	.275
68.....	1.45	.70	.41	1.26	.28
70.....	1.49	.72	.42	1.29	.29
72.....	1.53	.74	.42	1.32	.295

For 5" face bottom rail not over $5\frac{5}{16}$ " wide overall, add \$0.02 per lineal foot for length of rail, length to be figured at the full foot. Example: If rail is 2-2, 2-4, 2-6, 2-8 or 2-10 long, figure 3 feet, if over 3 foot and up to and including 3-10 figure 4 feet, etc.

K. D. Storm Sash Parts

4 Light Storm Sash, 1 1/8" Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Vertical and Cross Bars not over 1 1/4" wide overall, not over 7/8" face.

Bottom Rail not over 4 11/16" wide overall, not over 4 1/2" face.

List Per Piece

Glass	Stiles Per Single Stile 2 Lights High	Top Rail	Vertical Bar	Cross Rail	Bottom Rail
9.....	\$0.26	\$0.18	\$0.085	\$0.12	\$0.33
10.....	.28	.19	.09	.12	.35
12.....	.315	.21	.09	.13	.39
14.....	.335	.23	.10	.15	.43
15.....	.345	.26	.10	.15	.45
16.....	.355	.27	.11	.17	.49
18.....	.375	.29	.11	.18	.54
20.....	.39	.34	.13	.20	.62
22.....	.41	.37	.14	.22	.66
24.....	.44	.45	.14	.26	.80
26.....	.46	.52	.14	.30	.95
28.....	.48	.60	.15	.33	1.08
30.....	.51	.64	.15	.38	1.14
32.....	.57	...	.17	...	...
34.....	.60	...	.17	...	...
36.....	.62	...	.18	...	...
38.....	.66	...	.19	...	...
40.....	.705	...	.20	...	...
42.....	.735	...	.21	...	...
44.....	.765	...	.22	...	...
46.....	.795	...	.23	...	...
48.....	.825	...	.26	...	...
50.....	.96	...	.28	...	...
52.....	1.03	...	.31	...	...
54.....	1.09	...	.33	...	...
56.....	1.17	...	.35	...	...
58.....	1.25	...	.36	...	...
60.....	1.29	...	.37	...	...
62.....	1.33	...	.38	...	...
64.....	1.37	...	.39	...	...
66.....	1.41	...	.39	...	...
68.....	1.45	...	.41	...	...
70.....	1.49	...	.42	...	...
72.....	1.53	...	.42	...	...

For 5" face bottom rail not over 5 3/16" wide overall, add \$0.02 per lineal foot for length of rail, length to be figured at the full foot. Example, If rail is 2-2, 2-4, 2-6, 2-8 or 2-10 long, figure 3 feet, if over 3 foot and up to and including 3-10, figure 4 feet, etc.

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pins
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
161

Yankee
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

List of Lineal Moulded Sash Stock

Per 100 Lineal Feet


	$\frac{1\frac{1}{8}}{16}$ " Thick Gl. Rabt. List	$\frac{1\frac{3}{8}}{16}$ " Thick Gl. Rabt. List	$\frac{1\frac{1}{2}}{4}$ " Thick Gl. Rabt. List
Muntin $\frac{3}{16}$ " Bet. Gl.....	\$1.50	\$2.00	\$2.25
Muntin $\frac{1}{4}$ " Bet. Gl.....	1.50	2.00	2.25
Muntin $\frac{5}{8}$ " Bet. Gl.....	1.50	2.00	3.00
Muntin $\frac{7}{16}$ " Bet. Gl.....	1.50	2.00	3.40
Muntin $\frac{1}{2}$ " Bet. Gl.....	1.90	2.25	3.40
Muntin $\frac{5}{8}$ " Bet. Gl.....	2.15	2.50	3.75
Mull or Bar $\frac{3}{4}$ " Bet. Gl.....	2.35	2.75	4.25
Mull or Bar $\frac{13}{16}$ " Bet. Gl.....	2.75	3.00	4.25
Mull or Bar $\frac{7}{8}$ " Bet. Gl.....	2.75	3.00	4.25
Mull or Bar 1" Bet. Gl.....	2.90	3.75	4.80
Mull or Bar $1\frac{1}{8}$ " Bet. Gl.....	2.90	3.75	5.10
Stiles or Rails $1\frac{1}{2}$ " to Gl.....	3.30	4.00	5.30
Stiles or Rails $1\frac{3}{16}$ " to Gl.....	3.30	4.00	5.90
Stiles or Rails $1\frac{1}{4}$ " to Gl.....	3.75	4.50	6.20
Stiles or Rails 2" to Gl.....	4.15	5.00	6.90
Stiles or Rails $2\frac{1}{8}$ " to Gl.....	4.30	5.25	7.30
Stiles or Rails $2\frac{1}{4}$ " to Gl.....	4.55	5.50	7.55
Stiles or Rails $2\frac{1}{2}$ " to Gl.....	4.95	6.00	8.25
Stiles or Rails $2\frac{3}{4}$ " to Gl.....	5.35	6.50	8.95
Stiles or Rails 3" to Gl.....	5.80	7.00	9.65
Stiles or Rails $3\frac{1}{4}$ " to Gl.....	6.20	7.50	10.30
Stiles or Rails $3\frac{1}{2}$ " to Gl.....	6.60	8.00	11.00
Stiles or Rails $3\frac{3}{4}$ " to Gl.....	7.45	9.00	12.40
Stiles or Rails 4" to Gl.....	7.85	9.60	13.05
Stiles or Rails $4\frac{1}{4}$ " to Gl.....	8.25	10.00	13.75
Stiles or Rails $4\frac{1}{2}$ " to Gl.....	8.70	10.50	14.45
Stiles or Rails $4\frac{3}{4}$ " to Gl.....	9.10	11.00	15.15
Stiles or Rails 5" to Gl.....	9.90	12.00	16.50
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{1}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			\$3.60
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{1}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			4.00
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{3}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			4.00
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{3}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			4.75
Check Rails $1\frac{3}{8}$ " to $1\frac{1}{4}$ " thick for $1\frac{3}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			5.50
Check Rails $1\frac{3}{8}$ " to $1\frac{1}{4}$ " thick for $1\frac{3}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip			6.55

Windows


With Divided Lights In Top Sash



A



B-B




C



E



F



J

For windows or sash made with divided lights similar to the above, add to proper two light window or one light sash list as follows:

- "A" lights.....Rule 10 Sections A-B or C
- "E" lights.....Rule 10 Section E
- "G" lights.....Rule 10 Section G

For above rules see page 80.

Extras,
Windows
and Sash
79

Door Lists
Panel and
Combos
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Tail Lenu
Blind Doors
Pine
139

Extras,
Pine Do
1

Combination
Doors and
Extras
161


Window
Screens
100

Veueered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
273

Windows

With Divided Lights In Top Sash




K




L




M



N



O



P


For windows or sash made with divided lights similar to above, add to proper two light window or one light sash list as follows:

"A" lights.....	Rule 10 Sections A-B or C
"D" lights.....	Rule 10 Sections A-plus D
"E" lights.....	Rule 10 Section E
"F" lights.....	Rule 10 Section F
"G" lights.....	Rule 10 Section G


For above rules see page 80.

Windows and Sash


With Divided Lights




17




18




56




57




58




59



60



61



65

For windows or sash made with divided lights similar to above, add to proper two light window or one light sash list as follows:

"A" lights.....	Rule 10 Sections A-B or C
"D" lights.....	Rule 10 Sections A plus D
"E" lights.....	Rule 10 Section E
"F" lights.....	Rule 10 Section F
"G" lights.....	Rule 10 Section G
"I" lights.....	Rule 10 Section I
"J" lights.....	Rule 10 Section J
"H-4" Bars.....	Rule 10 Section H-4

For above rules see page 80.

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
141

Combination
Doors and
Extras
161


Window
Screens
189

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
273

Transoms and Sash

Segment, Circle and Gothic Top




69




70




71



72



72½



73



74



75

For transoms or sash made as above add to proper transom or sash list as follows:

No. 69 Segment out Square in.....	Rule 16 Section C
No. 70 Segment out and in.....	Rule 16 Section C
No. 71 Circle out and in.....	Rule 16 Section A
No. 72 Circle out and in.....	Rule 16 Section A
No. 72½ Left hand quarter circle.....	Rule 16 Section K
No. 73 Circle out and in.....	Rule 16 Section A
No. 74 Gothic head.....	Rule 16 Section D
No. 75 Gothic head.....	Rule 16 Section D


For divided lights add as follows:

"D" lights.....	Rule 10 Sections A plus D
"E" lights.....	Rule 10 Section E
"H-1" Bars.....	Rule 10 Section H-1
"H-2" Bars.....	Rule 10 Section H-2
"K" Hub.....	Rule 10 Section K


For above rules see pages 80-83.

Windows and Sash

Gothic, Peak Head, Half Circle and Circle




76




77




78




79




80




81




82



83



84



84 1/2

For windows or sash made as above add to proper window or sash list as follows:

No. 76 Gothic head.....	Rule 16 Section D
No. 77 Gothic head.....	Rule 16 Section D
No. 78 Peak head.....	Rule 16 Section E
No. 79 Peak head.....	Rule 16 Section E
No. 80 Gothic head.....	Rule 16 Section D
No. 81 Circle top.....	Rule 16 Section A
No. 82 Circle top.....	Rule 16 Section A
No. 83 Peak head.....	Rule 16 Section E
No. 84 Full circle.....	Rule 16 Section G
No. 84 1/2 Full Circle.....	Rule 16 Section G

For divided lights add as follows:

"A" lights. .Rule 10 Sections A-B or C
 "E" lights. .Rule 10 Section E

"I" lights.....Rule 10 Section I
 "H-1" Bars.....Rule 10 Section H-1

For above rules see pages 80 and 83.

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
189

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223

Sash


Half Circle, Quarter Circle, Triangular, Eyebrow, and Oval



85




86




87




88



91



89



90

For Sash made as above add to proper sash list as follows:

No. 85 Half Circle.....Rule 16 Section A

No. 86 Half Circle Rule 16 Section A

Plus: 6 Lights, per Rule 10, Sec. E
6 Bars (less than $\frac{1}{4}$ circle), Rule 10, Sec. H-1
1 Hub Block, Rule 10, Sec. K

6 Bars (less than $\frac{1}{4}$ circle), Rule 10, Sec. H-1

1 Hub Block, Rule 10, Sec. K

No. 87 Left hand Quarter Circle.....Rule 16 Section K

No. 88 Triangular.....Rule 16 Section E

No. 89 Eyebrow..... Rule 16 Section J

No. 90 Oval.....Rule 16 Section G

No. 91 Octagon.....Rule 16 Section E-E

For divided lights add as follows:

"E" lights.....Rule 10 Section E

"H-1" Bars.....Rule 10 Section H-1

"H-2" Bars.....Rule 10 Section H-2

"I" lights.....Rule 10 Section I

"K" Hub.....Rule 10 Section K

For above rules see pages 80 and 83.

Windows

Circle and Segment Top




Fig. 1

Circle inside and outside. Radius one half width of sash.




Fig. 2

Circle outside, Square inside. Radius one half width of sash less width of one stile.




Fig. 3

Segment inside and outside. Radius width of sash.




Fig. 4

Segment outside square inside. Radius width of sash less width of one stile.

For segment, circle or Gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

For windows made as above add to proper window list as follows:

Fig. 1.....	Rule 16 Section A
Fig. 2.....	Rule 16 Section B
Fig. 3.....	Rule 16 Section C
Fig. 4.....	Rule 16 Section C

For above rules see page 83.

Extras,
Window
and Sash
79

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
11

Combination
Doors and
Extras
161

Window
Screens
16

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
227

Sash Extras

These List Extras apply to the open and glazed lists and cover the listing of items not otherwise provided for, with standard sticking. Add extra for any type of sticking requiring special knives.

For smaller than listed and intermediate sizes, use same list as next larger listed size.

Rule 1 Windows Larger Than Listed Sizes

- | | |
|---|---|
| | <u>Open List</u>
<u>1 3/8" Thick</u> |
| (A)—1 3/8" open windows wider than listed sizes, use list of widest listed size of a similar window of same height, and add for each additional two inches or fraction thereof in width..... | \$0.15 List |
| (B)—1 3/8" open windows higher than listed sizes, use list of highest listed size of a similar window of same width, and add for each additional four inches or fraction thereof in height..... | .15 List |
| (C)—For 1 3/4" and thicker add extra per Rule 6. | |
| (D)—Glazed windows figure open as above and add for glass and glazing. | |

Rule 2 Single Sash Not Listed

- | | |
|--|----------|
| (A)—To make single sash list of any 1 3/8" 1 light open sash with standard layout (not over 2 3/16" Stiles and Top Rail, not over 3 5/16" Bottom Rail overall) and not listed or otherwise provided for, figure the distance around the opening, (outside measure) at per lineal inch..... | .01 List |
| At the above basis, no sash to be figured at less than..... | .75 List |
| (B)—For wood parts larger than a standard layout see Rule 3. | |
| (C)—For divided lights in above sash, add for such lights as per Rule 10. | |
| (D)—For 1 3/4" and thicker add extra per Rule 6. | |
| (E)—Glazed sash figure open as above and add for glass and glazing. | |

Rule 3 Wide Stiles, Rails or Bars

- | | | |
|---|------------------------------------|--------------------------------------|
| | <u>Open</u>
<u>1 3/8" Thick</u> | <u>Glazed</u>
<u>1 3/8" Thick</u> |
| (A)—All list prices are based on standard layout shown. Stiles, top and bottom rail wider than standard layout, 1 3/8" thick, add for each additional 1/4" or fraction thereof of parts affected, per lineal foot.. | \$0.01 List | \$0.01 1/4 List |
| Note: Footage to be figured for full opening height and/or width, and if a fractional width or height, use the next full foot, see example Section "F". | | |
| (B)—Check rails, higher than 1 5/16" and not higher than 1 5/8" for 1 3/8" windows, add per lineal foot for each check rail..... | .02 List | .02 1/2 List |
| (C)—Check rails, not higher than 1 11/16", permitted for 1 3/4" windows. | | |
| (D)—Check rails, 2 or 2 1/4" high for 1 3/4" windows, add per lineal foot for each check rail..... | .06 List | .07 1/2 List |
| (E)—Bars and muntins, wider than standard layouts, 1 3/8" thick, add for each additional 1/4" or part thereof, for each bar or muntin, per lineal foot.... | .01 List | .01 1/4 List |
| (F)—(Method of application for Rules A to E inclusive). Footage in all cases of fractional widths and/or heights to be figured at the next full foot. | | |
| (Example) 10x12-12 light 1 3/8" check rail open with 2 1/2" stiles and top rail, 1 5/8" high check rail, 3 3/4" bottom rail, 1" bars, over all measurements. | | |

Sash Extras—Continued

Use 12 light list, (page 21), with $\frac{3}{16}$ " bars and add as follows:

Opening 2-10 $\frac{1}{2}$ x4-6

2 Stiles 4-6 figure.....	5 ft. 10 ft. @	\$0.02	\$0.20
1 Top Rail 2-10 $\frac{1}{2}$ figure.....	3 ft. 3 ft. @	.03	.09
2 Check Rails 2-10 $\frac{1}{2}$ figure...	3 ft. 6 ft. @	.02	.12
1 Bottom Rail 2-10 $\frac{1}{2}$ figure .	3 ft. 3 ft. @	.04	.12
2 Bars 2-10 $\frac{1}{2}$ figure.....	3 ft. 6 ft. @	.02	.12
2 Bars 4-6 figure.....	5 ft. 10 ft. @	.02	.20
			\$0.85

Rule 4 1 $\frac{1}{8}$ " Plain and Check Rail Windows and/or Sash

	Open 1 $\frac{3}{8}$ " Thick	Glazed 1 $\frac{3}{8}$ " Thick
(A)—1 $\frac{1}{8}$ " Plain Rail Windows and sash in sizes not listed, use 1 $\frac{3}{8}$ " check rail window or sash list for same sizes, and deduct of the open list.....	12%	15%
(B)—1 $\frac{1}{8}$ " check rail windows in sizes not listed, use 1 $\frac{3}{8}$ " check rail list for same size and deduct of the open list.....	10%	12 $\frac{1}{2}$ %

Rule 5 1 $\frac{3}{8}$ " Plain Rail Windows

Use 1 $\frac{3}{8}$ " check rail window list.

Rule 6 Thicker Than 1 $\frac{3}{8}$ "

(A)—1 $\frac{3}{4}$ " windows and sash unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list. (Includes 1 $\frac{11}{16}$ " high check rail).....	40%	50%
(B)—2" or 2 $\frac{1}{4}$ " windows and sash unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list. (This includes 2" or 2 $\frac{1}{4}$ " high check rail).....	200%	250%
(C)—2 $\frac{1}{2}$ " or 2 $\frac{3}{4}$ " windows and sash, unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list. (This includes 2 $\frac{1}{2}$ " or 2 $\frac{3}{4}$ " high check rail)....	275%	340%

NOTE THAT THE PERCENTAGE ADDITIONS ARE OF THE 1 $\frac{3}{8}$ " OPEN LIST AND ARE TO BE ADDED TO THE 1 $\frac{3}{8}$ " OPEN LIST OR GLAZED LIST.

Rule 7 Cottage Style Windows

(A)—Cottage style windows (with top and bottom lights different heights) not listed, add together one-half of the list of windows of the same width containing the same or next larger glass size for both bottom and top sash and add.....	\$0.10 List	\$0.13 List
---	-------------	-------------

Rule 8 Half Windows

Half windows (either bottom or top sash) use half the list of a similar full window and add.....	.10 List	.13 List
--	----------	----------

Extras,
Windows
and Sash
79

Door Lists
Panel and
Cupbo-
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Do-
1

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Finish Door
Lists and
Extras
279

Sash Extras—Continued

Rule 9

Storm Sash

	Open 1 $\frac{3}{8}$ " Thick	Glazed 1 $\frac{3}{8}$ " Thick
(A)—1 $\frac{3}{8}$ " storm sash set up with stiles not over 2 $\frac{3}{16}$ " wide overall and bottom rail not over 4 $\frac{1}{16}$ " wide overall, use the list of a 1 $\frac{3}{8}$ " check rail window with an equal number of lights of same size.		
(B)—For storm sash 4 light, when made with vertical slip bar coped only, rails not mortised, bored or franked, deduct from total list per sash.....	\$0.10 List	\$0.10 List
For storm sash 4 light, when made with vertical bar coped with stub tenon, rails franked, bored or mortised, deduct from total list per sash.....	.05 List	.05 List
(C)—1 $\frac{3}{8}$ " storm sash add of the corresponding 1 $\frac{3}{8}$ " window list, to the open or glazed lists.....	20%	25%
(D)—For stiles and/or rails wider than standard width, (as shown in Rule 9, Section A), add as per Rule 3, Section A.		
(E)—For bars wider than standard width, add as per Rule 3, Section E.		
(F)—Ventilators in storm sash, add as follows:		
(1)—Cutting or boring vent opening in rails per vent.....	.06 List	.08 List
(2)—Furnishing vent cover loose, per cover....	.12 List	.15 List
(3)—Furnishing vent cover attached to sash, including cutting or boring of vent opening, per each vent.....	.30 List	.38 List
(G)—(1)—Swinging lights in storm sash including hardware.....	1.85 List	2.30 List
(2)—Swinging lights in storm sash, no hardware..	1.05 List	1.30 List
(H)—For list on K. D. storm sash see page 68.		

Rule 10

Divided Lights

Add to the list of a similar 2 light window or storm sash or 1 light sash, for each divided light as follows:

	Open List		Glazed List	
	1 $\frac{1}{8}$ "	1 $\frac{3}{8}$ "	1 $\frac{1}{8}$ "	1 $\frac{3}{8}$ "
Note: These extras cover bars not over $\frac{3}{8}$ " between glass, $\frac{3}{4}$ " overall. For wider bars add extra per Rule 3-(E).				
(A)—Rectangular lights except marginal up to and including lights 16" high, per light.....	\$0.07	\$0.09	\$0.12	\$0.15
(B)—Rectangular lights except marginal over 16" high and up to and including lights 30" high, per light.....	.10	.13	.17	.21
(C)—Rectangular lights except marginal:				
(1)—Over 30" high and up to and including lights 42" high, per light.....	.14	.17	.24	.28
(2)—Over 42" high, add per foot per light in addition to (1) above.....	.03	.04	.04	.05
NOTE—For rectangular lights formed by horizontal bars only, apply sections (A), (B) or (C) above reading width for height.				
(D)—Marginal lights if formed with vertical and horizontal bars (see sash No. 60, page 48) add to the rectangular light basis, per light	.02	.02 $\frac{1}{2}$	.03	.04
(E)—Lights not rectangular, but formed by straight bars on all sides, (see Window Design "P", page 72) diamond lights, except suspended diamond lights, per light.....	.60	.65	.90	1.00
(F)—Long irregular shaped lights similar to lights shown in Top Sash of Window No. 17, page 48, per light.....	.65	.70	1.00	1.10
(G)—For suspended diamond lights similar to long lights in Top Sash of Window No. 18, page 48, per light.....	.90	.95	1.35	1.45

Sash Extras—Continued

	Open List		Glazed List	
	1 1/8"	1 3/4"	1 1/8"	1 3/4"
(H)—(1)—Lights formed by curved bars, 1/4 circle or smaller, (see Design No. 84, page 50) add per bar.....	\$1.30	\$1.35	\$1.95	\$2.05
(2)—1/2 circle, (see Design No. 86, page 51) add per bar.....	2.60	2.65	3.90	4.00
(3)—Full circle, add per light.....	5.25	5.30	7.90	8.00
(4)—Lights formed by serpentine bars, (see Design No. 59, page 48) add for each serpentine bar.....	4.00	4.50	5.00	5.65
And for the other lights, add per Section I.				
(I)—Lights formed by straight and curved bars (see Design No. 85, page 51) add in addition to curved bar extra per Section H, per light	.75	.80	1.00	1.10
(J)—Suspended circle lights, (see Design No. 65, page 48) add for all other divided lights per Section I and for each suspended circle light, add per light.....	6.60	6.65	9.90	10.00
(K)—Half Circle Block or Hub (see Design No. 72, page 49).....	.50	.60	.65	.75
(L)—Windows or sash with oak dividing bars, use the list of a similar 2 light window or 1 light sash, add for lights as above, then to the total extra for lights, add.....	200%			
(M)—For 2 or 2 1/4" thickness, Sections A to L add of the open 1 3/8" basis.....	75%		95%	
(N)—For 2 3/4" thickness add to the 1 3/8" basis....	85%		105%	
(O)—Sunk Bars—Sash with bars thinner than stiles and rails, add per light.....	.20	.20	.25	.25

Rule 11

Stops and Beads

For regular stock stops or beads around square lights in windows or sash not over 2 1/4" thick, add as follows:

	Open	Glazed
(A)—Rectangular lights having 5 lineal feet or less of beads around light opening, per light (minimum)	\$0.15 List	\$0.15 List
(B)—Rectangular lights containing over 5 lineal feet of beads around light opening, at per lineal foot.....	.03 List	.03 List
Footage to be figured at the next full foot.		
(Example) A light 28x28 would have 9 1/2 lineal feet, this would be figured 10 lineal feet.		
(C)—For curved stops or beads add per light as follows:		
(1)—Quarter Circle.....	.90 List	1.10 List
(2)—Half Circle.....	1.80 List	2.15 List
(3)—Full Circle.....	3.60 List	4.35 List
(D)—For stops in lights formed by straight and curved bars.....	.90 List	1.10 List
(E)—For irregular shaped lights including diamond lights at per lineal foot.....	.05 List	.05 List
Minimum per light.....	.25 List	.25 List
(F)—Rabbeting sash for stops and beads, but no beads furnished, add for each sash rabbeted.....	.05 List	.06 List
Minimum on any one order.....	.25 List	.30 List

Note: Where deep rabbet or beads make necessary the use of wider stiles and rails, add in addition to above for such wider stiles and rails, per Rule 3.

Door Lists
Panel and
Cupboard
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Sash
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

Sash Extras—Continued

Rule 12

O. G. Lugs

	Open	Glazed
(A)—For windows with O. G. lugs shaped on stiles, add for each pair of lugs $1\frac{3}{8}"$	\$0.20 List	\$0.25 List
NOTE—Includes additional $1\frac{3}{4}"$	.25 List	.30 List
length stiles. $2\frac{1}{4}"$	.35 List	.45 List
(B)—Removing sash sticking on that portion of stile which projects beyond check rail on extended lug stiles, add for each sash.....	.10 List	.13 List

Rule 13 Rabbeting and Lipping Stiles and Rails

(A)—For rabbeting rails other than check rails including shaping ends of stiles to match, add per rail.....	.20 List	.25 List
(B)—For rabbeting outside edge of stiles, add for each edge rabbeted.....	.10 List	.13 List
(C)—(1)—For rabbeting meeting stiles of casement, cupboard or other sash in pairs either rabbeted plain or rabbeted and beaded, add extra per pr. NOTE—This extra includes wide meeting stiles to permit rabbeting.	.35 List	.45 List
(2)—For lipping all four edges of cupboard sash or doors, add per door or sash.....	.40 List	.50 List
NOTE—This extra includes wider face stiles and rails to permit lipping.		
(D)—For sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add for each $\frac{1}{4}"$ wider, per lineal foot per stile, $1\frac{3}{8}"$ thick sash....	.01 List	.01 $\frac{1}{4}$ List
(E)—Rabbeting sash for plate or other thick glass, add for each sash rabbeted.....	.05 List	.06 List
Note:		
(F)—Minimum under Rule 13 Sections A to E for any one type of rabbeting or lipping on one order..... This includes extra for wide meeting stiles. The above does not include rabbeting requiring special knives or more than one machine operation.	1.00 List	1.25 List
(G)—(1)—Rabbeting check rails for angle irons, no angle irons furnished, add per corner.....	.70 List	.90 List
(2)—If angle irons $\frac{1}{8}x\frac{1}{2}$ or $\frac{3}{4}x2x2$ are furnished and attached, add in addition to the above, per corner.....	.10 List	.13 List
(3)—If angle irons $\frac{1}{8}x\frac{3}{4}$ or $1x4x4$ are furnished and attached, add to G-1, per corner.....	.16 List	.20 List
(4)—If angle irons $\frac{1}{8}x\frac{3}{4}$ or $1x6x6$ are furnished and attached, add to G-1, per corner.....	.25 List	.30 List

Rule 14

Water Drips

(A)—For bottom rail and stiles grooved to receive stock pattern water drip, add.....	.20 List	.25 List
Minimum on any single order.....	1.00 List	1.25 List
(B)—For furnishing stock pattern water drip loose, not over $\frac{3}{4}x1\frac{3}{4}$, for each lineal foot or fraction thereof, add.....	.06 List	.07 $\frac{1}{2}$ List
Minimum per sash.....	.20 List	.25 List
(C)—For water drip nailed on, add per sash in addition to above.....	.25 List	.30 List
(D)—For setting water drips in white lead, add in addition to above.....	.16 List	.20 List

Rule 15

Sash Blind Mortised

For blind mortising sash, add per single sash.....	.07 List	.09 List
--	----------	----------

Sash Extras—Continued

Rule 16 Odd Heads or Odd Shaped Sash

Add to the list of a square head window or sash of same size as follows:

	1 $\frac{3}{8}$ " or 1 $\frac{3}{4}$ "	
	Open	Glazed
(A)—Circle head in and out, 3 feet or less in width, add Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	\$5.75 List 1.00 List	\$7.50 List 1.25 List
(B)—Circle head outside, square in, 3 feet or less in width, add..... Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	6.50 List 1.25 List	8.50 List 1.55 List
(C)—Segment heads, 3 feet or less in width, add..... Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	2.80 List .50 List	3.65 List .65 List
(D)—Gothic head in and out 3 feet or less in width, add.. Over 3 feet add for each additional foot or part thereof, to the 3 foot extra.....	5.75 List 1.00 List	7.50 List 1.25 List
(E)—Peak head in and out 3 feet or less in width, add.. Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	2.75 List .50 List	3.60 List .65 List
(E-E)—Octagonal sash, 3 feet or less in width.....	7.35 List	9.60 List
(F)—Sash with paneled corners at head, add in addition to the other extras.....	5.00 List	6.25 List
(F-F)—Square Head sash with scalloped lights, add per lt.	3.00 List	3.75 List
(G)—Sash full circle, full elliptical or full oval, in and out, add to the list of a square sash of same size, double the list for circle head in and out, as given under (A) of this rule.		
(H)—Sash full circle out, square in, add to the list of a square sash of same size, double the list for circle head out square in, as given under (B) of this rule.		
(I)—Sash diamond shaped, add to the list of a square sash of same size, double the list for peak head as given under (E) of this rule.		
(J)—Sash, kite shaped, elliptical or eyebrow figure as a half circle sash according to (A) or (B) of this rule and add.....	2.00 List	2.50 List
(K)—Quarter circle windows or sash, add to a square head window or sash of same size:		
(1)—For quarter circle in and out not over 2 feet wide base..... Over 2 feet wide, add for each additional foot or part thereof to the 2 foot extra.....	4.25 List .75 List	5.50 List .95 List
(2)—For quarter circle out, square in not over 2 feet wide base..... Over 2 feet wide, add for each additional foot or part thereof, to the 2 foot extra.....	5.00 List 1.00 List	6.50 List 1.25 List
(L)—Under Rule 16, for 2" or 2 $\frac{1}{4}$ " thickness, add to extras shown.....	20%	20%
(M)—Under Rule 16, for 2 $\frac{1}{2}$ " or 2 $\frac{3}{4}$ " thickness, add to extras shown.....	30%	30%
(N)—Under Rule 16, for quantities of 10 or more of a size and kind, deduct from extras shown.....	25%	25%

Door Lists
Panel and
Cupboard,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Screens
16

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Sash Extras—Continued

Rule 17

Bent Face Windows or Sash

	Open	Glazed
(A)—For square head 1 light bent face sash, either $1\frac{3}{8}"$ or $1\frac{1}{4}"$ thick, not over 3 feet wide, add to the list of a regular sash of same size and thickness.	\$15.00	List
(B)—For odd shaped head, 1 light bent face sash, either $1\frac{3}{8}"$ or $1\frac{1}{4}"$ thick, not over 3 feet wide, add to the list of a regular sash of same size and thickness extras er Rule 16, plus.	24.00	List
(C)—For each additional foot or fraction thereof in width add to the 3-0 extra.	4.00	List
(D)—For bent bars, add as per Rule 10-H. If straight bars, add as per Rule 10-A to G.		
(E)—(1)—For bent face open windows use double the list of a bent open sash of same size and kind, Section A. (2)—For odd shaped head, bent open windows, figure bottom sash per Section "A" and top sash per Section "B" of Rule 17.		
(F)—For bent sash thicker than $1\frac{3}{4}"$ add to the above extras for each $\frac{1}{2}"$ extra thickness or fraction thereof	25%	

Rule 18

Wedging and Gluing

(A)—Wedging and gluing joints of stiles and rails, add per sash.	.35	List	.45	List
(B)—Wedging and white leading joints of stiles and rails, add per sash.	.35	List	.45	List

Rule 19

Dipping Tenons

(A)—Dipping tenons in white lead or water proof glue one light sash, add per sash.	.25	List	.30	List
(B)—Dipping tenons of bars in white lead or water proof glue, add per light.	.03 $\frac{1}{2}$	List	.04 $\frac{1}{2}$	List

Rule 20

Austral Windows

(A)—Austral windows 2 sash high, figure as a regular 2 light window of required height and standard layout and add for each check rail of each sash, on account of the extra width of the check rail, per lineal foot or fraction thereof (2 times the length of a single check rail).	.02	List	.02 $\frac{1}{2}$	List
(B)—Austral windows 3 sash high, figure as $1\frac{1}{2}$ times the list of a regular 2 light window of height required to fill 3 light opening and standard layout and add as per Rule 8.	.10	List	.13	List
(B)—(1)—Then add for each check rail of each sash on account of the extra width of the check rail, per lineal foot or fraction thereof (4 times the length of a single check rail).	.02	List	.02 $\frac{1}{2}$	List
(2)—Then add extra on account of extra labor sanding center sash (see example at end of rule) . .	.15	List	.20	List
(C)—Austral windows 4 sash high, figure as 2 times the list of a regular 2 light window of height required to				

Sash Extras—Continued

	Open	Glazed
fill 4 light opening, and standard layout and add for each check rail of each sash on account of the extra width of the check rail, per lineal foot or fraction thereof (6 times the length of a single check rail)	.02 List	.02½ List
(C)—(1)—Then add on account of extra labor sanding 2 center sash (see example at end of rule)	.30 List	.40 List
(D) Triple Hung Windows and Windows 4 Sash High Triple hung windows with regular width check rails, figure as 1½ times the list of a regular 2 light window of height required to fill 3 sash opening and standard layout and add as per Rule 8	.10 List	.13 List
(D)—(1)—Then add extra on account of extra labor sanding center sash	.15 List	.20 List
(2)—Windows 4 sash high with regular width check rails, figure as 2 times the list of a regular 2 light window of height required to fill 4 sash opening and standard layout, and add extra on account of extra labor sanding 2 center sash	.30 List	.40 List
Note (1)—If Stiles, Top and Bottom rail in either Austral Windows or triple hung and windows 4 sash high are wider than standard layout, add as per Rule 3, Section A.		
(2)—If Check Rails are higher than Standard layout, add as per Rule 3, Sections B, C or D.		
(3)—Check rails as covered by Section A of this Rule 20, are figured wide enough to take care of 1"x1" parting stop.		

EXAMPLE:

	Austral Window 3 sash high for Opening 3-0x6-7 1½		4 sash high for opening 3-0x8-6 1½	
	Open List	Glazed List	Open List	Glazed List
Per Rule 20—Use 1½ windows 3-0x4-6 1½	\$1.84	\$5.90		
	1½	1½		
	\$2.76	\$8.85		
	.10	.13		
Section A Use 2 windows 3-0x4-6 1½			\$1.84	\$ 5.90
			x2	x2
			\$3.68	\$11.80
Section B				
If open { 4 check rails				
{ 3-0 — 12-0 @ .02	.24			
{ 6 check rails				
{ 3-0 — 18-0 @ .02			.36	
If glazed { 4 check rails				
{ 3-0 — 12-0 @ .02½		.30		
{ 6 check rails				
{ 3-0 — 18-0 @ .02½				.45
Section C	.15	.20	.30	.40
	\$3.25	\$9.48	\$4.34	\$12.65

Rule 21

Pivot Sash

	Open List	Glazed List
Figure as a regular sash of standard layout (if other than standard layout, add as per Rule 3) and add extra for rabbeting stiles . . .	\$0.40	\$0.50
Top Rail	.20	.25
Bottom Rail	.20	.25
Total	\$0.80	\$1.00

This does not include pivot strips.

If pivot strips are furnished, add extra for the pivot strips per the moulding list, for rabbeting the side strips **\$0.40 List**

Door Lists
Panel and
Cupbo - 4,
Pine
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Do
1

Combination
Doors and
Extras
161

Window
Screens
18

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Standard Panel Door Lists

For Designs Containing Not Over 5 Panels

(For exceptions see Rule 6, page 117)

Standard Types of Solid Sticking

These lists apply to all doors not otherwise provided for,
regardless of arrangement of panels or grade.

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.
Cross Rails and Mullions not over 4 $\frac{3}{4}$ " wide overall.
Lock Rail not over 8 $\frac{3}{4}$ " wide overall.
Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.
Solid Raised or Solid Flat Panels not over $\frac{3}{16}$ " thick.
Laminated Flat Panels not over $\frac{3}{16}$ " thick.

Size	List 1 $\frac{1}{4}$ '	List 1 $\frac{3}{4}$ '	List 1 $\frac{1}{2}$ '
2- 0x6- 0.....	\$6.10	\$7.80	\$5.55
6- 6.....	6.40	8.20	5.75
6- 8.....	6.50	8.35	5.90
6-10.....	6.95	8.85	6.25
7- 0.....	7.05	9.00	6.35
2- 2x6- 0.....	6.45	8.25	5.80
6- 6.....	6.75	8.60	6.10
6- 8.....	6.85	8.75	6.15
6-10.....	7.30	9.30	6.55
7- 0.....	7.40	9.45	6.65
2- 4x6- 0.....	6.80	8.70	6.10
6- 4.....	6.95	8.90	6.30
6- 6.....	7.05	9.00	6.35
6- 8.....	7.20	9.15	6.50
6-10.....	7.65	9.70	6.90
7- 0.....	7.75	9.90	7.00
2- 6x6- 0.....	7.05	9.00	6.35
6- 6.....	7.40	9.40	6.65
6- 8.....	7.50	9.55	6.80
6-10.....	8.00	10.20	7.20
7- 0.....	8.10	10.35	7.30
7- 6.....	8.85	11.25	
8- 0.....	9.20	11.75	
2- 8x6- 0.....	7.35	9.40	6.65
6- 6.....	7.70	9.85	6.95
6- 8.....	7.85	10.05	7.10
6-10.....	8.35	10.65	7.50
7- 0.....	8.45	10.80	7.65
7- 6.....	9.25	11.75	
8- 0.....	9.65	12.30	
2-10x6- 0.....	7.65	9.85	6.90
6- 6.....	8.05	10.25	7.25
6- 8.....	8.15	10.45	7.35
6-10.....	8.70	11.10	7.85
7- 0.....	8.80	11.25	7.90
7- 6.....	9.65	12.30	
8- 0.....	10.05	12.80	

APPROXIMATE WEIGHTS

2-0x6-0 1 $\frac{3}{8}$	28 lbs.	2-8x6-8 1 $\frac{3}{4}$	47 lbs.
2-6x6-6 1 $\frac{3}{8}$	35 lbs.	3-0x7-0 1 $\frac{3}{4}$	55 lbs.
2-8x6-8 1 $\frac{3}{8}$	38 lbs.		
3-0x7-0 1 $\frac{3}{8}$	44 lbs.	Laminated Panel Doors weigh about 15% Less	

Standard Panel Door Lists—Continued

Size	List 1 1/4"	List 1 1/4"	List 1 1/4"
3- 0x6- 0.....	\$7.95	\$10.25	\$7.20
6- 6.....	8.35	10.70	7.50
6- 8.....	8.50	10.85	7.65
6-10.....	9.05	11.55	8.15
7- 0.....	9.20	11.70	8.30
7- 6.....	10.00	12.75	
8- 0.....	10.45	13.30	
3- 4x6- 0.....	8.60	11.05	
6- 6.....	9.00	11.50	
6- 8.....	9.15	11.70	
6-10.....	9.75	12.45	
7- 0.....	9.90	12.60	
7- 6.....	10.80	13.75	
8- 0.....	11.30	14.30	

Note: For list on doors 3/4" thick with standard layout, use 3/4" cupboard door list and add extra for wider stiles and rails.

For doors narrower than 2-0 deduct per Rule 1, Section A, page 147.

Extras

For other than standard layouts shown, see pages 147-156

Thick Panels

For doors with panels solid raised or solid flat, thicker than 1/2", add as follows:

	4 Panel Doors	5 Regular Panel Doors	5 Cross Panel Doors
3/4" thick panels, add list per door.....	\$1.40	\$1.15	\$0.85
1 1/8" thick panels, add list per door.....	2.35	2.15	1.75
1 3/8" thick panels, add list per door.....	3.70	3.25	2.80
1 3/4" thick panels, add list per door.....	6.10	5.55	4.70

For thick panel extras on other designs, see page 150.

Applied Moulds

	4 Panel Doors	5 Regular Panel Doors	5 Cross Panel Doors
Plain Flush Mould 2 sides, not over 3/4"x1 1/4, add list per door.....	\$4.00	\$4.70	\$4.70
Plain Raised Mould 2 sides, not over 3/4"x1 3/4, add list per door.....	4.95	5.70	5.70

For other Flush or Raised Moulding extras, see page 153.

Wide Stiles, Rails, Munts and Panels

	1 1/4"	1 1/4"
Rule 5-(A)—For stiles including top rail, wider than lay- outs shown add for each additional 1/4" wide or fraction thereof.....	\$0.16	\$0.25
(B)—Top, cross, lock or bottom rails, wider than layouts shown, add for each additional 1/4" wider or frac- tion thereof.....	.04	.06
(C)—For Mullions wider than layouts shown, add for each additional 1/4" wider or fraction thereof:		
For lengths not over 1'11".....	.02	.02 1/2
For lengths over 1'11" to 3'11".....	.05 1/2	.08
For lengths over 3'11" to 5'11".....	.08	.12
(D)—Solid softwood panels (not otherwise specified) wider than 11 3/4", add extra for each one inch or fraction thereof wider.....	.07 1/2	.07 1/2

Door Lists
Panel and
Cupboard
Pins
87

Sash-Door
Lists
Pine
93

Side Lights,
Toilets and
Blind Doors
Pine
139

Extras,
Pine Door
1/

Combination
Doors and
Extras
161

Window
Screens
180

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
221

6 Panel Colonial Doors—Continued

Size	List 1½'	List 1¾'
3- 0x7- 6.....	\$10.90	\$13.65
8- 0.....	11.35	14.20
3- 4x6- 0.....	9.50	11.95
6- 6.....	9.90	12.40
6- 8.....	10.05	12.60
6-10.....	10.65	13.35
7- 0.....	10.80	13.50
7- 6.....	11.70	14.65
8- 0.....	12.20	15.20

NOTE: Doors any width when made 3 or 4 panels high to correspond with 6 or 8 Panel Colonial Doors, use the 6-Panel Colonial Door list.

Eight Panel Colonial Doors

TO ARRIVE AT A LIST FOR AN 8 PANEL DOOR, use the list of a 6 Panel Colonial Door of the size wanted and add..... **\$0.40 List**

FOR LIST ON DOORS WITH MORE THAN 8 PANELS, use the list of a 6 Panel Door and add for each panel over 6..... **.20 List**

Extras

For other than standard layouts shown, see pages 116-125

Thick Panels

For doors with panels solid raised or solid flat, thicker than $\frac{1}{4}$ ", add as follows:

	3 Equal or 3 Panel, 6 Panel Colonial Doors	4 Panel and 8 Panel Doors
$\frac{3}{4}$ " thick panels, add list per door.....	\$1.05	\$0.80
$1\frac{1}{8}$ " thick panels, add list per door.....	2.05	1.60
$1\frac{3}{8}$ " thick panels, add list per door.....	3.05	2.65
$1\frac{3}{4}$ " thick panels, add list per door.....	4.95	4.20

For other thick panel extras, see page 119.

Applied Moulds

	6 Panel Colonial Doors	8 Panel Doors
Plain Flush Mould 2 sides, not over $\frac{3}{4}$ x $1\frac{1}{4}$, add list per door.....	\$5.25	\$6.35
Plain Raised Mould 2 sides, not over $\frac{3}{4}$ x $1\frac{3}{4}$, add list per door.....	6.70	8.15
Plain Flush Mould 1/S C and B sticking 1/S, add list per door (includes extra for panels raised different 2/S)....	4.35	5.40
Plain Raised Mould 1/S C and B sticking 1/S, add list per door (includes extra for panels raised different 2/S)	5.05	6.30

For other Flush or Raised Moulding extras, see page 122

Top Panels Loose or Eliminated

(Either 6 or 8 Panel Design)

For doors with top panels furnished but with sticking removed 1/S and beads tacked in, add per door.....	\$0.60 List
For doors with top panels eliminated, solid sticking removed 1/S and beads tacked in, add per door.....	.30 List

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
1

Combination
Doors and
Extras
161

Window
Sashes
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Standard Cupboard Door Lists

These lists apply to all panel cupboard doors regardless of arrangement of panels.
 Stiles, Top and Cross Rails not over 3½" wide overall.

Bottom Rail not over 4½" wide overall.

Standard types of Solid Sticking.

Size	List ¾'	List 1½'	Size	List ¾'	List 1½'
1-0x1- 6.....	\$1.15	\$1.25	1- 6x5- 0.....	\$3.20	\$3.60
2- 0.....	1.25	1.40	5- 6.....	3.40	3.80
2- 6.....	1.50	1.70	5- 8.....	3.45	3.85
2- 8.....	1.55	1.75	5-10.....	3.50	3.90
2-10.....	1.60	1.80	6- 0.....	3.55	3.95
3- 0.....	1.65	1.85	1- 8x1- 6.....	1.35	1.55
3- 6.....	1.90	2.15	1- 8.....	1.40	1.60
4- 0.....	2.10	2.40	2- 0.....	1.45	1.65
4- 6.....	2.40	2.70	2- 6.....	1.90	2.10
5- 0.....	2.70	3.00	2- 8.....	1.95	2.20
5- 6.....	2.80	3.15	2-10.....	2.05	2.30
5- 8.....	2.85	3.20	3- 0.....	2.10	2.35
5-10.....	2.90	3.25	3- 6.....	2.45	2.75
6- 0.....	2.95	3.30	4- 0.....	2.70	3.05
1-2x1- 6.....	1.20	1.30	4- 6.....	3.10	3.50
2- 0.....	1.30	1.45	5- 0.....	3.45	3.90
2- 6.....	1.60	1.80	5- 6.....	3.65	4.10
2- 8.....	1.65	1.85	5- 8.....	3.70	4.20
2-10.....	1.70	1.90	5-10.....	3.80	4.25
3- 0.....	1.75	1.95	6- 0.....	3.85	4.30
3- 6.....	2.05	2.30	1-10x1- 6.....	1.40	1.60
4- 0.....	2.25	2.55	1-10.....	1.55	1.75
4- 6.....	2.55	2.90	2- 0.....	1.60	1.80
5- 0.....	2.85	3.20	2- 6.....	1.95	2.20
5- 6.....	3.00	3.40	2- 8.....	2.05	2.30
5- 8.....	3.05	3.45	2-10.....	2.15	2.40
5-10.....	3.10	3.50	3- 0.....	2.20	2.45
6- 0.....	3.15	3.55	3- 6.....	2.55	2.85
1-4x1- 6.....	1.25	1.35	4- 0.....	2.85	3.20
2- 0.....	1.40	1.50	4- 6.....	3.25	3.65
2- 6.....	1.70	1.85	5- 0.....	3.65	4.10
2- 8.....	1.75	1.90	5- 6.....	3.85	4.30
2-10.....	1.80	2.00	5- 8.....	3.90	4.40
3- 0.....	1.85	2.05	5-10.....	4.00	4.50
3- 6.....	2.15	2.40	6- 0.....	4.05	4.55
4- 0.....	2.35	2.65	2- 0x1- 6.....	1.50	1.65
4- 6.....	2.70	3.05	2- 0.....	1.70	1.90
5- 0.....	3.05	3.40	2- 6.....	2.10	2.35
5- 6.....	3.15	3.60	2- 8.....	2.15	2.45
5- 8.....	3.20	3.65	2-10.....	2.30	2.55
5-10.....	3.30	3.70	3- 0.....	2.35	2.60
6- 0.....	3.35	3.75	3- 6.....	2.70	3.05
1-6x1- 6.....	1.30	1.40	4- 0.....	3.05	3.40
2- 0.....	1.45	1.60	4- 6.....	3.45	3.85
2- 6.....	1.75	1.95	5- 0.....	3.90	4.35
2- 8.....	1.80	2.05	5- 6.....	4.10	4.60
2-10.....	1.90	2.10	5- 8.....	4.20	4.70
3- 0.....	1.95	2.15	5-10.....	4.30	4.80
3- 6.....	2.25	2.50	6- 0.....	4.35	4.85
4- 0.....	2.50	2.80			
4- 6.....	2.85	3.20			

Standard Cupboard Door Lists—Continued

NOTE:

Cross Panel Cupboard doors are made with panels as follows:

Doors up to and including 2-0 high.....	2 cross panels.
Over 2-0 up to and including 3-0 high.....	3 cross panels.
Over 3-0 up to and including 4-0 high.....	4 cross panels.
Over 4-0 high will be made.....	5 cross panels.

EXTRAS

(A)—For cupboard door stiles and top rail $\frac{3}{4}$ " or $1\frac{1}{8}$ " thick, wider than $3\frac{1}{2}$ ", add as follows:	
(1)—Doors up to and including 2-0 high, add for each $\frac{1}{4}$ " wider	\$0.02 List
(2)—Doors over 2-0 and up to and including 4-0 high, add for each $\frac{1}{4}$ " wider.....	.02½ List
(3)—Doors over 4-0 high and up to and including 7-0 high, add for each $\frac{1}{4}$ " wider.....	.07 List
(B)—For bottom rail wider than $4\frac{1}{2}$ ", add for each $\frac{1}{4}$ " wider.....	.01½ List
(C)—For rabbeting a single pair, add.....	.50 List
(D)—For rabbeting two or more pairs, add per pair.....	.25 List
(E)—For lipping all four edges of cupboard doors, add per door....	.40 List
(F)—For $1\frac{3}{8}$ " thick cupboard doors, add to the $1\frac{1}{8}$ " list.....	10%
(G)—For $1\frac{1}{4}$ " thick cupboard doors, add to the $1\frac{1}{8}$ " list.....	35%
(H)—For odd or intermediate size, use list of next larger listed size.	
(J)—For sizes larger than listed, see Rule 1, Sections B and C, page 116.	

Medicine Cabinet Door Lists

Made to receive mirror, but no mirror furnished

Stiles and Top Rail not over $2\frac{1}{2}$ " wide overall.
 Bottom Rail not over $3\frac{1}{2}$ " wide overall.
 Standard Stock Sticking.

Size	$\frac{3}{4}$ " List	$1\frac{1}{8}$ " List	Mirror Size
1-4x1- 9.....	\$1.60	\$1.70	12x16
1-11.....	1.65	1.75	18
2- 1.....	1.75	1.85	20
1-6x1- 9.....	1.65	1.80	14x16
1-11.....	1.70	1.85	18
2- 1.....	1.75	1.95	20
1-8x1-11.....	1.70	1.90	16x18
2- 1.....	1.85	2.05	20
2- 5.....	2.15	2.35	24

Medicine cabinet doors not listed above, add to cupboard door list of same size or next larger listed size, list..... **\$0.25**

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Door
Pine
139

Extras,
Pine Door
1'


Combination
Doors and
Extras
161

Window
Sashes
189

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273


(STANDARD LISTS)



N. D. 500

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised panel two sides, not over ⅝" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 501

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$3.30	\$4.90	20x38	\$7.65	\$ 9.95	2- 6x6- 6	\$8.95	\$11.45	9¾x12 ⅞	\$3.54	\$2.58
3.30	4.90	40	7.75	10.05	6- 8	9.05	11.55	13	3.54	2.58
4.10	5.86	44	8.30	10.85	7- 0	9.60	12.35	14 ⅞	4.02	2.94
4.10	5.86	22x40	7.95	10.30	2- 8x6- 8	9.25	11.80	10¼x13	3.84	2.82
4.69	6.70	44	8.50	11.10	7- 0	9.80	12.60	14 ⅞	4.80	3.36
4.10	5.86	24x40	8.10	10.55	2-10x6- 8	9.40	12.05	11¼x13	4.20	3.06
4.69	6.70	42	8.60	11.20	6-10	9.90	12.70	13 ⅞	4.92	3.42
4.69	6.70	44	8.70	11.35	7- 0	10.00	12.85	14 ⅞	5.28	3.66
4.69	6.70	26x40	8.30	10.80	3- 0x6- 8	9.80	12.30	12¼x13	5.49	3.72
5.47	7.81	44	8.90	11.60	7- 0	10.20	13.10	14 ⅞	5.76	3.96
6.25	8.59	50		12.60	7- 6		14.10	16 ⅞	6.84	4.74
....	10.50	56		13.00	8- 0		14.50	18 ⅞	7.56	5.22
7.50	10.31	30x44		12.10	3- 4x7- 0		13.60	14¼x14 ⅞	6.60	4.56
7.50	10.31	50		13.15	7- 6		14.65	16 ⅞	7.86	5.40
....	13.91	56		13.55	8- 0		15.05	18 ⅞	9.60	6.48
7.50	10.31	32x44		12.40	3- 6x7- 0		13.90	15¼x14 ⅞	7.08	4.86
8.00	10.50	50		13.40	7- 6		14.90	16 ⅞	8.46	5.88
....	13.91	56		13.85	8- 0		15.35	18 ⅞	10.02	6.78

N. D. 500 N. D. 501

If beads are omitted, deduct list.....	\$0.35	\$0.45
If made with raised panel ¾" thick, add list.....	.40	.40
If made with raised panel 1⅝" thick, add list.....	.70	.70
If made with raised panel 1⅜" thick, add list.....	1.05	1.05
If made with raised panel 1¾" thick, add list.....	1.95	1.95


For other door extras, see pages 147-156.



N. D. 502

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised Panel, two sides, not over ⅞" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 503

Glass List SS	Glass List DS	Glass Size	Open List 1 ¼	Open List 1 ¼	Size of Door	Open List 1 ¼	Open List 1 ¼	Glass Size	Glass List DS	Glass List SS
\$3.06	\$4.23	6 ½ x 12 ½	\$9.30	\$12.05	2- 6x6- 6	\$8.65	\$11.10	6 ½ x 38	\$4.29	\$2.79
3.06	4.23	13	9.40	12.15	6- 8	8.75	11.20	40	4.59	2.99
3.51	4.86	14 ½	9.95	12.95	7- 0	9.30	12.00	44	5.09	3.42
3.06	4.23	7 x 13	9.60	12.40	2- 8x6- 8	8.95	11.45	7 x 40	4.94	3.21
3.51	4.86	14 ½	10.15	13.20	7- 0	9.50	12.25	44	5.51	3.72
3.06	4.23	7 ½ x 13	9.75	12.65	2-10x6- 8	9.10	11.70	7 ½ x 40	5.86	4.05
3.33	4.50	13 ½	10.25	13.30	6-10	9.60	12.35	42	6.02	4.05
3.51	4.86	14 ½	10.35	13.45	7- 0	9.70	12.50	44	6.62	4.46
3.42	4.68	8 ½ x 13	9.95	12.90	3- 0x6- 8	9.30	11.95	8 ½ x 40	6.62	4.46
3.96	5.49	14 ½	10.55	13.70	7- 0	9.90	12.75	44	7.81	5.47
5.04	7.20	16 ½		14.70	7- 6		13.75	50	8.59	6.15
5.49	7.92	18 ½		15.10	8- 0		15.20	56	10.50	
4.41	6.03	9 ½ x 14 ½		14.20	3- 4x7- 0		13.25	9 ½ x 44	8.79	6.15
5.49	7.92	16 ½		15.25	7- 6		14.30	50	10.05	7.04
6.12	8.82	18 ½		15.65	8- 0		15.75	56	12.89	
5.04	7.20	10 ½ x 14 ½		14.50	3- 6x7- 0		13.55	10 ½ x 44	10.05	7.04
6.12	8.82	16 ½		15.50	7- 6		14.55	50	10.50	8.00
6.66	9.63	18 ½		15.95	8- 0		16.05	56	12.89	

N. D. 502 N. D. 503

If beads are omitted, deduct list.....	\$0.65	\$0.45
If made with raised panel ¾" thick, add list.....	.40	.40
If made with raised panel 1 ⅛" thick, add list.....	.70	.70
If made with raised panel 1 ⅜" thick, add list.....	1.05	1.05
If made with raised panel 1 ¾" thick, add list.....	1.95	1.95

For other door extras, see pages 147-156.

Single-Door
 Lists
 Pine
 93

Side Lights,
 Toilet and
 Blind Doors
 Pine
 139


Extras,
 Pine Door
 1

Combination
 Doors and
 Extras
 161

Window
 Sashes
 183

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 273



N. D. 504

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised Panel two sides, not over ⅞" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 505

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$2.64	\$3.60	9¼x 9½	\$ 9.20	\$11.90	2- 6x6- 6	\$10.15	\$12.95	6½x 9½	\$4.28	\$2.88
2.64	3.60	9½	9.30	12.00	6- 8	10.25	13.05	9½	4.28	2.88
3.12	4.32	10½	9.85	12.80	7- 0	10.80	13.85	10½	5.16	3.40
3.12	4.32	10¼x 9½	9.50	12.25	2- 8x6- 8	10.45	13.30	7 x 9½	4.32	3.12
3.44	4.72	10½	10.05	13.05	7- 0	11.00	14.10	10½	5.16	3.62
3.12	4.32	11¼x 9½	9.65	12.50	2-10x6- 8	10.60	13.55	7½x 9½	4.32	3.12
3.44	4.72	10½	10.15	13.15	6-10	11.10	14.20	10½	5.16	3.72
3.44	4.72	10½	10.25	13.30	7- 0	11.20	14.35	10½	5.16	3.72
3.44	4.72	12¼x 9½	9.85	12.75	3- 0x6- 8	10.80	13.80	8½x 9½	5.28	3.84
3.76	5.12	10½	10.45	13.55	7- 0	11.40	14.60	10½	5.28	3.84
5.28	7.68	12½		14.55	7- 6		15.60	12½	6.24	4.56
5.28	7.68	13½		14.95	8- 0		16.00	13½	6.84	4.92
4.48	6.40	14¼x10½		14.05	3- 4x7- 0		15.10	9½x10½	6.48	4.68
5.28	7.68	12½		15.10	7- 6		16.15	12½	7.08	5.16
6.08	8.80	13½		15.50	8- 0		16.55	13½	7.56	5.52
4.80	6.88	15¼x10½		14.35	3- 6x7- 0		15.40	10½x10½	7.08	5.16
5.60	8.08	12½		15.35	7- 6		16.40	12½	7.68	5.64
6.08	8.80	13½		15.80	8- 0		16.85	13½	8.28	6.00

N. D. 504 N. D. 505

If beads are omitted, deduct list.....	\$0.60	\$0.85
If made with raised panel ¾" thick, add list.....	.40	.40
If made with raised panel 1⅛" thick, add list.....	.70	.70
If made with raised panel 1⅜" thick, add list.....	1.05	1.05
If made with raised panel 1¾" thick, add list.....	1.95	1.95


For other door extras, see pages 147-156.



N. D. 507

Stiles and Top Rail, not over $5\frac{1}{2}$ " wide overall.
 Lock and Bottom Rail, not over $9\frac{3}{4}$ " wide overall.
 Raised Panel two sides, not over $\frac{9}{16}$ " thick, not over 11" high.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 508

Glass List SS	Glass List DS	Glass Size	Open List 1 1/4	Open List 1 1/2	Size of Door	Open List 1 1/4	Open List 1 1/2	Glass Size	Glass List DS	Glass List SS
\$4.10	\$5.86	20x44	\$7.20	\$ 9.45	2- 6x6- 6	\$8.60	\$11.05	9 3/4 x 14 1/2	\$4.02	\$2.94
4.10	5.86	46	7.30	9.60	6- 8	8.70	11.20	15	4.02	2.94
4.69	6.70	50	7.80	10.35	7- 0	9.20	11.95	16 1/2	5.28	3.66
4.69	6.70	22x46	7.40	9.80	2- 8x6- 8	8.80	11.40	10 1/4 x 15	4.80	3.36
5.36	7.37	50	7.95	10.55	7- 0	9.35	12.15	16 1/2	5.88	4.08
4.69	6.70	24x46	7.55	10.00	2-10x6- 8	8.95	11.60	11 1/4 x 15	5.28	3.66
6.25	8.59	48	8.00	10.65	6-10	9.40	12.25	15 1/2	5.58	3.84
6.25	8.59	50	8.10	10.75	7- 0	9.50	12.35	16 1/2	6.42	4.44
6.25	8.59	26x46	7.70	10.20	3- 0x6- 8	9.10	11.80	12 1/2 x 15	5.76	3.96
6.25	8.59	50	8.25	10.95	7- 0	9.65	12.55	16 1/2	6.84	4.74
....	10.50	56		11.95	7- 6		13.55	18 1/2	7.56	5.22
....	13.91	62		12.35	8- 0		13.95	20 1/2	9.24	6.24
7.50	10.31	30x50		11.40	3- 4x7- 0		13.00	14 1/2 x 16 1/2	7.86	5.40
....	13.91	56		12.35	7- 6		13.95	18 1/2	9.60	6.48
....	13.91	62		12.80	8- 0		14.40	20 1/2	10.50	7.08
8.00	10.50	32x50		11.60	3- 6x7- 0		13.20	15 1/2 x 16 1/2	8.46	5.88
....	13.91	56		12.60	7- 6		14.20	18 1/2	10.02	6.78
....	13.91	62		13.05	8- 0		14.65	20 1/2	11.52	7.80

N. D. 507 N. D. 508

If beads are omitted, deduct list.....	\$0.35	\$0.45
If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	.20	.20
If door is made with raised panel $1\frac{1}{8}$ " thick, add list.....	.35	.35
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	.55	.55
If door is made with raised panel $1\frac{1}{4}$ " thick, add list.....	.95	.95
For door N. D. 507 with Plain Flush Mould, one side around panel only, not including Fillet, add list (includes extra for panel with different raise 2/s)	\$1.35	
For door N. D. 507 with Plain Flush Mould, one side around panel and light, not including Fillet, add list (includes extra for panel with different raise 2/s)	2.33	
For door N. D. 507 with Plain Raised Mould, one side around panel only, not including Fillet, add list (includes extra for panel with different raise 2/s)	1.45	
For door N. D. 507 with Plain Raised Mould, one side around panel and light, not including Fillet, add list (includes extra for panel with different raise 2/s)	2.70	
For door N. D. 507 single Fillet around glass opening, add per lineal foot....	.03 1/2	
For other door extras, see pages 147-156.		

Side Lights,
 Tail and
 Blind Door
 Pine
 139


Extras,
 Pine Door
 17

Combination
 Doors and
 Extras
 161

Window
 Screens
 16

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 271



N. D. 509

Stiles and Top Rail not over 5½" wide overall.
 Lock and Bottom Rail not over 9¾" wide overall.
 Raised Panel two sides, not over ⅞" thick, not over 11" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 510

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$3.24	\$4.80	6 ⅞x14 ⅞	\$8.95	\$11.65	2- 6x6- 6	\$8.85	\$11.55	9 ¼x10 ⅝	\$4.28	\$2.96
3.24	4.80	15	9.05	11.80	6- 8	8.95	11.70	11 ½	4.32	3.12
3.90	5.76	16 ⅞	9.55	12.55	7- 0	9.45	12.45	12 ½	4.72	3.44
3.51	4.86	7 x15	9.15	12.00	2- 8x6- 8	9.05	11.90	10 ¼x11 ⅝	4.72	3.44
4.41	6.39	16 ⅞	9.70	12.75	7- 0	9.60	12.65	12 ½	5.12	3.76
3.51	4.86	7 ⅝x15	9.30	12.20	2-10x6- 8	9.20	12.10	11 ¼x11 ⅝	5.12	3.76
3.78	5.22	15 ⅝	9.75	12.85	6-10	9.65	12.75	11 ½	5.12	3.76
4.41	6.39	16 ⅞	9.85	12.95	7- 0	9.75	12.85	12 ½	5.60	4.08
3.96	5.49	8 ⅞x15	9.45	12.40	3- 0x6- 8	9.35	12.30	12 ¼x11 ⅝	5.60	4.08
5.04	7.20	16 ⅞	10.00	13.15	7- 0	9.90	13.05	12 ½	7.68	5.28
5.49	7.92	18 ⅞		14.15	7- 6		14.05	13 ½	7.68	5.28
6.12	8.82	20 ⅞		14.55	8- 0		14.45	15 ½	8.08	5.60
5.49	7.92	9 ⅝x16 ⅞		13.60	3- 4x7- 0		13.50	14 ¼x12 ⅝	7.68	5.28
6.12	8.82	18 ⅞		14.55	7- 6		14.45	13 ½	8.80	6.08
6.66	9.63	20 ⅞		15.00	8- 0		14.90	15 ½	9.44	6.48
6.12	8.82	10 ⅞x16 ⅞		13.80	3- 6x7- 0		13.70	15 ¼x12 ⅝	8.08	5.60
6.66	9.63	18 ⅞		14.80	7- 6		14.70	13 ½	8.80	6.08
7.29	10.62	20 ⅞		15.25	8- 0		15.15	15 ½	10.08	6.96

N. D. 509 N. D. 510

If beads are omitted, deduct list.....	\$0.70	\$0.65
If made with raised panel ¾" thick, add list.....	.20	.20
If made with raised panel 1 ⅛" thick, add list.....	.35	.35
If made with raised panel 1 ⅜" thick, add list.....	.55	.55
If made with raised panel 1 ¾" thick, add list.....	.95	.95


For other door extras, see pages 147-156.



N. D. 511

Stiles and Top Rail not over 5½"
wide overall.
Lock and Bottom Rail not over 9¾"
wide overall.
Raised Panel two sides, not over ⅞"
thick, not over 11" high.
Bars ½" between glass.
Beads for glass included.
Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*



N. D. 512

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$3.18	\$4.78	5x5	\$ 9.70	\$12.40	2- 6x6- 6	\$ 9.80	\$12.55	6 ½x10 ½	\$3.84	\$2.82
3.37	5.05	5x5	9.80	12.55	6- 8	9.90	12.70	11 ½	4.20	3.06
3.67	5.51	5x5	10.30	13.30	7- 0	10.40	13.45	12 ½	5.64	3.96
3.59	5.38	5x5	9.90	12.75	2- 8x6- 8	10.00	12.90	7 ½x11 ½	4.92	3.42
3.97	5.98	5x5	10.45	13.50	7- 0	10.55	13.65	12 ½	5.64	3.96
3.93	5.89	5x5	10.05	12.95	2-10x6- 8	10.15	13.10	7 ½x11 ½	5.16	3.84
4.05	6.09	5x5	10.50	13.60	6-10	10.60	13.75	11 ½	5.16	3.84
4.26	6.41	5x5	10.60	13.70	7- 0	10.70	13.85	12 ½	5.64	4.08
4.32	6.49	5x5	10.20	13.15	3- 0x6- 8	10.30	13.30	8 ½x11 ½	5.76	4.20
4.81	7.10	5x5	10.75	13.90	7- 0	10.85	14.05	12 ½	6.24	4.56
5.96	8.56	5x5		14.90	7- 6		15.05	13 ½	6.84	4.92
7.21	10.24	5x5		15.30	8- 0		15.45	15 ½	7.68	5.64
5.82	8.64	5x5		14.35	3- 4x7- 0		14.50	9 ½x12 ½	7.08	5.16
6.97	10.04	5x5		15.30	7- 6 7		15.45	13 ½	7.56	5.52
9.01	11.93	5x5		15.75	8- 0		15.90	15 ½	9.36	6.48
6.68	9.69	5x5		14.55	3- 6x7- 0		14.70	10 ½x12 ½	7.68	5.64
7.62	10.97	5x5		15.55	7- 6		15.70	13 ½	8.28	6.00
10.06	14.02	5x5		16.00	8- 0		16.15	15 ½	10.32	7.20

N. D. 511 N. D. 512

If beads are omitted, deduct list.....	\$0.70	\$0.90
If made with raised panel ¾" thick, add list.....	.20	.20
If made with raised panel 1 ⅛" thick, add list.....	.35	.35
If made with raised panel 1 ⅜" thick, add list.....	.55	.55
If made with raised panel 1 ¾" thick, add list.....	.95	.95

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Door
1

Combination
Doors and
Extras
161


Window
Screens

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
279



Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.



*Glass lists shown are taken from
 Jobber's Single Light List.*

N. D. 514

N. D. 515


Class List SS	Class List DS	Class Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Class Size	Class List DS	Class List SS
\$2.97	\$4.41	21½x34	\$6.75	\$ 8.75	2- 6x6- 6	\$7.55	\$ 9.70	10½x16¾	\$3.92	\$2.72
3.30	4.90	36	6.85	8.85	6- 8	7.65	9.80	17¾	3.92	2.72
4.10	5.86	40	7.35	9.50	7- 0	8.15	10.45	19¾	4.28	2.96
3.71	5.51	23½x36	7.00	9.05	2- 8x6- 8	7.80	10.00	11½x17¾	4.28	2.96
4.10	5.86	40	7.50	9.75	7- 0	8.30	10.70	19¾	4.72	3.12
4.10	5.86	25½x36	7.15	9.25	2-10x6- 8	7.95	10.20	12½x17¾	4.56	2.16
4.69	6.70	38	7.60	9.85	6-10	8.40	10.80	18¾	5.04	3.48
4.69	6.70	40	7.65	9.95	7- 0	8.45	10.90	19¾	5.04	3.48
4.69	6.70	27½x36	7.30	9.50	3- 0x6- 8	8.10	10.45	13½x17¾	4.88	3.36
5.47	7.81	40	7.85	10.20	7- 0	8.65	11.15	19¾	5.44	3.76
6.25	8.59	46		11.00	7- 6		11.95	22¾	7.32	4.96
7.50	10.31	52		11.35	8- 0		12.30	25¾	7.68	5.20
6.25	8.59	31½x40		10.60	3- 4x7- 0		11.55	15½x19¾	6.68	4.52
7.50	10.31	46		11.45	7- 6		12.40	22¾	8.08	5.48
10.00	13.13	52		11.85	8- 0		12.80	25¾	9.76	6.40
7.50	10.31	33½x40		10.85	3- 6x7- 0		11.80	16½x19¾	7.68	5.20
7.50	10.31	46		11.70	7- 6		12.65	22¾	9.80	6.40
....	13.91	52		12.05	8- 0		13.00	25¾	11.08	7.24

N. D. 514 N. D. 515

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list,		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{3}{4}$ " thick	.42	.42

For Doors N. D. 514


If made with Plain Flush Mould, one side, around panels only, not including Fillet, add list (★)	\$2.08
If made with Plain Flush Mould, two sides, around panels only, not including Fillet, add list.	2.15
If made with Plain Flush Mould one side, around panels and glass, not including Fillet, add list (★)	2.68
If made with Plain Flush Mould, two sides, around panels and glass, not including Fillet, add list	3.35
If made with Plain Raised Mould, one side, around panels only, not including Fillet, add list (★)	2.28
If made with Plain Raised Mould, two sides, around panels only, not including Fillet, add list.	2.55
If made with Plain Raised Mould one side around panel and glass not including Fillet add list (★)	3.15
If made with Plain Raised Mould, two sides, around panels, and one side around glass, not including Fillet, add list.....	3.60
★ Includes extra for panels with different raise two sides.	
For Fillet around glass opening, per lineal foot or fraction thereof around opening, add list.....	.03¾
For other door extras, see pages 147-156.	



N. D. 516

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 517

Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{3}{4}$	Size of Door	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{3}{4}$	Glass Size	Glass List DS	Glass List SS
\$2.52	\$3.66	6 $\frac{1}{2}$ x16 $\frac{3}{4}$	\$8.05	\$10.30	2- 6x6- 6	\$8.40	\$10.85	6 $\frac{1}{2}$ x11	\$3.87	\$2.79
2.52	3.66	17 $\frac{3}{4}$	8.15	10.40	6- 8	8.50	10.95	11 $\frac{3}{4}$	3.87	2.79
2.82	4.08	19 $\frac{3}{4}$	8.65	11.05	7- 0	9.00	11.60	13	4.23	3.06
2.70	3.93	7 $\frac{1}{2}$ x17 $\frac{3}{4}$	8.30	10.60	2- 8x6- 8	8.65	11.15	7 $\frac{1}{2}$ x11 $\frac{3}{4}$	3.87	2.79
3.24	4.68	19 $\frac{3}{4}$	8.80	11.30	7- 0	9.15	11.85	13	4.23	3.06
3.36	4.80	8 $\frac{1}{8}$ x17 $\frac{3}{4}$	8.45	10.80	2-10x6- 8	8.80	11.35	8 $\frac{1}{8}$ x11 $\frac{3}{4}$	4.32	3.15
3.66	5.28	18 $\frac{3}{4}$	8.90	11.40	6-10	9.25	11.95	12 $\frac{1}{4}$	4.68	3.42
3.66	5.28	19 $\frac{3}{4}$	8.95	11.50	7- 0	9.30	12.05	13	4.68	3.42
3.36	4.80	8 $\frac{1}{2}$ x17 $\frac{3}{4}$	8.60	11.05	3- 0x6- 8	8.95	11.60	8 $\frac{1}{2}$ x11 $\frac{3}{4}$	4.32	3.15
3.66	5.28	19 $\frac{3}{4}$	9.15	11.75	7- 0	9.50	12.30	13	4.68	3.42
4.86	7.08	22 $\frac{3}{4}$		12.55	7- 6		13.10	15	5.49	3.96
5.58	8.22	25 $\frac{3}{4}$		12.90	8- 0		13.45	17	7.20	5.04
4.44	6.42	10 $\frac{1}{8}$ x19 $\frac{3}{4}$		12.15	3- 4x7- 0		12.70	10 $\frac{1}{8}$ x13	5.76	4.23
5.76	8.52	22 $\frac{3}{4}$		13.00	7- 6		13.55	15	7.20	5.04
6.24	9.24	25 $\frac{3}{4}$		13.40	8- 0		13.95	17	8.82	6.12
4.44	6.42	10 $\frac{1}{2}$ x19 $\frac{3}{4}$		12.40	3- 6x7- 0		12.95	10 $\frac{1}{2}$ x13	5.76	4.23
5.76	8.52	22 $\frac{3}{4}$		13.25	7- 6		13.80	15	7.20	5.04
6.24	9.24	25 $\frac{3}{4}$		13.60	8- 0		14.15	17	8.82	6.12

N. D. 516 N. D. 517

If beads are omitted, deduct list.....	\$0.45	\$0.65
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{5}{8}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{5}{4}$ " thick	.42	.42

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
273



N. D. 518

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 519

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$2.49	\$3.59	5x5	\$ 9.10	\$11.55	2- 6x6 -6	\$7.75	\$ 9.90	6 ½x34	\$4.16	\$2.72
2.69	3.90	5x5	9.20	11.65	6- 8	7.85	10.00	36	4.46	2.91
3.04	4.48	5x5	9.70	12.30	7- 0	8.35	10.65	40	4.94	3.21
2.93	4.24	5x5	9.35	11.85	2- 8x6- 8	8.00	10.20	7 ½x36	4.94	3.21
3.35	4.95	5x5	9.85	12.55	7- 0	8.50	10.90	40	5.51	3.72
3.26	4.80	5x5	9.50	12.05	2-10x6- 8	8.15	10.40	8 ½x36	5.84	3.80
3.42	5.05	5x5	9.95	12.65	6-10	8.60	11.00	38	6.02	4.05
3.60	5.32	5x5	10.00	12.75	7- 0	8.65	11.10	40	6.62	4.46
3.68	5.47	5x5	9.65	12.30	3- 0x6- 8	8.30	10.65	8 ½x36	5.84	3.80
4.11	6.13	5x5	10.20	13.00	7- 0	8.85	11.35	40	6.62	4.46
4.83	7.30	5x5		13.80	7- 6		12.15	46	7.82	5.48
5.55	8.26	5x5		14.15	8- 0		12.50	52	8.79	6.15
4.68	7.01	5x5		13.40	3- 4x7- 0		11.75	10 ½x40	8.04	5.22
5.73	8.50	5x5		14.25	7- 6		12.60	46	9.45	6.36
6.81	9.90	5x5		14.65	8- 0		13.00	52	11.73	8.22
5.00	7.51	5x5		13.65	3- 6x7- 0		12.00	10 ½x40	8.04	5.22
6.21	9.22	5x5		14.50	7- 6		12.85	46	9.45	6.36
7.47	10.85	5x5		14.85	8- 0		13.20	52	11.73	8.22

	N. D. 518	N. D. 519
If heads are omitted, deduct list.....	\$0.65	\$0.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{3}{4}$ " thick	.42	.42


For other door extras, see pages 147-156.



N. D. 520

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 521

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS		
\$2.56	\$3.52	10½x	8½	\$8.25	\$10.70	2- 6x6- 6	\$9.20	\$11.70	6½x	8½	\$3.36	\$2.52
2.56	3.52		8½	8.35	10.80	6- 8	9.30	11.80		8½	3.36	2.52
2.96	4.28		9¾	8.85	11.45	7- 0	9.80	12.45		9¾	4.32	3.12
2.80	3.84	11½x	8½	8.50	11.00	2- 8x6- 8	9.45	12.00	7½x	8½	4.32	3.12
3.12	4.32		9¾	9.00	11.70	7- 0	9.95	12.70		9¾	4.32	3.12
3.04	4.16	12½x	8½	8.65	11.20	2-10x6- 8	9.60	12.20	8½x	8½	4.32	3.12
3.44	4.72		9¾	9.10	11.80	6-10	10.05	12.80		9¾	5.28	3.84
3.44	4.72		9¾	9.15	11.90	7- 0	10.10	12.90		9¾	5.28	3.84
3.28	4.56	13½x	8½	8.80	11.45	3- 0x6- 8	9.75	12.45	8½x	8½	4.32	3.12
3.68	5.04		9¾	9.35	12.15	7- 0	10.30	13.15		9¾	5.28	3.84
4.56	6.56		11½		12.95	7- 6		13.95		11½	5.76	4.20
5.20	7.68		12¾		13.30	8- 0		14.30		12¾	6.24	4.56
4.32	6.24	15½x	9¾		12.55	3- 4x7- 0		13.55	10½x	9¾	6.48	4.68
5.12	7.44		11½		13.40	7- 6		14.40		11½	7.08	5.16
5.60	8.08		12¾		13.80	8- 0		14.80		12¾	7.68	5.64
4.88	7.04	16½x	9¾		12.80	3- 6x7- 0		13.80	10½x	9¾	6.48	4.68
5.92	8.56		11½		13.65	7- 6		14.65		11½	7.08	5.16
6.32	9.12		12¾		14.00	8- 0		15.00		12¾	7.68	5.64

	N. D. 520	N. D. 521
If heads are omitted, deduct list.....	\$0.60	\$0.85
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{1}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{1}{4}$ " thick	.42	.42

For other door extras, see pages 147-156.

Side Lights,
 Toilet and
 Blind Doors
 Pine
 139


Extras,
 Pine Dr
 17

Combination
 Doors and
 Extras
 161

Window
 Screens
 189

Veneered
 Door Lists
 and Extras
 197

Flush Door
 Lists and
 Extras
 273



N. D. 522

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Cross Rail not over $5\frac{1}{2}$ " wide overall.
 Bottom Rail not over $9\frac{1}{4}$ " wide overall.
 Muntins not over $3\frac{1}{2}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*


Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
2- 6x6- 6.....	\$7.15	\$ 9.25	21½x34	\$4.41	\$2.97
6- 8.....	7.20	9.35	36	4.90	3.30
7- 0.....	7.70	10.05	40	5.86	4.10
2- 8x6- 8.....	7.40	9.60	23½x36	5.51	3.71
7- 0.....	7.90	10.30	40	5.86	4.10
2-10x6- 8.....	7.55	9.85	25½x36	5.86	4.10
6-10.....	8.00	10.40	38	6.70	4.69
7- 0.....	8.05	10.55	40	6.70	4.69
3- 0x6- 8.....	7.70	10.10	27½x36	6.70	4.69
7- 0.....	8.25	10.80	40	7.81	5.47

If beads are omitted, deduct list..... \$0.35
 If made with raised panel $\frac{3}{4}$ " thick, add list..... .30
 If made with raised panel $1\frac{1}{8}$ " thick, add list..... .50
 If made with raised panel $1\frac{3}{8}$ " thick, add list..... .85
 If made with raised panel $1\frac{3}{4}$ " thick, add list..... 1.45

If made with divided lights, open, see Rule 7.

If made with divided lights, glazed, use same glass list as is shown for N. D. 514 divided, for an equal number of lights and arrangement.

For other door extras, see pages 147-156.



N. D. 530

Stiles, Top and Cross Rail not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.


Raised Panels two sides, not over $\frac{5}{16}$ " thick.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*



N. D. 531

Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{3}{4}$	Size of Door	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{3}{4}$	Glass Size	Glass List DS	Glass List SS
\$1.94	\$2.97	21 $\frac{1}{2}$ x24	\$7.30	\$ 9.40	2- 6x6- 6	\$8.10	\$10.35	10 $\frac{1}{2}$ x11 $\frac{1}{4}$	\$2.36	\$1.72
2.09	3.20	26	7.40	9.50	6- 8	8.20	10.45	12 $\frac{3}{4}$	2.56	1.88
2.53	3.89	30	7.90	10.20	7- 0	8.70	11.15	14 $\frac{3}{4}$	3.20	2.24
2.27	3.46	23 $\frac{1}{2}$ x26	7.60	9.75	2- 8x6- 8	8.40	10.70	11 $\frac{1}{2}$ x12 $\frac{3}{4}$	2.80	2.04
2.78	4.28	30	8.10	10.45	7- 0	8.90	11.40	14 $\frac{3}{4}$	3.52	2.44
2.53	3.89	25 $\frac{1}{2}$ x26	7.80	10.00	2-10x6- 8	8.60	10.95	12 $\frac{1}{2}$ x12 $\frac{3}{4}$	3.84	2.64
2.78	4.28	28	8.25	10.60	6-10	9.05	11.55	13 $\frac{3}{4}$	3.84	2.64
3.30	4.90	30	8.30	10.75	7- 0	9.10	11.70	14 $\frac{3}{4}$	3.84	2.64
2.78	4.28	27 $\frac{1}{2}$ x26	8.00	10.25	3- 0x6- 8	8.80	11.20	13 $\frac{1}{2}$ x12 $\frac{3}{4}$	3.84	2.64
3.30	4.90	30	8.50	11.00	7- 0	9.30	11.95	14 $\frac{3}{4}$	4.40	3.04
4.69	6.70	36		11.85	7- 6		12.80	17 $\frac{3}{4}$	4.88	3.36
5.47	7.81	42		12.20	8- 0		13.15	20 $\frac{3}{4}$	6.68	4.52
4.10	5.86	31 $\frac{1}{2}$ x30		11.55	3- 4x7- 0		12.50	15 $\frac{1}{2}$ x14 $\frac{3}{4}$	4.72	3.24
5.47	7.81	36		12.45	7- 6		13.40	17 $\frac{3}{4}$	5.64	3.92
7.50	10.31	42		12.80	8- 0		13.75	20 $\frac{3}{4}$	7.68	5.20
4.69	6.70	33 $\frac{1}{2}$ x30		11.80	3- 6x7- 0		12.75	16 $\frac{1}{2}$ x14 $\frac{3}{4}$	5.24	3.60
5.47	7.81	36		12.75	7- 6		13.70	17 $\frac{3}{4}$	7.00	4.72
7.50	10.31	42		13.10	8- 0		14.05	20 $\frac{3}{4}$	8.56	5.76

	N. D. 530	N. D. 531
If beads are omitted, deduct list.....	\$0.30	\$0.35
Doors with Lock Rail not over 6 $\frac{1}{2}$ " wide overall, add list		
1 $\frac{3}{8}$ " thick	.28	.28
1 $\frac{1}{4}$ " thick	.42	.42
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel 1 $\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel 1 $\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel 1 $\frac{1}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
227



N. D. 532

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{1}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 533

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$1.86	\$2.75	6 ½x11 ¼	\$8.55	\$10.85	2- 6x6- 6	\$8.05	\$10.30	6 ½x24	\$2.75	\$1.86
1.95	2.88	12 ¾	8.65	10.95	6- 8	8.15	10.40	26	2.88	1.95
2.40	3.68	14 ¾	9.15	11.65	7- 0	8.65	11.10	30	3.68	2.40
2.10	3.03	7 ½x12 ¾	8.85	11.20	2- 8x6- 8	8.35	10.65	7 ½x26	3.03	2.10
2.55	3.90	14 ¾	9.35	11.90	7- 0	8.85	11.35	30	3.90	2.55
2.79	4.11	8 ½x12 ¾	9.05	11.45	2-10x6- 8	8.55	10.90	8 ½x26	4.16	2.72
3.00	4.44	13 ¾	9.50	12.05	6-10	9.00	11.50	28	4.46	2.91
3.14	4.80	14 ¾	9.55	12.20	7- 0	9.05	11.65	30	4.80	3.14
2.79	4.11	8 ½x12 ¾	9.25	11.70	3- 0x6- 8	8.75	11.15	8 ½x26	4.16	2.72
3.14	4.80	14 ¾	9.75	12.45	7- 0	9.25	11.90	30	4.80	3.14
3.80	5.84	17 ¾		13.30	7- 6		13.05	36	5.84	3.80
4.46	6.62	20 ¾		13.65	8- 0		13.40	42	6.62	4.46
3.72	5.67	10 ½x14 ¾		13.00	3- 4x7- 0		12.75	10 ½x30	5.67	3.72
4.53	6.93	17 ¾		13.90	7- 6		13.65	36	6.93	4.53
5.22	8.04	20 ¾		14.25	8- 0		14.00	42	8.04	5.22
3.72	5.67	10 ½x14 ¾		13.25	3- 6x7- 0		13.00	10 ½x30	5.67	3.72
4.53	6.93	17 ¾		14.20	7- 6		13.95	36	6.93	4.53
5.22	8.04	20 ¾		14.55	8- 0		14.30	42	8.04	5.22

N. D. 532 N. D. 533

If beads are omitted, deduct list.....	\$0.45	\$0.35
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{1}{4}$ " thick	.42	.42
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-156.



N. D. 534

Stiles, Top and Cross Rail not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.


Raised Panels, two sides, not over ⅝" thick.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*



N. D. 535

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size Corner Lights	Glass List DS	Glass List SS
\$1.62	\$2.36	5 x24	\$8.40	\$10.70	2- 6x6- 6	\$9.60	\$12.15	5x5	\$2.22	\$1.62
1.86	2.74	26	8.50	10.80	6- 8	9.70	12.25	5x5	2.46	1.77
2.16	3.20	30	9.00	11.50	7- 0	10.20	12.95	5x5	3.04	2.14
2.08	3.08	5½x26	8.70	11.05	2- 8x6- 8	9.90	12.50	5x5	2.67	1.91
2.48	3.78	30	9.20	11.75	7- 0	10.40	13.20	5x5	3.28	2.31
2.26	3.34	6 x26	8.90	11.30	2-10x6- 8	10.10	12.75	5x5	2.89	2.07
2.48	3.66	28	9.35	11.90	6-10	10.55	13.35	5x5	3.31	2.33
2.72	4.16	30	9.40	12.05	7- 0	10.60	13.50	5x5	3.70	2.58
2.48	3.66	6½x26	9.10	11.55	3- 0x6- 8	10.30	13.00	5x5	3.41	2.41
3.02	4.62	30	9.60	12.30	7- 0	10.80	13.75	5x5	4.23	2.92
3.62	5.54	36		13.15	7- 6		14.60	5x5	5.47	3.67
4.56	6.78	42		13.50	8- 0		14.95	5x5	6.34	4.21
3.40	5.20	7½x30		13.25	3- 4x7- 0		14.30	5x5	5.10	3.45
4.28	6.58	36		14.15	7- 6		15.20	5x5	6.09	4.09
5.40	8.02	42		14.50	8- 0		15.55	5x5	7.61	5.03
3.62	5.54	8 x30		13.50	3- 6x7- 0		14.55	5x5	5.38	3.63
4.28	6.58	36		14.45	7- 6		15.50	5x5	6.46	4.34
5.40	8.02	42		14.80	8- 0		15.85	5x5	8.34	5.62

N. D. 534 N. D. 535

If beads are omitted, deduct list.....	\$0.40	\$0.60
Doors with Lock Rail not over 6½" wide overall, add list		
1⅜" thick	.28	.28
1¾" thick	.42	.42
If made with raised panels ¾" thick, add list.....	.60	.60
If made with raised panel 1⅛" thick, add list.....	1.05	1.05
If made with raised panel 1⅜" thick, add list.....	1.65	1.65
If made with raised panel 1¾" thick, add list.....	2.85	2.85

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
1'

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
271



N. D. 537

Stiles, Top and Cross Rail not over 4¾" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Raised Panels two sides, not over ⅝" thick.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 538

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.27	\$3.46	21½x28	\$7.15	\$ 9.25	2- 6x6- 6	\$8.00	\$10.25	10½x13¾	\$2.76	\$2.00
2.53	3.89	30	7.25	9.35	6- 8	8.10	10.35	14¾	3.20	2.24
2.97	4.41	34	7.75	10.05	7- 0	8.60	11.05	16¾	3.92	2.72
2.78	4.28	23½x30	7.45	9.60	2- 8x6- 8	8.30	10.60	11½x14¾	3.52	2.44
3.30	4.90	34	7.95	10.30	7- 0	8.80	11.30	16¾	4.28	2.96
3.30	4.90	25½x30	7.60	9.85	2-10x6- 8	8.45	10.85	12½x14¾	3.84	2.64
3.30	4.90	32	8.05	10.45	6-10	8.90	11.45	15¾	4.04	2.80
3.71	5.51	34	8.15	10.55	7- 0	9.00	11.55	16¾	4.56	3.16
3.30	4.90	27½x30	7.80	10.10	3- 0x6- 8	8.65	11.10	13½x14¾	4.40	3.04
4.10	5.86	34	8.30	10.80	7- 0	9.15	11.80	16¾	4.88	3.36
5.47	7.81	40		11.70	7- 6		12.70	19¾	5.44	3.76
6.25	8.59	46		12.05	8- 0		13.05	22¾	7.32	4.96
4.69	6.70	31½x34		11.30	3- 4x7- 0		12.30	15½x16¾	5.64	3.92
6.25	8.59	40		12.20	7- 6		13.20	19¾	6.68	4.52
7.50	10.31	46		12.55	8- 0		13.55	22¾	8.08	5.48
5.47	7.81	33½x34		11.60	3- 6x7- 0		12.60	16½x16¾	7.00	4.72
7.50	10.31	40		12.50	7- 6		13.50	19¾	7.68	5.20
7.50	10.31	46		12.85	8- 0		13.85	22¾	9.80	6.40

N. D. 537 N. D. 538

If beads are omitted, deduct list.....	\$0.30	\$0.35
Doors with Lock Rail not over 6½" wide overall, add list		
1⅜" thick	.28	.28
1¾" thick	.42	.42
If made with raised panel ¾" thick, add list.....	.60	.60
If made with raised panel 1⅝" thick, add list.....	1.05	1.05
If made with raised panel 1⅜" thick, add list.....	1.65	1.65
If made with raised panel 1¾" thick, add list.....	2.85	2.85


For other door extras, see pages 147-156.



N. D. 539

Stiles, Top and Cross Rails not over
4 ³/₄" wide overall.
Bottom Rail not over 9 ³/₄" wide overall.
Raised Panels two sides, not over
⁹/₁₆" thick.
Bars ¹/₂" between glass.
Beads for glass included.
Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*



N. D. 540

Glass List SS	Glass List DS	Glass Size	Open List 1 1/4	Open List 1 1/4	Size of Door	Open List 1 1/4	Open List 1 1/4	Glass Size	Glass List DS	Glass List SS
\$2.22	\$3.00	6 1/2 x 13 1/4	\$8.45	\$10.75	2- 6x6- 6	\$8.80	\$11.30	6 1/2 x 9	\$2.52	\$1.89
2.34	3.24	14 1/4	8.55	10.85	6- 8	8.90	11.40	9 1/2	3.24	2.34
2.94	4.26	16 1/4	9.05	11.55	7- 0	9.40	12.10	11	3.87	2.79
2.34	3.24	7 1/2 x 14 1/4	8.75	11.10	2- 8x6- 8	9.10	11.65	7 1/2 x 9 1/2	3.24	2.34
2.94	4.26	16 1/4	9.25	11.80	7- 0	9.60	12.35	11	3.87	2.79
2.64	3.66	8 1/2 x 14 1/4	8.90	11.35	2-10x6- 8	9.25	11.90	8 1/2 x 9 1/2	3.96	2.88
2.82	3.84	15 1/4	9.35	11.95	6-10	9.70	12.50	10 1/2	3.96	2.88
3.36	4.80	16 1/4	9.45	12.05	7- 0	9.80	12.60	11	3.96	2.88
2.64	3.66	8 1/2 x 14 1/4	9.10	11.60	3- 0x6- 8	9.45	12.15	8 1/2 x 9 1/2	3.96	2.88
3.36	4.80	16 1/4	9.60	12.30	7- 0	9.95	12.85	11	3.96	2.88
3.66	5.28	19 1/4		13.20	7- 6		13.75	13	4.68	3.42
4.86	7.08	22 1/4		13.55	8- 0		14.10	15	5.49	3.96
4.08	5.88	10 1/2 x 16 1/4		12.80	3- 4x7- 0		13.35	10 1/2 x 11	5.31	3.87
4.44	6.42	19 1/4		13.70	7- 6		14.25	13	5.76	4.23
5.76	8.52	22 1/4		14.05	8- 0		14.60	15	7.20	5.04
4.08	5.88	10 1/2 x 16 1/4		13.10	3- 6x7- 0		13.65	10 1/2 x 11	5.31	3.87
4.44	6.42	19 1/4		14.00	7- 6		14.55	13	5.76	4.23
5.76	8.52	22 1/4		14.35	8- 0		14.90	15	7.20	5.04

N. D. 539 N. D. 540

If beads are omitted, deduct list.....	\$0.45	\$0.65
Doors with Lock Rail not over 6 1/2" wide overall, add list		
1 3/8" thick	.28	.28
1 3/4" thick	.42	.42
If made with raised panel 3/4" thick, add list.....	.60	.60
If made with raised panel 1 1/8" thick, add list.....	1.05	1.05
If made with raised panel 1 3/8" thick, add list.....	1.65	1.65
If made with raised panel 1 3/4" thick, add list.....	2.85	2.85

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Door
1/

Combination
Doors and
Extras
161

Window
Extras
16

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
273



N. D. 541

Stiles, Top and Cross Rails not over 4¾" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Raised Panels two sides, not over ⅜" thick.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 542

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.01	\$2.85	5x5	\$ 9.50	\$12.05	2- 6x6- 6	\$7.90	\$10.15	6 ½x28	\$3.47	\$2.27
2.14	3.04	5x5	9.60	12.15	6- 8	8.00	10.25	30	3.68	2.40
2.49	3.59	5x5	10.10	12.85	7- 0	8.80	11.25	34	4.16	2.72
2.31	3.28	5x5	9.80	12.40	2- 8x6- 8	8.20	10.50	7 ½x30	3.90	2.55
2.70	3.89	5x5	10.30	13.10	7- 0	9.00	11.50	34	4.46	2.91
2.58	3.70	5x5	9.95	12.65	2-10x6- 8	8.35	10.75	8 ½x30	4.80	3.14
2.74	3.94	5x5	10.40	13.25	6-10	9.10	11.65	32	4.80	3.14
2.93	4.22	5x5	10.50	13.35	7- 0	9.20	11.75	34	5.36	3.48
2.92	4.23	5x5	10.15	12.90	3- 0x6- 8	8.55	11.00	8 ½x30	4.80	3.14
3.35	4.96	5x5	10.65	13.60	7- 0	9.35	12.00	34	5.36	3.48
4.11	6.13	5x5		14.50	7- 6		12.90	40	6.62	4.46
4.83	7.30	5x5		14.85	8- 0		13.25	46	7.82	5.48
3.82	5.67	5x5		14.10	3- 4x7- 0		12.50	10 ½x34	6.57	4.29
4.68	7.01	5x5		15.00	7- 6		13.40	40	8.04	5.22
5.73	8.50	5x5		15.35	8- 0		13.75	46	9.45	6.36
4.22	6.27	5x5		14.40	3- 6x7- 0		12.80	10 ½x34	6.57	4.29
5.00	7.51	5x5		15.30	7- 6		13.70	40	8.04	5.22
6.21	9.22	5x5		15.65	8- 0		14.05	46	9.45	6.36

N. D. 541 N. D. 542

If heads are omitted, deduct list.....	\$0.65	\$0.35
Doors with Lock Rail not over 6½" wide overall, add list		
1 ⅜" thick	.28	.28
1 ¾" thick	.42	.42
If made with raised panel ¾" thick, add list.....	.60	.60
If made with raised panel 1 ⅜" thick, add list.....	1.05	1.05
If made with raised panel 1 ⅝" thick, add list.....	1.65	1.65
If made with raised panel 1 ¾" thick, add list.....	2.85	2.85

For other door extras, see pages 147-156.




N. D. 543

N. D. 543

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
Bottom Rail not over $9\frac{3}{4}$ " wide overall.
Raised Panels two sides, not over $\frac{9}{16}$ " thick.
Bars $\frac{1}{2}$ " between glass.
Beads for glass included.
Standard Stock Sticking.

N. D. 544

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
Bottom Rail not over $9\frac{3}{4}$ " wide overall.
Muntins not over $3\frac{1}{2}$ " wide overall.
Raised Panels two sides, not over $\frac{9}{16}$ " thick.
Beads for glass included.
Standard Stock Sticking.



N. D. 544

Glass lists shown are taken from Jobber's Single Light List.

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$2.00	\$2.96	5 x28	\$8.25	\$10.55	2- 6x6- 6	\$7.25	\$ 9.35	21½x30	\$3.89	\$2.53
2.16	3.20	30	8.35	10.65	6- 8	7.30	9.45	32	4.28	2.78
2.60	3.96	34	9.25	11.75	7- 0	7.80	10.60	36	4.90	3.30
2.48	3.78	5½x30	8.55	10.90	2- 8x6- 8	7.50	9.70	23½x32	4.90	3.30
2.86	4.38	34	9.45	12.00	7- 0	8.00	10.40	36	5.51	3.71
2.72	4.16	6 x30	8.70	11.15	2-10x6- 8	7.65	9.95	25½x32	4.90	3.30
2.86	4.38	32	9.55	12.15	6-10	8.10	10.55	34	5.51	3.71
3.02	4.62	34	9.65	12.25	7- 0	8.20	10.65	36	5.86	4.10
3.02	4.62	6½x30	8.90	11.40	3- 0x6- 8	7.85	10.15	27½x32	5.51	3.71
3.40	5.20	34	9.80	12.50	7- 0	8.40	10.90	36	6.70	4.69
3.98	6.12	40		13.40	7- 6					
4.96	7.34	46		13.75	8- 0					
3.88	5.94	7½x34		13.00	3- 4x7- 0					
4.96	7.34	40		13.90	7- 6					
6.56	9.38	46		14.25	8- 0					
4.18	6.40	8 x34		13.30	3- 6x7- 0					
5.40	8.02	40		14.20	7- 6					
6.56	9.38	46		14.55	8- 0					

N. D. 543

N. D. 544

If beads are omitted, deduct list..... \$0.45 \$0.30
 If door is made with Lock Rail not over $6\frac{1}{2}$ " wide overall,
 Add list, $1\frac{3}{8}$ " thick .28
 Add list, $1\frac{3}{4}$ " thick .42
 If door is made with raised panel $\frac{3}{4}$ " thick, add list..... .60 .50
 If door is made with raised panel $1\frac{1}{8}$ " thick, add list..... 1.05 .85
 If door is made with raised panel $1\frac{3}{8}$ " thick, add list..... 1.65 1.40
 If door is made with raised panel $1\frac{3}{4}$ " thick, add list..... 2.85 2.40
 If door N. D. 544 is made with divided lights, open, see Rule 7.

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Door
1/

Combination
Doors and
Extras
161

Window
Screens


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273



N. D. 549

N. D. 549
 Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 554


N. D. 554
 Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $3\frac{1}{2}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Beads for glass included.
 Standard Stock Sticking.

Glass lists shown are taken from Jobber's Single Light List.

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{4}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{4}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$1.94	\$2.97	$21\frac{1}{2} \times 24$	\$7.55	\$ 9.75	2- 6x6- 6	\$7.70	\$ 9.95	$21\frac{1}{2} \times 24$	\$2.97	\$1.94
2.09	3.20	26	7.65	9.85	6- 8	7.80	10.05	26	3.20	2.09
2.53	3.89	30	8.15	10.55	7- 0	8.35	10.75	30	3.89	2.53
2.27	3.46	$23\frac{1}{2} \times 26$	7.85	10.15	2- 8x6- 8	8.00	10.35	$23\frac{1}{2} \times 26$	3.46	2.27
2.78	4.28	30	8.35	10.85	7- 0	8.55	11.05	30	4.28	2.78
2.53	3.89	$25\frac{1}{2} \times 26$	8.05	10.40	2-10x6- 8	8.25	10.65	$25\frac{1}{2} \times 26$	3.89	2.53
2.78	4.28	28	8.50	11.05	6-10	8.70	11.25	28	4.28	2.78
3.30	4.90	30	8.60	11.15	7- 0	8.80	11.40	30	4.90	3.30
2.78	4.28	$27\frac{1}{2} \times 26$	8.25	10.70	3- 0x6- 8	8.45	10.90	$27\frac{1}{2} \times 26$	4.28	2.78
3.30	4.90	30	8.80	11.45	7- 0	9.00	11.65	30	4.90	3.30

N. D. 549 N. D. 554


If beads are omitted from doors, deduct list.....	\$0.30	\$0.30
Doors with Leck Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.28	.28
$1\frac{3}{4}$ " thick	.42	.42
If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	.80	.70
If door is made with raised panel $1\frac{1}{4}$ " thick, add list.....	1.40	1.20
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	2.20	1.95
If door is made with raised panel $1\frac{3}{4}$ " thick, add list.....	3.80	3.35
If above doors are made with divided lights, open, see Rule 7.		
If made with divided lights, glazed, use same glass list as is shown for N. D. 530 divided, for an equal number of lights and arrangement.		
For other door extras, see pages 147-156.		



N. D. 559

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 560

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{4}$	Open List $1\frac{3}{4}$	Size of Door	Open List $1\frac{1}{4}$	Open List $1\frac{3}{4}$	Glass Size	Glass List DS	Glass List SS
\$3.30	\$4.90	$21\frac{1}{2} \times 38$	\$6.65	\$ 8.65	2- 6x6- 6	\$7.50	\$ 9.70	$10\frac{1}{2} \times 18\frac{3}{4}$	\$4.28	\$2.96
4.10	5.86	40	6.70	8.75	6- 8	7.55	9.80	19 $\frac{1}{4}$	4.28	2.96
4.69	6.70	44	7.20	9.40	7- 0	8.05	10.45	21 $\frac{3}{4}$	4.72	3.24
4.10	5.86	$23\frac{1}{2} \times 40$	6.85	8.95	2- 8x6- 8	7.70	10.00	$11\frac{1}{2} \times 19\frac{1}{4}$	4.72	3.24
4.69	6.70	44	7.35	9.60	7- 0	8.20	10.65	21 $\frac{3}{4}$	5.24	3.60
4.69	6.70	$25\frac{1}{2} \times 40$	7.00	9.15	2-10x6- 8	7.85	10.20	$12\frac{1}{2} \times 19\frac{1}{4}$	5.04	3.48
4.69	6.70	42	7.40	9.70	6-10	8.25	10.75	20 $\frac{3}{4}$	6.16	4.16
5.47	7.81	44	7.50	9.80	7- 0	8.35	10.85	21 $\frac{3}{4}$	6.16	4.16
5.47	7.81	$27\frac{1}{2} \times 40$	7.15	9.35	3- 0x6- 8	8.00	10.40	$13\frac{1}{2} \times 19\frac{1}{4}$	5.44	3.76
6.25	8.59	44	7.65	10.00	7- 0	8.50	11.05	21 $\frac{3}{4}$	6.68	4.52

N. D. 559 N. D. 560

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90

For other doors, extra see pages 147-156.

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Sashes
188

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223



N. D. 561

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels, two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 562

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.82	\$3.84	10½x12 ½	\$8.00	\$10.30	2- 6x6- 6	\$8.35	\$10.75	6 ½x12 ½	\$4.23	\$3.06
2.82	3.84	13	8.05	10.40	6- 8	8.40	10.85	13	4.23	3.06
3.36	4.80	14 ½	8.55	11.05	7- 0	8.90	11.50	14 ½	4.86	3.51
3.06	4.20	11½x13	8.20	10.60	2- 8x6- 8	8.55	11.05	7½x13	4.23	3.06
3.66	5.28	14 ½	8.70	11.25	7- 0	9.05	11.70	14 ½	4.86	3.51
3.96	5.76	12½x13	8.35	10.80	2-10x6- 8	8.70	11.25	8½x13	4.68	3.42
3.96	5.76	13 ¾	8.75	11.35	6-10	9.10	11.80	13 ¾	5.13	3.69
3.96	5.76	14 ½	8.85	11.45	7- 0	9.20	11.90	14 ½	5.49	3.96
3.96	5.76	13½x13	8.50	11.00	3- 0x6- 8	8.85	11.45	8 ½x13	4.68	3.42
4.56	6.60	14 ½	9.00	11.65	7- 0	9.35	12.10	14 ½	5.49	3.96

	N. D. 561	N. D. 562
If beads are omitted, deduct list.....	\$0.50	\$0.65
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel, $1\frac{3}{8}$ " add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90


For other door extras, see pages 147-156.



N. D. 567

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 568

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1½	Size of Door	Open List 1½	Open List 1½	Glass Size	Glass List DS	Glass List SS
\$2.78	\$4.28	21½x32	\$6.95	\$ 8.95	2- 6x6- 6	\$7.75	\$ 9.90	10½x15¾	\$3.44	\$2.40
2.97	4.41	34	7.00	9.05	6- 8	7.80	10.00	16¾	3.92	2.72
3.30	4.90	38	7.50	9.75	7- 0	8.30	10.70	18¾	4.16	2.88
3.30	4.90	23½x34	7.20	9.30	2- 8x6- 8	8.00	10.25	11½x16¾	4.28	2.96
4.10	5.86	38	7.70	9.95	7- 0	8.50	10.90	18¾	4.40	3.04
3.71	5.51	25½x34	7.35	9.50	2-10x6- 8	8.15	10.45	12½x16¾	4.56	3.16
4.10	5.86	36	7.75	10.05	6-10	8.55	11.00	17¾	4.56	3.16
4.69	6.70	38	7.85	10.15	7- 0	8.65	11.10	18¾	5.04	3.48
4.10	5.86	27½x34	7.50	9.70	3- 0x6- 8	8.30	10.65	13½x16¾	4.88	3.36
4.69	6.70	38	8.00	10.40	7- 0	8.80	11.35	18¾	5.44	3.76

N. D. 567 N. D. 568

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.55	.55
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.55	1.55
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.50	2.50
If door N. D. 567 has Plain Flush Mould, two sides, around panels only, not including Fillet, add list.....		\$2.55
If door N. D. 567 has Plain Raised Mould, two sides, around panels only, not including Fillet, add list.....		3.05
If door N. D. 567 has Plain Flush Mould, two sides, around panels and light, not including Fillet, add list.....		3.95
If door N. D. 567 has Plain Raised Mould, two sides, around panels and light, not including Fillet, add list.....		5.05
For Fillet around glass opening, per lineal foot or fraction thereof, around opening, add list.....		.03½
For other door extras, see pages 147-156.		

Side Lights,
 Toilet and
 Blind Doors
 Pine
 139


Extras,
 Pine Door
 1/

Combination
 Doors and
 Extras
 161

Window
 Screens
 160

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 273



N. D. 569

Stiles, Top and Cross Rails, not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 570

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.52	\$3.48	6¼x15¼	\$8.25	\$10.50	2- 6x6- 6	\$8.60	\$11.05	6½x10 ⅞	\$3.87	\$2.79
2.94	4.26	16¼	8.30	10.60	6- 8	8.65	11.15	11	3.87	2.79
3.24	4.68	18¼	8.80	11.30	7- 0	9.15	11.85	12 ⅞	4.23	3.06
2.52	3.48	7½x16¾	8.50	10.85	2- 8x6- 8	8.85	11.40	7½x11	3.87	2.79
3.24	4.68	18¼	9.00	11.50	7- 0	9.35	12.05	12 ⅞	4.23	3.06
3.36	4.80	8½x16¾	8.65	11.05	2-10x6- 8	9.00	11.60	8½x11	3.96	2.88
3.36	4.80	17¼	9.05	11.60	6-10	9.40	12.15	11 ⅞	4.32	3.15
3.66	5.28	18¾	9.15	11.70	7- 0	9.50	12.25	12 ⅞	4.68	3.42
3.36	4.80	8½x16¾	8.80	11.25	3- 0x6- 8	9.15	11.80	8½x11	3.96	2.88
3.66	5.28	18¾	9.30	11.95	7- 0	9.65	12.50	12 ⅞	4.68	3.42

	N. D. 569	N. D. 570
If beads are omitted, deduct list.....	\$0.45	\$0.65
If made with raised panel ¾" thick, add list.....	.55	.55
If made with raised panel 1 ⅛" thick, add list.....	.90	.90
If made with raised panel 1 ⅜" thick, add list.....	1.55	1.55
If made with raised panel 1 ¾" thick, add list.....	2.50	2.50


For other door extras, see pages 147-156.



N. D. 575

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 576

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$3.30	\$4.90	21½x38	\$6.70	\$ 8.65	2- 6x6- 6	\$7.70	\$ 9.80	6½x38	\$4.59	\$2.99
4.10	5.86	40	6.75	8.75	6- 8	7.75	9.90	40	4.94	3.21
4.69	6.70	44	7.25	9.40	7- 0	8.25	10.55	44	5.51	3.72
4.10	5.86	23½x40	6.95	8.95	2- 8x6- 8	7.95	10.10	7½x40	5.51	3.72
4.69	6.70	44	7.40	9.65	7- 0	8.40	10.80	44	6.02	4.05
4.69	6.70	25½x40	7.10	9.20	2-10x6- 8	8.10	10.35	8½x40	6.62	4.46
4.69	6.70	42	7.50	9.75	6-10	8.50	10.90	42	6.62	4.46
5.47	7.81	44	7.60	9.85	7- 0	8.60	11.00	44	7.82	5.48
5.47	7.81	27½x40	7.25	9.40	3- 0x6- 8	8.25	10.55	8½x40	6.62	4.46
6.25	8.59	44	7.75	10.10	7- 0	8.75	11.25	44	7.82	5.48

N. D. 575 N. D. 576

If beads are omitted, deduct list.....	\$0.35	\$0.45
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
1'

Combination
Doors and
Extras
161

Window
Screens
To

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
279



N. D. 577

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 578

Class List SS	Class List DS	Class Size	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{1}{4}$	Size of Door	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{1}{4}$	Class Size	Class List DS	Class List SS
\$2.86	\$4.38	5 x38	\$7.55	\$ 9.70	2- 6x6- 6	\$8.05	\$10.15	10 $\frac{1}{2}$ x12 $\frac{1}{4}$	\$3.84	\$2.82
3.02	4.62	40	7.60	9.80	6- 8	8.10	10.25	13	3.84	2.82
3.48	5.36	44	8.10	10.45	7- 0	8.60	10.90	14 $\frac{1}{4}$	4.80	3.36
3.48	5.36	5 $\frac{1}{2}$ x40	7.80	10.00	2- 8x6- 8	8.30	10.45	11 $\frac{1}{2}$ x13	4.20	3.06
3.96	5.88	44	8.25	10.70	7- 0	8.75	11.15	14 $\frac{1}{4}$	5.28	3.66
3.72	5.72	6 x40	7.95	10.25	2-10x6- 8	8.45	10.70	12 $\frac{1}{2}$ x13	5.76	3.96
3.98	6.12	42	8.35	10.80	6-10	8.85	11.25	13 $\frac{1}{2}$	5.76	3.96
4.24	6.30	44	8.45	10.90	7- 0	8.95	11.35	14 $\frac{1}{4}$	5.76	3.96
3.98	6.12	6 $\frac{1}{2}$ x40	8.10	10.45	3- 0x6- 8	8.60	10.90	13 $\frac{1}{2}$ x13	5.76	3.96
4.56	6.78	44	8.60	11.15	7- 0	9.10	11.60	14 $\frac{1}{4}$	6.60	4.56

	N. D. 577	N. D. 578
If beads are omitted, deduct list.....	\$0.50	\$0.50
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15


For other door extras, see pages 147-156.



N. D. 579

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Look Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 580

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$2.96	\$4.28	$10\frac{1}{2} \times 9\frac{1}{8}$	\$3.25	\$10.60	2- 6x6- 6	\$8.40	\$10.75	$6\frac{1}{2} \times 12\frac{1}{4}$	\$4.23	\$3.06
2.96	4.28	$9\frac{1}{8}$	8.30	10.70	6- 8	8.45	10.85	13	4.23	3.06
3.24	4.72	$10\frac{1}{8}$	8.80	11.35	7- 0	8.95	11.50	$14\frac{1}{4}$	4.86	3.51
3.12	4.32	$11\frac{1}{2} \times 9\frac{1}{8}$	8.50	10.90	2- 8x6- 8	8.65	11.05	$7\frac{1}{2} \times 13$	4.23	3.06
3.44	4.72	$10\frac{1}{8}$	8.95	11.60	7- 0	9.10	11.70	$14\frac{1}{4}$	4.86	3.51
3.44	4.72	$12\frac{1}{2} \times 9\frac{1}{8}$	8.65	11.15	2-10x6- 8	8.80	11.30	$8\frac{1}{2} \times 13$	4.68	3.42
3.76	5.12	$10\frac{1}{8}$	9.05	11.70	6-10	9.20	11.85	$13\frac{1}{8}$	5.13	3.69
3.76	5.12	$10\frac{1}{8}$	9.15	11.80	7- 0	9.30	11.95	$14\frac{1}{4}$	5.49	3.96
3.68	5.04	$13\frac{1}{2} \times 9\frac{1}{8}$	8.80	11.35	3- 0x6- 8	8.95	11.50	$8\frac{1}{2} \times 13$	4.68	3.42
4.00	5.52	$10\frac{1}{8}$	9.30	12.05	7- 0	9.45	12.20	$14\frac{1}{4}$	5.49	3.96

N. D. 579 N. D. 580

If beads are omitted, deduct list.....	\$0.60	\$0.65
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-156.

Side Lights,
 Toilet and
 Blind Doors
 Pine
 139


Extras,
 Pine Door
 1

Combination
 Doors and
 Extras
 161

Window
 Screens
 182

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 273



N. D. 581

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 582

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$2.85	\$4.14	5x5	\$ 9.10	\$11.50	2- 6x6- 6	\$9.20	\$11.65	6½x 9½	\$4.08	\$2.82
3.04	4.48	5x5	9.15	11.60	6- 8	9.25	11.75	9½	4.08	2.82
3.45	5.16	5x5	9.65	12.25	7- 0	9.75	12.40	10½	4.72	3.24
3.35	4.95	5x5	9.35	11.80	2- 8x6- 8	9.45	11.95	7½x 9½	4.32	3.12
3.76	5.62	5x5	9.80	12.50	7- 0	9.90	12.65	10½	5.16	3.54
3.60	5.32	5x5	9.50	12.05	2-10x6- 8	9.60	12.20	8½x 9½	5.28	3.72
3.81	5.70	5x5	9.90	12.60	6-10	10.00	12.75	10½	5.28	3.84
4.06	6.07	5x5	10.00	12.70	7- 0	10.10	12.85	10½	5.28	3.84
4.11	6.13	5x5	9.65	12.25	3- 0x6- 8	9.75	12.40	8½x 9½	5.28	3.72
4.56	6.88	5x5	10.15	12.95	7- 0	10.25	13.10	10½	5.28	3.84

	N. D. 581	N. D. 582
If beads are omitted, deduct list.....	\$0.65	\$0.85
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15


For other door extras, see pages 147-156.



N. D. 591

Stiles, Top and Cross Rail not over 5½" wide overall.
 Mullion not over 5½" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Laminated Flat Panels two sides, not over ⅝" thick or solid raised or solid flat panels not over ⅝" thick.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 592

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1½	Size of Door	Open List 1½	Open List 1½	Glass Size	Glass List DS	Glass List SS
\$1.30	\$1.92	20x18	\$8.25	\$10.65	2- 6x6- 6	\$9.00	\$11.50	6 ½x18	\$1.71	\$1.19
1.30	1.92	18	8.40	10.90	6- 8	9.15	11.75	18	1.71	1.19
1.30	1.92	18	9.15	11.90	7- 0	9.90	12.75	18	1.71	1.19
1.44	2.14	22x18	8.65	11.15	2- 8x6- 8	9.40	12.00	7 x18	1.83	1.26
1.44	2.14	18	9.45	12.20	7- 0	10.20	13.05	18	1.83	1.26
1.60	2.45	24x18	8.90	11.45	2-10x6- 8	9.65	12.30	7 ½x18	2.12	1.47
1.60	2.45	18	9.50	12.25	6-10	10.25	13.10	18	2.12	1.47
1.60	2.45	18	9.70	12.50	7- 0	10.45	13.35	18	2.12	1.47
1.81	2.77	26x18	9.10	11.75	3- 0x6- 8	9.85	12.60	8 ½x18	2.40	1.68
1.81	2.77	18	9.95	12.80	7- 0	10.70	13.65	18	2.40	1.68

N. D. 591 N. D. 592

If beads are omitted, deduct list.....	\$0.15	\$0.20
Lengthening glass height, for each one inch lengthened, deduct list	.03	.03

N. D. 591 and N. D. 592

If made with raised panel ¾" thick add list	\$0.85
If made with raised panel 1 ⅛" thick add list	1.85
If made with raised panel 1 ⅜" thick add list	2.40
If made with raised panel 1 ¾" thick add list	4.20
If made one panel instead of 2 panel, add list	.70
If made three panel instead of 2 panel, add list	.25
If made with one raised panel ¾" thick add to the one panel list	1.30
If made with one raised panel 1 ⅛" thick add to the one panel list	2.15
If made with one raised panel 1 ⅜" thick add to the one panel list	2.85
If made with one raised panel 1 ¾" thick add to the one panel list	4.60
If made with three raised panels ¾" thick add to the three panel list	.30
If made with three raised panels 1 ⅛" thick add to the three panel list	1.10
If made with three raised panels 1 ⅜" thick add to the three panel list	1.40
If made with three raised panels 1 ¾" thick add to the three panel list	2.40
1 ⅜" thick 1 ¾" thick	
4¾" Stiles, Top Rail and Mullion, deduct list	\$0.60 \$0.93
11½" Bottom Rail, add list	.28 .42
12½" Bottom Rail, add list	.44 .66

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Door
Pine
139


Extras,
Pine Dor
14

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
273



N. D. 593

Stiles, Top and Cross Rails not over 5½" wide overall.
 Mullion not over 5½" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Laminated Flat Panels two sides, not over ⅝" thick or solid raised or solid flat panels not over ⅝" thick.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 594

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$1.22	\$1.76	4½x18	\$ 9.20	\$11.75	2- 6x6- 6	\$9.45	\$12.00	6 ⅞ x 8¾	\$1.68	\$1.26
1.22	1.76	18	9.35	12.00	6- 8	9.60	12.25	8¾	1.68	1.26
1.22	1.76	18	10.10	13.00	7- 0	10.35	13.25	8¾	1.68	1.26
1.36	1.96	5½x18	9.60	12.25	2- 8x6- 8	9.85	12.50	7 x 8¾	1.68	1.26
1.36	1.96	18	10.40	13.30	7- 0	10.65	13.55	8¾	1.68	1.26
1.48	2.14	5½x18	9.85	12.55	2-10x6- 8	10.10	12.80	7 ⅞ x 8¾	2.12	1.47
1.48	2.14	18	10.45	13.35	6-10	10.70	13.60	8¾	2.12	1.47
1.48	2.14	18	10.65	13.60	7- 0	10.90	13.85	8¾	2.12	1.47
1.58	2.28	6½x18	10.05	12.85	3- 0x6- 8	10.30	13.10	8 ⅞ x 8¾	2.16	1.56
1.58	2.28	18	10.90	13.90	7- 0	11.15	14.15	8¾	2.16	1.56

	N. D. 593	N. D. 594
If beads are omitted, deduct list.....	\$0.25	\$0.30
Lengthening glass height, for each one inch lengthened, deduct list.....	.03	.03
If made with raised panel ¾" thick, add list.....	.85	.85
If made with raised panel 1⅛" thick, add list.....	1.85	1.85
If made with raised panel 1⅝" thick, add list.....	2.40	2.40
If made with raised panel 1¾" thick, add list.....	4.20	4.20
If made one panel instead of 2 panels, add list.....	.70	.70
If made three panels instead of 2 panels, add list.....	.25	.25
If made with one or three Heavy Raised Panels, use same extra as for N. D. No. 591.		
	1⅜" Thick	1¼" Thick
4¾" Stiles, Top Rail and Mullion, deduct list.....	.60	.93
11½" Bottom Rail, add list.....	.28	.42
12½" Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.



N. D. 595

Stiles, Top and Cross Rails not over 5½" wide overall.

Mullion not over 5½" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅝" thick.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*

Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List SS	Glass List DS
2- 6x6- 6.....	\$ 9.70	\$12.35	4⅝x8¾	\$1.22	\$1.76
6- 8.....	9.85	12.60	8¾	1.22	1.76
7- 0.....	10.60	13.60	8¾	1.22	1.76
2- 8x6- 8.....	10.10	12.85	5⅞x8¾	1.28	1.76
7- 0.....	10.90	13.90	8¾	1.28	1.76
2-10x6- 8.....	10.35	13.15	5⅝x8¾	1.40	1.92
6-10.....	10.95	13.95	8¾	1.40	1.92
7- 0.....	11.15	14.20	8¾	1.40	1.92
3- 0x6- 8.....	10.55	13.45	6⅞x8¾	1.52	2.08
7- 0.....	11.40	14.50	8¾	1.52	2.08

N. D. 595

If beads are omitted, deduct list.....	\$0.35
Lengthening glass height, for each one inch lengthened, deduct list.....	.03
If made with raised panel ¾" thick, add list.....	.85
If made with raised panel 1⅛" thick, add list.....	1.85
If made with raised panel 1⅜" thick, add list.....	2.40
If made with raised panel 1¾" thick, add list.....	4.20
If made one panel instead of 2 panels, add list.....	.70
If made three panels instead of 2 panels, add list.....	.25
If made with one or three Heavy Raised Panels, use same extra as for N. D. No. 591.	

	1⅜" Thick	1¾" Thick
4¾" Stiles, Top Rail and Mullion, deduct list.....	\$0.60	\$0.93
11½" Bottom Rail, add list.....	.28	.42
12½" Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
17

Combination
Doors and
Extras
161

Window
Screens
182


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 600

Stiles and Top Rail not over 5½" wide overall.
 Lock Rail not over 5½" wide overall.
 Cross Rail and Mullion not over 4¾" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅝" thick.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 601

Glass lists shown are taken from Jobber's Single Light List.


Class List SS	Glass List DS	Glass Size	Open List 1½"	Open List 1¾"	Size of Door	Open List 1½"	Open List 1¾"	Glass Size	Glass List DS	Glass List SS
\$0.81	\$1.18	22x11	\$15.55	\$18.55	2- 8x6- 8	\$18.35	\$23.50	22x11	\$1.18	\$0.81
.81	1.18	11	16.65	19.95	7- 0	19.60	25.05	11	1.18	.81
.94	1.28	24x12	15.80	18.95	2-10x6- 8	18.60	23.85	24x12	1.28	.94
.94	1.28	12	16.75	20.10	6-10	19.80	25.25	12	1.28	.94
.94	1.28	12	16.95	20.30	7- 0	19.90	25.45	12	1.28	.94
1.24	1.83	26x13	16.10	19.30	3- 0x6- 8	19.85	25.40	26x13	1.83	1.24
1.24	1.83	13	17.25	20.70	7- 0	20.35	25.85	13	1.83	1.24
1.52	2.20	30x15		21.45	3- 4x7- 0		26.60	30x15	2.20	1.52
1.52	2.20	15		23.20	7- 6		28.60	15	2.20	1.52
1.74	2.52	32x16		21.95	3- 6x7- 0		27.10	32x16	2.52	1.74
1.74	2.52	16		23.75	7- 6		29.15	16	2.52	1.74

N. D. 600 N. D. 601

If made with raised panel ¾" thick, add list.....	\$0.50	\$0.50
If made with raised panel 1⅛" thick, add list.....	1.05	1.05
If made with raised panel 1⅜" thick, add list.....	1.45	1.45
If made with raised panel 1¾" thick, add list.....	2.45	2.45

	1⅜"	1¾"
If above doors are made with 4¾" stiles and top rail, deduct list	\$0.48	\$0.75
If N. D. 600 is made with five lights, add per door.....	.90	1.00

For other door extras, see pages 147-156.



N. D. 602

N. D. 602

Stiles and Top Rail not over 5½" wide overall.

Lock Rail not over 5½" wide overall.


Cross Rail and Mullion not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅞" thick.

Standard Stock Sticking.

Beads for glass included.



N. D. 603

N. D. 603

Stiles, Top and Lock Rail not over 5½" wide overall.

Mullion not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅞" thick.

Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List.

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$1.62	\$2.36	22x22	\$23.55	\$30.15	2- 8x6- 8	\$22.45	\$28.70	22x22	\$2.61	\$1.89
1.62	2.36	22	25.10	32.05	7- 0	23.90	30.55	22	2.61	1.89
2.08	3.08	24x24	23.75	30.45	2-10x6- 8	22.75	29.15	24x24	2.61	1.89
2.08	3.08	24	25.20	32.15	6-10	24.15	30.80	24	2.61	1.89
2.08	3.08	24	25.35	32.40	7- 0	24.30	31.05	24	2.61	1.89
2.48	3.66	26x26	24.05	30.70	3- 0x6- 8	23.20	29.60	26x26	3.24	2.34
2.48	3.66	26	25.70	32.70	7- 0	24.75	31.50	26	3.24	2.34
3.40	5.20	30x30		33.45	3- 4x7- 0		32.40	30x30	4.05	2.97
3.40	5.20	30		35.80	7- 6		34.70	30	4.05	2.97
3.88	5.94	32x32		33.55	3- 6x7- 0		32.90	32x32	5.31	3.87
3.88	5.94	32		35.90	7- 6		35.20	32	5.31	3.87

N. D. 602 N. D. 603

If door is made with raised panel ¾" thick, add list.....	\$0.30	\$0.65
If door is made with raised panel 1⅛" thick, add list.....	.70	1.35
If door is made with raised panel 1⅜" thick, add list.....	1.05	1.85
If door is made with raised panel 1¾" thick, add list.....	1.80	3.00

	1⅜"	1¾"
If N. D. 602 is made with 4¾" stiles and top rail, deduct list per door.....	\$0.48	\$0.75
If N. D. 603 is made with 4¾" stiles, top and lock rails, deduct list per door.....	.60	.93

For other door extras, see pages 147-156.

Side Lights,
Transoms and
Blind Doors
Pine
139


Extras,
Pine Door
14

Combination
Doors and
Extras
161

Window
Screens
164


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273



N. D. 604

N. D. 604
 Stiles, Top and Lock Rail not over $5\frac{1}{2}$ " wide overall.
 Mullion not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick, or solid raised or solid flat panels not over $\frac{9}{16}$ " thick.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 605

N. D. 605
 Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Cross Rails and Mullions not over $2\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Bars not over $1\frac{1}{2}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick, or solid raised or solid flat panels not over $\frac{9}{16}$ " thick.

Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List.


Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Opening 1 Light	Glass List DS	Glass List SS
\$1.81	\$2.77	22x22	\$16.90	\$21.65	2- 8x6- 8	\$11.70	\$14.95	6¾x11 7/8	\$0.43	\$0.31
1.81	2.77	22	18.10	23.15	7- 0	12.60	16.10	12 11/16	.47	.34
2.27	3.46	24x24	17.15	21.95	2-10x6- 8	11.85	15.15	7½x11 7/8	.43	.31
2.27	3.46	24	18.25	23.25	6-10	12.70	16.15	12 1/4	.47	.34
2.27	3.46	24	18.40	23.50	7- 0	12.80	16.35	12 11/16	.47	.34
2.53	3.89	26x26	17.40	22.20	3- 0x6- 8	12.10	15.45	8 x11 7/8	.43	.31
2.53	3.89	26	18.70	23.75	7- 0	13.10	16.65	12 11/16	.47	.34
3.71	5.51	30x30		24.35	3- 4x7- 0		17.20	9½x12 11/16	.59	.43
3.71	5.51	30		26.25	7- 6		18.65	13 7/8	.63	.46
4.69	6.70	32x32		24.60	3- 6x7- 0		17.55	10 x12 11/16	.59	.43
4.69	6.70	32		26.55	7- 6		19.05	13 7/8	.63	.46

N. D. 604 N. D. 605

If door is made with raised panel ¾" thick, add list.....	\$0.65	\$0.80
If door is made with raised panel 1¼" thick, add list.....	1.35	1.75
If door is made with raised panel 1⅝" thick, add list.....	1.85	3.15
If door is made with raised panel 1¾" thick, add list.....	3.00	4.90

	<u>1⅝"</u>	<u>1¾"</u>
If N. D. 604 is made with 4¾" stiles and top rail, deduct list per door.....	\$0.48	\$0.75
If N. D. 605 is made one light, including beads for glass, deduct list	.55	.60
If door N. D. 605 is made Circle Top, in and out, Rule 26, Sections (B) and (K), add list.....	15.00	15.00


For other door extras, see pages 147-156.



N. D. 606

N. D. 606

Stiles and Top Rail not over 5½" wide overall.
 Cross Rail not over 5½" wide overall.
 Lock Rail not over 8" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Mullion not over 5½" wide overall.
 Bars not over 2¾" wide overall.
 Raised Panels two sides not over ¾" thick.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 607

N. D. 607

Stiles and Top Rail not over 5½" wide overall.
 Cross Rail not over 6" wide overall.
 Lock Rail not over 8¾" wide overall.

Bottom Rail not over 9¾" wide overall.
 Mullion not over 6" wide overall. Bars not over 2½" wide overall.
 Raised Panels two sides not over ¾" thick.
 Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List.

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$0.61	\$0.88	6⅜ x 9	\$16.40	\$21.00	2- 8x6- 8	\$17.10	\$21.90	4⅜x11	\$0.88	\$0.64
.87	1.26	13	17.60	22.50	7- 0	18.35	23.45	15	1.22	.88
.63	.84	6⅜x9	16.70	21.40	2-10x6- 8	17.35	22.25	4⅞x11	1.07	.74
.81	1.18	11	17.80	22.70	6-10	18.50	23.60	13	1.18	.86
1.02	1.41	13	17.90	22.90	7- 0	18.65	23.85	15	1.34	.98
.78	1.08	7½ x 9	17.10	21.80	3- 0x6- 8	17.75	22.65	5⅜x11	1.18	.81
1.02	1.41	13	18.35	23.30	7- 0	19.10	24.25	15	1.60	1.12
1.14	1.56	8⅜x13		24.30	3- 4x7- 0		25.25	6⅜x15	1.92	1.32
1.44	2.14	19		26.35	7- 6		27.30	21	3.08	2.08
1.29	1.77	9½ x13		24.70	3- 6x7- 0		25.65	6⅞x15	2.20	1.52
1.92	2.79	19		26.80	7- 6		27.75	21	3.34	2.26

N. D. 606 N. D. 607

If made with raised panel not over 1⅛" thick, add list.	\$0.50	\$0.50
If made with raised panel not over 1⅜" thick, add list.	1.50	1.50
If made with raised panel not over 1¾" thick, add list.	2.70	2.70
If made with raised panel not over 9/16" thick, deduct list.	.45	.45

SQUARE HEAD LIGHTS

If above designs are furnished with square head lights instead of scalloped as shown, deduct list—1⅜"
 1¾"

6.00	6.55
6.10	6.65

	1⅜"	1¾"
If N. D. 606 is made with 4¾" stiles, top rail and mullion, deduct list.	\$0.60	\$0.93

For other door extras, see pages 147-156.

Side Lights,
 Toilet and
 Blind Door
 Pine
 139


Extras,
 Pine Door
 14

Combination
 Doors and
 Extras
 161

Window
 Screens

Uncovered
 Door Lists
 and Extras
 197

Flush Door
 Lists and
 Extras
 273



N. D. 608

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.

Lock Rail not over $4\frac{3}{4}$ " wide overall.

Cross Rail not over $9\frac{3}{4}$ " wide overall.

Mullion not over $4\frac{3}{4}$ " wide overall.

Bottom Rail not over $8\frac{3}{4}$ " wide overall.

Bars not over $3\frac{1}{2}$ " wide overall.

Raised Panels two sides, not over $1\frac{1}{8}$ " thick.

Standard Stock Sticking.

Beads for glass included.


*Glass lists shown are taken from
Jobber's Single Light List.*

Size of Door	Open List 1 $\frac{1}{2}$	Open List 1 $\frac{3}{4}$	Glass Size	Glass List SS	Glass List DS
2- 8x6- 8	\$21.20	\$27.15	6 $\frac{1}{8}$ x26 $\frac{7}{8}$	\$2.04	\$3.12
7- 0	21.70	27.75	30 $\frac{7}{8}$	2.40	3.68
2-10x6- 8	21.25	27.25	6 $\frac{3}{4}$ x26 $\frac{7}{8}$	2.27	3.47
6-10	21.75	27.75	28 $\frac{7}{8}$	2.40	3.68
7- 0	21.80	27.85	30 $\frac{7}{8}$	2.55	3.90
3- 0x6- 8	21.45	27.35	7 $\frac{3}{8}$ x26 $\frac{7}{8}$	2.40	3.68
7- 0	22.00	27.95	30 $\frac{7}{8}$	2.72	4.16
3- 4x7- 0		28.15	8 $\frac{13}{16}$ x30 $\frac{7}{8}$	3.14	4.80
7- 6		28.90	36 $\frac{7}{8}$	4.05	6.02
3- 6x7- 0		28.25	9 $\frac{1}{2}$ x30 $\frac{7}{8}$	3.54	5.43
7- 6		29.00	36 $\frac{7}{8}$	4.29	6.57

N. D. 608


If made with raised panel not over $1\frac{3}{8}$ " thick, add list.	\$0.60
If made with raised panel not over $1\frac{3}{4}$ " thick, add list.	1.80
If made with raised panels not over $\frac{9}{16}$ " thick, deduct list.	1.20
If made with raised panels not over $\frac{3}{4}$ " thick, deduct list.	.75

For other door extras, see pages 147-156.



N. D. 609

Stiles and Top Rail not over 4¾" wide overall.
 Lock and Cross Rails not over 4¾" wide overall.
 Bottom Rail not over 8" wide overall.
 Mullion not over 4¾" wide overall.
 Bars ½" between glass.
 Hip Raised Panels not over 1¾" thick for 1¾" doors.
 Hip Raised Panels not over 1⅝" thick for 1⅝" doors.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 610

Glass lists shown are taken from Jobber's Single Light List.

Glass List SS	Glass List DS	Glass Size	Open List 1½"	Open List 1¾"	Size of Door	Open List 1½"	Open List 1¾"	Glass Size	Glass List SS	Glass List DS
\$1.89	\$2.61	7½ x 7⅝	\$18.90	\$24.20	2- 8x6-	8	\$19.75	\$25.25	5⅝x 7⅝	\$2.64 \$1.92
2.34	3.24	9	19.40	24.80	7- 0	20.25	25.85	9	3.21	2.22
2.34	3.24	8⅛ x 7⅝	18.95	24.30	2-10x6-	8	19.80	25.35	6⅛x 7⅝	3.03 2.10
2.34	3.24	8⅝ ₁₆	19.45	24.80	6-10	20.30	25.85	8⅝ ₁₆	3.42	2.37
2.34	3.24	9	19.50	24.90	7- 0	20.35	25.95	9	3.42	2.37
2.34	3.24	8⅛ ₁₆ x 7⅝	19.10	24.40	3- 0x6-	8	19.95	25.45	6⅝ ₈ x 7⅝	3.30 2.28
2.34	3.24	9	19.65	25.00	7- 0	20.50	26.05	9	3.36	2.52
2.88	3.96	10⅛x 9		25.20	3- 4x7-	0		26.25	7⅝x 9	4.23 2.94
3.87	5.31	11		25.95	7- 6		27.00	11	5.16	3.72
2.88	3.96	10⅛ ₁₆ x 9		25.30	3- 6x7-	0		26.35	8⅝ ₈ x 9	4.32 3.12
3.87	5.31	11		26.05	7- 6		27.10	11	5.28	3.84

N. D. 609 N. D. 610

If beads are omitted on door, deduct list..... **\$0.60 \$0.80**

Designs N. D. 609 or N. D. 610: **1⅝" 1¾"**

If made with raised panels not over 1⅝" thick, deduct list **.... \$1.20**

If made with raised panels not over 1⅝" thick, deduct list **\$0.60 1.80**

If made with raised panels not over ¾" thick, deduct list **1.35 2.55**

If made with raised panels not over ⅝" thick, deduct list **1.80 3.00**

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine Door
14

Combination
Doors and
Extras
161

Window
Screens


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271



N. D. 612

Stiles and Top Rail not over $5\frac{1}{2}$ " wide overall.
 Lock Rail not over $7\frac{1}{4}$ " wide overall.
 Bottom Rail not over $8\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Raised Panels not over $1\frac{1}{8}$ " thick.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 613

Class lists shown are taken from Jobber's Single Light List.

Class List SS	Class List DS			Open List 1½"	Open List 1¼"	Size of Door	Open List 1½"	Open List 1¼"		Class List DS	Class List SS	
\$2.79	\$3.87	7	x12	\$16.60	\$21.25	2- 8x6-	8	\$17.45	\$22.30	5½x12	\$4.04	\$2.74
3.33	4.50		13⅝	17.10	21.85	7- 0	17.90	22.90		13⅝	5. 1	3.39
2.79	3.87	7½	x12	16.65	21.35	2-10x6-	8	17.50	22.40	5½x12	4.62	3.12
3.06	4.23		12⅝	17.15	21.85	6-10	17.95	22.90		12⅝	5.01	3.39
3.33	4.50		13⅝	17.20	21.95	7- 0	18.00	23.00		13⅝	5.49	3.72
3.15	4.32	8⅝	x12	16.80	21.45	3- 0x6-	8	17.65	22.50	6½x12	5.01	3.39
3.69	5.13		13⅜	17.35	22.05	7- 0	18.15	23.10		13⅜	6.24	4.08
4.14	5.67	9⅝	x13⅜		22.25	3- 4x7-	0		23.30	7⅝x13⅜	6.00	4.44
4.86	7.02		15⅝		23.00	7- 6		24.05		15⅝	6.96	5.04
4.50	6.21	10⅝	x13⅜		22.35	3- 6x7-	0		23.40	7⅝x13⅜	6.00	4.44
5.40	7.74		15⅜		23.10	7- 6		24.15		15⅜	6.96	5.04

N. D. 612 N. D. 613

If beads are omitted on door, deduct list.....	\$0.65	\$0.85
If made with raised panel not over $1\frac{3}{8}$ " thick, add list....	.40	.40
If made with raised panel not over $1\frac{3}{4}$ " thick, add list....	1.20	1.20
If made with raised panel not over $\frac{9}{16}$ " thick, deduct.....	.80	.80
If made with raised panel not over $\frac{3}{4}$ " thick, deduct.....	.35	.35


1 $\frac{3}{8}$ " 1 $\frac{3}{4}$ "

If above doors made with $4\frac{3}{4}$ " stiles and top rail, deduct list....	\$0.48	\$0.75
--	--------	--------


For other door extras, see pages 147-156.

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Bars $1\frac{1}{2}$ " between glass, in door
 N. D. 621.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 620



N. D. 621

Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS
\$5.57	$9\frac{1}{2} \times 64\frac{1}{2}$	\$5.10	\$6.70	1- 6x6- 6				
5.57	$66\frac{1}{2}$	5.20	6.80	6- 8				
5.57	$68\frac{1}{2}$	5.50	7.25	6-10				
5.57	$70\frac{1}{2}$	5.60	7.35	7- 0				
7.50	$15\frac{1}{2} \times 64\frac{1}{2}$	5.30	7.00	2- 0x6- 6	\$7.05	\$ 9.30	$4\frac{1}{2} \times 64\frac{1}{2}$	\$7.50
7.50	$66\frac{1}{2}$	5.40	7.10	6- 8	7.15	9.40	$66\frac{1}{2}$	7.50
9.27	$68\frac{1}{2}$	5.75	7.55	6-10	7.50	9.85	$68\frac{1}{2}$	9.27
9.27	$70\frac{1}{2}$	5.80	7.70	7- 0	7.55	10.00	$70\frac{1}{2}$	9.27
11.13	$19\frac{1}{2} \times 64\frac{1}{2}$	5.45	7.20	2- 4x6- 6	7.20	9.50	$5\frac{1}{2} \times 64\frac{1}{2}$	8.75
11.13	$66\frac{1}{2}$	5.55	7.30	6- 8	7.30	9.60	$66\frac{1}{2}$	9.27
11.13	$68\frac{1}{2}$	5.85	7.75	6-10	7.60	10.05	$68\frac{1}{2}$	9.27
11.13	$70\frac{1}{2}$	5.95	7.90	7- 0	7.70	10.20	$70\frac{1}{2}$	9.27
11.13	$21\frac{1}{2} \times 64\frac{1}{2}$	5.50	7.30	2- 6x6- 6	7.25	9.60	$6\frac{1}{2} \times 64\frac{1}{2}$	11.13
11.13	$66\frac{1}{2}$	5.60	7.40	6- 8	7.35	9.70	$66\frac{1}{2}$	11.13
11.13	$68\frac{1}{2}$	5.95	7.90	6-10	7.70	10.20	$68\frac{1}{2}$	11.13
11.13	$70\frac{1}{2}$	6.00	8.00	7- 0	7.75	10.30	$70\frac{1}{2}$	11.13
13.91	$76\frac{1}{2}$	6.55	8.70	7- 6	8.30	11.00	$76\frac{1}{2}$	11.13
13.91	$23\frac{1}{2} \times 66\frac{1}{2}$	5.65	7.50	2- 8x6- 8	7.40	9.80	$6\frac{1}{2} \times 66\frac{1}{2}$	11.13
13.91	$68\frac{1}{2}$	6.00	8.00	6-10	7.75	10.30	$68\frac{1}{2}$	11.13
13.91	$70\frac{1}{2}$	6.10	8.10	7- 0	7.85	10.40	$70\frac{1}{2}$	11.13
13.91	$76\frac{1}{2}$	6.60	8.85	7- 6	8.35	11.15	$76\frac{1}{2}$	13.91
13.91	$25\frac{1}{2} \times 66\frac{1}{2}$	5.75	7.60	2-10x6- 8	7.50	9.90	$7\frac{1}{2} \times 66\frac{1}{2}$	11.25
13.91	$68\frac{1}{2}$	6.10	8.10	6-10	7.85	10.40	$68\frac{1}{2}$	13.91
13.91	$70\frac{1}{2}$	6.15	8.20	7- 0	7.90	10.50	$70\frac{1}{2}$	13.91
15.89	$76\frac{1}{2}$	6.70	8.95	7- 6	8.45	11.25	$76\frac{1}{2}$	13.91
13.91	$27\frac{1}{2} \times 66\frac{1}{2}$	5.80	7.70	3- 0x6- 8	7.55	10.00	$8\frac{1}{2} \times 66\frac{1}{2}$	13.91
13.91	$68\frac{1}{2}$	6.15	8.20	6-10	7.90	10.50	$68\frac{1}{2}$	13.91
13.91	$70\frac{1}{2}$	6.25	8.30	7- 0	8.00	10.60	$70\frac{1}{2}$	13.91
15.89	$76\frac{1}{2}$	6.75	9.05	7- 6	8.50	11.35	$76\frac{1}{2}$	15.89

N. D. 620 N. D. 621

If beads are omitted, deduct list.....	\$0.50	\$0.55
$3\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	$1\frac{1}{8}$ " Thick \$0.80	$1\frac{1}{4}$ " Thick \$1.25
$5\frac{1}{2}$ " Stiles and Top Rail, add list.....	.48	.75
$11\frac{1}{2}$ " Bottom Rail, add list.....	.28	.42
$12\frac{1}{2}$ " Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.

Side Lights,
 Toilet and
 Blind Doors
 Pine
 139


Extras,
 Pine Door
 14

Combination
 Doors and
 Extras
 161

Window
 Screens

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 229



N. D. 622

Stiles and Top Rail not over 4 3/4" wide overall.
 Bottom Rail not over 9 3/4" wide overall.
 Bars 1/2" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*




N. D. 623

Glass List SS	Glass List DS	Glass Size	Open List 1 1/2	Open List 1 3/4	Size of Door	Open List 1 1/2	Open List 1 3/4	Class Size Corner Lights	Glass List DS
\$3.36	\$4.64	7 1/2 x 15 3/4	\$6.70	\$8.70	2- 0x6- 6			...	
3.92	5.68	16 1/4	6.80	8.80	6- 8			...	
3.92	5.68	16 3/4	7.15	9.25	6-10			...	
3.92	5.68	17 1/4	7.20	9.40	7- 0			...	
4.32	6.24	9 1/2 x 15 3/4	6.85	8.90	2- 4x6- 6	\$7.70	\$9.90	5x5	\$8.27
4.88	7.04	16 1/4	6.95	9.00	6- 8	7.80	10.00	5x5	9.42
4.88	7.04	16 3/4	7.25	9.45	6-10	8.10	10.45	5x5	9.49
4.88	7.04	17 1/4	7.35	9.60	7- 0	8.20	10.60	5x5	9.49
4.80	6.88	10 1/2 x 15 3/4	6.90	9.00	2- 6x6- 6	7.75	10.00	5x5	9.51
5.44	7.84	16 1/4	7.00	9.10	6- 8	7.85	10.10	5x5	9.51
5.44	7.84	16 3/4	7.35	9.60	6-10	8.20	10.60	5x5	9.58
5.76	8.32	17 1/4	7.40	9.70	7- 0	8.25	10.70	5x5	11.31
5.76	8.32	18 3/4	7.95	10.40	7- 6	8.80	11.40	5x5	12.12
5.92	8.56	11 1/2 x 16 1/4	7.05	9.20	2- 8x6- 8	7.90	10.20	5x5	10.94
5.92	8.56	16 3/4	7.40	9.70	6-10	8.25	10.70	5x5	11.46
5.92	8.56	17 1/4	7.50	9.80	7- 0	8.35	10.80	5x5	11.54
6.08	8.80	18 3/4	8.00	10.55	7- 6	8.85	11.55	5x5	12.17
6.32	9.12	12 1/2 x 16 1/4	7.15	9.30	2-10x6- 8	8.00	10.30	5x5	11.62
6.32	9.12	16 3/4	7.50	9.80	6-10	8.35	10.80	5x5	11.62
6.32	9.12	17 1/4	7.55	9.90	7- 0	8.40	10.90	5x5	12.25
6.96	10.08	18 3/4	8.10	10.65	7- 6	8.95	11.65	5x5	15.03
6.72	9.76	13 1/2 x 16 1/4	7.20	9.40	3- 0x6- 8	8.05	10.40	5x5	11.83
6.72	9.76	16 3/4	7.55	9.90	6-10	8.40	10.90	5x5	13.39
6.72	9.76	17 1/4	7.65	10.00	7- 0	8.50	11.00	5x5	13.86
7.20	10.48	18 3/4	8.15	10.75	7- 6	9.00	11.75	5x5	15.24

N. D. 622 N. D. 623


If beads are omitted, deduct list.....	\$0.60	\$0.75
3 1/2" Stiles and Top Rail, deduct list.....	1 3/8" Thick \$0.80	1 3/4" Thick \$1.25
5 1/2" Stiles and Top Rail, add list.....	.48	.75
11 1/2" Bottom Rail, add list.....	.28	.42
12 1/2" Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.



N. D. 624

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.
 Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 625

*Glass lists shown are taken from
 Jobber's Single Light List.*

Class List DS	Class Size Top Lights	Open List 1 $\frac{1}{2}$	Open List 1 $\frac{1}{4}$	Size of Door	Open List 1 $\frac{1}{2}$	Open List 1 $\frac{1}{4}$	Class Size	Class List DS	Class List SS
\$6.53	4 $\frac{1}{2}$ x4 $\frac{1}{2}$	\$7.55	\$ 9.70	2- 0x6- 6	\$7.25	\$ 9.35	7 $\frac{1}{2}$ x12 $\frac{1}{2}$	\$4.70	\$3.40
7.12	4 $\frac{1}{2}$ x4 $\frac{1}{2}$	7.65	9.80	6- 8	7.35	9.45	12 $\frac{1}{2}$ x12 $\frac{1}{2}$	4.70	3.40
7.12	4 $\frac{1}{2}$ x4 $\frac{1}{2}$	8.00	10.25	6-10	7.70	9.90	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	5.00	3.70
7.12	4 $\frac{1}{2}$ x4 $\frac{1}{2}$	8.05	10.40	7- 0	7.75	10.05	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	5.00	3.70
8.63	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	7.70	9.90	2- 4x6- 6	7.40	9.55	9 $\frac{1}{2}$ x12 $\frac{1}{2}$	5.90	4.30
8.63	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	7.80	10.00	6- 8	7.50	9.65	12 $\frac{1}{2}$ x12 $\frac{1}{2}$	5.90	4.30
9.85	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	8.10	10.45	6-10	7.80	10.10	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	6.30	4.60
9.85	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	8.20	10.60	7- 0	7.90	10.25	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.30	4.60
8.81	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	7.75	10.00	2- 6x6- 6	7.45	9.65	10 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.40	4.70
10.03	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	7.85	10.10	6- 8	7.55	9.75	12 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.40	4.70
10.03	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	8.20	10.60	6-10	7.90	10.25	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	6.90	5.00
10.03	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	8.25	10.70	7- 0	7.95	10.35	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.90	5.00
11.94	6 $\frac{1}{2}$ x6 $\frac{1}{2}$	8.80	11.40	7- 6	8.50	11.05	14 $\frac{1}{2}$ x12 $\frac{1}{2}$	8.00	5.60
10.24	7 $\frac{1}{2}$ x7 $\frac{1}{2}$	7.90	10.20	2- 8x6- 8	7.60	9.85	11 $\frac{1}{2}$ x12 $\frac{1}{2}$	7.00	5.10
10.24	7 $\frac{1}{2}$ x7 $\frac{1}{2}$	8.25	10.70	6-10	7.95	10.35	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	8.20	5.70
11.96	7 $\frac{1}{2}$ x7 $\frac{1}{2}$	8.35	10.80	7- 0	8.05	10.45	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	8.20	5.70
12.78	7 $\frac{1}{2}$ x7 $\frac{1}{2}$	8.85	11.55	7- 6	8.55	11.20	14 $\frac{1}{2}$ x12 $\frac{1}{2}$	8.80	6.10
11.22	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.00	10.30	2-10x6- 8	7.70	9.95	12 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.60	6.60
12.94	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.35	10.80	6-10	8.05	10.45	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	9.60	6.60
12.94	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.40	10.90	7- 0	8.10	10.55	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.60	6.60
13.76	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.95	11.65	7- 6	8.65	11.30	14 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.60	6.60
12.94	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.05	10.40	3- 0x6- 8	7.75	10.05	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.60	6.60
12.94	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.40	10.90	6-10	8.10	10.55	13 $\frac{1}{4}$ x12 $\frac{1}{2}$	9.60	6.60
12.94	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	8.50	11.00	7- 0	8.20	10.65	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.60	6.60
16.54	8 $\frac{1}{2}$ x8 $\frac{1}{2}$	9.00	11.75	7- 6	8.70	11.40	14 $\frac{1}{2}$ x12 $\frac{1}{2}$	11.00	7.60

N. D. 624 N. D. 625

If beads are omitted, deduct list.....	\$0.75	\$0.70
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	\$0.80	\$1.25
5 $\frac{1}{2}$ " Stiles and Top Rail, add list.....	.48	.75
11 $\frac{1}{2}$ " Bottom Rail, add list.....	.28	.42
12 $\frac{1}{2}$ " Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.

Side Lights,
 Toilet and
 Blind Door
 Pine
 139


Extras,
 Pine Door
 14

Combination
 Doors and
 Extras
 161

Window
 Screens

Veneered
 Door Lists
 and Extras
 197


Flush Door
 Lists and
 Extras
 273



N. D. 626

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List.*



N. D. 627


Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{4}$	Open List $1\frac{3}{4}$	Size of Door	Open List $1\frac{1}{4}$	Open List $1\frac{3}{4}$	Glass Size	Glass List DS	Glass List SS
\$3.24	\$4.72	$4\frac{1}{4}\times 15\frac{1}{4}$	\$7.50	\$ 9.70	2- 0x6- 6	\$8.05	\$10.35	$4\frac{1}{4}\times 12\frac{1}{2}$	\$4.80	\$3.30
3.60	5.24	$16\frac{1}{4}$	7.60	9.80	6- 8	8.15	10.45	$12\frac{1}{2}$	4.80	3.30
3.60	5.24	$16\frac{1}{4}$	7.95	10.25	6-10	8.50	10.90	$13\frac{1}{4}$	5.50	3.80
3.60	5.24	$17\frac{1}{4}$	8.00	10.40	7- 0	8.55	11.05	$13\frac{1}{2}$	5.50	3.80
4.52	6.68	$6\frac{1}{2}\times 15\frac{1}{4}$	7.65	9.90	2- 4x6- 6	8.20	10.55	$6\frac{1}{2}\times 12\frac{1}{2}$	6.30	4.35
5.06	7.78	$16\frac{1}{4}$	7.75	10.00	6- 8	8.30	10.65	$12\frac{1}{2}$	6.30	4.35
5.06	7.78	$16\frac{1}{4}$	8.05	10.45	6-10	8.60	11.10	$13\frac{1}{4}$	6.80	4.70
5.20	7.68	$17\frac{1}{4}$	8.15	10.60	7- 0	8.70	11.25	$13\frac{1}{2}$	6.80	4.70
5.10	7.80	$6\frac{1}{2}\times 15\frac{1}{4}$	7.70	10.00	2- 6x6- 6	8.25	10.65	$6\frac{1}{2}\times 12\frac{1}{2}$	7.65	4.98
5.43	8.31	$16\frac{1}{4}$	7.80	10.10	6- 8	8.35	10.75	$12\frac{1}{2}$	7.65	4.98
5.43	8.31	$16\frac{1}{4}$	8.15	10.60	6-10	8.70	11.25	$13\frac{1}{4}$	8.23	5.35
5.76	8.56	$17\frac{1}{4}$	8.20	10.70	7- 0	8.75	11.35	$13\frac{1}{2}$	7.50	5.55
5.97	9.18	$18\frac{1}{4}$	8.75	11.40	7- 6	9.30	12.05	$14\frac{1}{2}$	8.10	5.85
5.82	8.91	$7\frac{1}{2}\times 16\frac{1}{4}$	7.85	10.20	2- 8x6- 8	8.40	10.85	$7\frac{1}{2}\times 12\frac{1}{2}$	7.05	5.10
5.82	8.91	$16\frac{1}{4}$	8.20	10.70	6-10	8.75	11.35	$13\frac{1}{4}$	7.50	5.55
5.88	8.52	$17\frac{1}{4}$	8.30	10.80	7- 0	8.85	11.45	$13\frac{1}{2}$	7.50	5.55
6.42	9.87	$18\frac{1}{4}$	8.80	11.55	7- 6	9.35	12.20	$14\frac{1}{2}$	8.10	5.85
6.72	9.60	$8\frac{1}{2}\times 16\frac{1}{4}$	7.95	10.30	2-10x6- 8	8.50	10.95	$8\frac{1}{2}\times 12\frac{1}{2}$	7.80	5.70
6.72	9.60	$16\frac{1}{4}$	8.30	10.80	6-10	8.85	11.45	$13\frac{1}{4}$	8.55	6.15
6.72	9.60	$17\frac{1}{4}$	8.35	10.90	7- 0	8.90	11.55	$13\frac{1}{2}$	8.55	6.15
7.32	10.56	$18\frac{1}{4}$	8.90	11.65	7- 6	9.45	12.30	$14\frac{1}{2}$	9.15	6.60
6.72	9.60	$8\frac{1}{2}\times 16\frac{1}{4}$	8.00	10.40	3- 0x6- 8	8.55	11.05	$8\frac{1}{2}\times 12\frac{1}{2}$	7.80	5.70
6.72	9.60	$16\frac{1}{4}$	8.35	10.90	6-10	8.90	11.55	$13\frac{1}{4}$	8.55	6.15
6.72	9.60	$17\frac{1}{4}$	8.45	11.00	7- 0	9.00	11.65	$13\frac{1}{2}$	8.55	6.15
7.32	10.56	$18\frac{1}{4}$	8.95	11.75	7- 6	9.50	12.40	$14\frac{1}{2}$	9.15	6.60

N. D. 626 N. D. 627

If beads are omitted, deduct list.....	\$0.85	\$0.95
	$1\frac{3}{8}$ " Thick	$1\frac{3}{4}$ " Thick
$3\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	\$0.80	\$1.25
$5\frac{1}{2}$ " Stiles and Top Rail, add list.....	.48	.75
$11\frac{1}{2}$ " Bottom Rail, add list.....	.28	.42
$12\frac{1}{2}$ " Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.

Stiles and Top Rail not over 4¾" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 628

Size of Door	Open List 1¾	Open List 1¾	Glass Size	Glass List SS	Glass List DS
2- 0x6- 6	\$ 3.60	\$11.00	4 ¹³ / ₁₆ x10 ⁵ / ₁₆	\$3.51	\$4.86
6- 8	8.70	11.10	10 ⁵ / ₈	3.51	4.86
6-10	9.05	11.55	11	3.51	4.86
7- 0	9.10	11.70	11 ⁵ / ₁₆	3.51	4.86
2- 4x6- 6	8.75	11.20	6 ¹ / ₈ x10 ⁵ / ₁₆	4.23	5.76
6- 8	8.85	11.30	10 ⁵ / ₈	4.23	5.76
6-10	9.15	11.75	11	4.23	5.76
7- 0	9.25	11.90	11 ⁵ / ₁₆	4.59	6.30
2- 6x6- 6	8.80	11.30	6 ¹³ / ₁₆ x10 ⁵ / ₁₆	4.50	6.21
6- 8	8.90	11.40	10 ⁵ / ₈	4.50	6.21
6-10	9.25	11.90	11	4.50	6.21
7- 0	9.30	12.00	11 ⁵ / ₁₆	5.13	7.38
7- 6	9.85	12.70	12 ⁵ / ₁₆	5.94	8.64
2- 8x6- 8	8.95	11.50	7 ¹ / ₂ x10 ⁵ / ₈	5.04	7.20
6-10	9.30	12.00	11	5.04	7.20
7- 0	9.40	12.10	11 ⁵ / ₁₆	5.49	7.92
7- 6	9.90	12.85	12 ⁵ / ₁₆	5.94	8.64
2-10x6- 8	9.05	11.60	8 ¹ / ₈ x10 ⁵ / ₈	5.76	7.92
6-10	9.40	12.10	11	5.76	7.92
7- 0	9.45	12.20	11 ⁵ / ₁₆	6.30	8.64
7- 6	10.00	12.95	12 ⁵ / ₁₆	6.84	9.36
3- 0x6- 8	9.10	11.70	8 ¹³ / ₁₆ x10 ⁵ / ₈	5.76	7.92
6-10	9.45	12.20	11	5.76	7.92
7- 0	9.55	12.30	11 ⁵ / ₁₆	6.30	8.64
7- 6	10.05	13.05	12 ⁵ / ₁₆	6.84	9.36

N. D. 628

If beads are omitted, deduct list.....	\$1.10	
	1 ³ / ₈ " Thick	1 ³ / ₄ " Thick
3 ¹ / ₂ " Stiles and Top Rail, deduct list.....	\$0.80	\$1.25
5 ¹ / ₂ " Stiles and Top Rail, add list.....	.48	.75
11 ¹ / ₂ " Bottom Rail, add list.....	.28	.42
12 ¹ / ₂ " Bottom Rail, add list.....	.44	.66

For other door extras, see pages 147-156.

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
14


Combination
Doors and
Extras
161

Window
Screens

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

(STANDARD LISTS)



Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*

N. D. 636

Class List SS	Class List DS	Class Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Class Size	Class List DS	Class List SS
.....	\$2.93	8x54	\$6.35	\$ 8.30	1- 6x6- 6					
.....	3.23	56	6.40	8.45	6- 8					
.....	3.23	58	6.85	9.00	6-10					
.....	3.23	60	6.90	9.10	7- 0					
.....	4.69	14x54	6.80	8.95	2- 0x6- 6	\$8.55	\$11.25	3½x54	\$4.26	
.....	5.21	56	6.90	9.10	6- 8	8.65	11.40	56	4.26	
.....	5.73	58	7.30	9.65	6-10	9.05	11.95	58	4.69	
.....	5.73	60	7.40	9.80	7- 0	9.15	12.10	60	5.16	
.....	7.37	18x54	7.10	9.40	2- 4x6- 6	8.85	11.70	5 x54	5.86	
.....	7.37	56	7.20	9.55	6- 8	8.95	11.85	56	6.45	
.....	7.37	58	7.65	10.15	6-10	9.40	12.45	58	6.45	
.....	7.37	60	7.75	10.25	7- 0	9.50	12.55	60	6.45	
.....	7.37	20x54	7.20	9.50	2- 6x6- 6	8.95	11.80	5½x54	6.39	
.....	8.59	56	7.30	9.65	6- 8	9.05	11.95	56	6.39	
.....	8.59	58	7.75	10.25	6-10	9.50	12.55	58	7.04	
.....	8.59	60	7.85	10.40	7- 0	9.60	12.70	60	7.37	
.....	11.13	66	8.50	11.35	7- 6	10.25	13.65	66	8.75	
.....	8.59	22x56	7.45	9.85	2- 8x6- 8	9.20	12.15	6½x56	7.82	
.....	8.59	58	7.90	10.50	6-10	9.65	12.80	58	8.59	
.....	10.50	60	8.00	10.65	7- 0	9.75	12.95	60	8.59	
.....	11.13	66	8.65	11.55	7- 6	10.40	13.85	66	11.13	
.....	10.31	24x56	7.60	10.10	2-10x6- 8	9.35	12.40	7 x56	7.82	
.....	10.50	58	8.05	10.70	6-10	9.80	13.00	58	8.59	
.....	10.50	60	8.15	10.85	7- 0	9.90	13.15	60	10.50	
.....	11.13	66	8.85	11.80	7- 6	10.60	14.10	66	11.13	
.....	10.50	26x56	7.75	10.30	3- 0x6- 8	9.50	12.60	7½x56	9.68	
.....	10.50	58	8.20	10.95	6-10	9.95	13.25	58	9.68	
.....	11.13	60	8.30	11.05	7- 0	10.05	13.35	60	9.68	
.....	13.91	66	9.00	12.05	7- 6	10.75	14.35	66	11.13	
.....	13.91	72	9.30	12.45	8- 0	11.05	14.75	72	13.91	
.....	13.91	28x60	9.50	12.70	3- 4x7- 0	11.25	15.00	8½x60	11.06	
.....	13.91	66	10.35	13.85	7- 6	12.10	16.15	66	13.13	
.....	13.91	72	10.70	14.40	8- 0	12.45	16.70	72	13.91	
.....	13.91	30x60	9.70	12.90	3- 6x7- 0	11.45	15.20	9 x60	11.06	
.....	13.91	66	10.50	14.05	7- 6	12.25	16.35	66	13.13	
.....	18.54	72	10.90	14.60	8- 0	12.65	16.90	72	13.91	

If beads are omitted, deduct list.. .. .	\$0.50	\$0.60
--	--------	--------

1-Light Door N. D. 635


If doors have Plain Flush Mould not over $\frac{3}{4} \times 1\frac{1}{4}$, one side, not including Fillet, add list.....	\$1.25
If doors have Plain Raised Mould, not over $\frac{3}{4} \times 1\frac{1}{4}$, one side, not including Fillet, add list.....	1.75
If doors have single Fillet around glass opening, add per foot.....	.03½
	1½ 1½

If top rail is made 5½" wide overall, deduct list.....	\$0.15	\$0.22
For other door extras, see pages 147-156.		



Stiles up to and including 3-0 widths,
5½" wide overall.
Over 3-0 width, stiles will be 6½"
wide overall.
Top Rail not over 6½" wide overall.
Bottom Rail not over 18½" wide
overall.
Bars ½" between glass.
Beads for glass included.
Standard Stock Sticking.

*Class lists shown are taken from
Jobber's Single Light List.*



N. D. 637

N. D. 638

Class List SS	Class List DS	Class Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Class Size Corner Lights	Class List DS
\$2.96	\$4.00	6¼x13 ½	\$ 8.20	\$10.65	2- 0x6- 6			...	
2.96	4.00	13 ½	8.30	10.80	6- 8			...	
3.12	4.32	14 ½	8.70	11.35	6-10			...	
3.12	4.32	14 ½	8.80	11.50	7- 0			...	
3.28	4.56	8¾x13 ½	8.50	11.10	2- 4x6- 6	\$ 9.35	\$12.10	5x5	\$6.02
3.28	4.56	13 ½	8.60	11.25	6- 8	9.45	12.25	5x5	6.02
3.52	4.88	14 ½	9.05	11.85	6-10	9.90	12.85	5x5	6.67
3.52	4.88	14 ½	9.15	11.95	7- 0	10.00	12.95	5x5	6.67
3.68	5.04	9¾x13 ½	8.60	11.20	2- 6x6- 6	9.45	12.20	5x5	6.17
3.68	5.04	13 ½	8.70	11.35	6- 8	9.55	12.35	5x5	6.31
3.92	5.36	14 ½	9.15	11.95	6-10	10.00	12.95	5x5	6.69
3.92	5.36	14 ½	9.25	12.10	7- 0	10.10	13.10	5x5	7.11
4.88	7.04	16 ½	9.90	13.05	7- 6	10.75	14.05	5x5	9.40
4.00	5.52	10¼x13 ½	8.85	11.55	2- 8x6- 8	9.70	12.55	5x5	7.13
4.48	6.40	14 ½	9.30	12.20	6-10	10.15	13.20	5x5	7.60
4.48	6.40	14 ½	9.40	12.35	7- 0	10.25	13.35	5x5	8.05
5.44	7.84	16 ½	10.05	13.25	7- 6	10.90	14.25	5x5	9.58
4.56	6.56	11¾x13 ½	9.00	11.80	2-10x6- 8	9.85	12.80	5x5	7.74
4.88	7.04	14 ½	9.45	12.40	6-10	10.30	13.40	5x5	8.24
4.88	7.04	14 ½	9.55	12.55	7- 0	10.40	13.55	5x5	8.88
5.92	8.56	16 ½	10.25	13.50	7- 6	11.10	14.50	5x5	11.35
5.28	7.68	12¾x13 ½	9.15	12.00	3- 0x6- 8	10.00	13.00	5x5	8.56
5.28	7.68	14 ½	9.60	12.65	6-10	10.45	13.65	5x5	9.27
5.28	7.68	14 ½	9.70	12.75	7- 0	10.55	13.75	5x5	9.48
6.32	9.12	16 ½	10.40	13.75	7- 6	11.25	14.75	5x5	11.62
6.32	9.12	17 ½	10.70	14.15	8- 0	11.55	15.15	5x5	15.03
6.08	8.80	13¾x14 ½	10.90	14.40	3- 4x7- 0	11.75	15.40	5x5	10.34
6.72	9.76	16 ½	11.75	15.55	7- 6	12.60	16.55	5x5	13.91
6.72	9.76	17 ½	12.10	16.10	8- 0	12.95	17.10	5x5	17.29
6.08	8.80	14¾x14 ½	11.10	14.60	3- 6x7- 0	11.95	15.60	5x5	11.28
7.20	10.48	16 ½	11.90	15.75	7- 6	12.75	16.75	5x5	15.23
7.20	10.48	17 ½	12.30	16.30	8- 0	13.15	17.30	5x5	15.34

N. D. 637 N. D. 638

If beads are omitted, deduct list..... \$0.50 \$0.50

1½" 1¼"

If top rail is made 5½" wide overall, deduct list..... \$0.15 \$0.22

For other door extras, see pages 147-156.

Side Lights,
Twist and
Blind Doors
Pine
139

Extras,
Pine Door
14

Combination
Doors and
Extras
161

Window
Screens

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273


Standard Stock Sticking.

N. D. 640

Class List DS	Glass Size Top Lights	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$5.36	4 ½x4 ½	\$9.05	\$11.65	2- 0x6- 6	\$8.75	\$11.30	6 ½x10 ½	\$3.45	\$2.50
5.36	4 ½	9.15	11.80	6- 8	8.85	11.45	10 ½	3.45	2.50
5.36	4 ½	9.55	12.35	6-10	9.25	12.00	11 ½	4.10	2.85
5.88	4 ½	9.65	12.50	7- 0	9.35	12.15	11 ½	4.10	2.85
5.39	5 ½x5 ½	9.35	12.10	2- 4x6- 6	9.05	11.75	8 ½x10 ½	4.90	3.40
6.19	5 ½	9.45	12.25	6- 8	9.15	11.90	10 ½	4.90	3.40
6.19	5 ½	9.90	12.85	6-10	9.60	12.50	11 ½	4.80	3.50
6.84	5 ½	10.00	12.95	7- 0	9.70	12.60	11 ½	4.80	3.50
6.47	6 ½x6 ½	9.45	12.20	2- 6x6- 6	9.15	11.85	9 ½x10 ½	5.35	3.70
7.12	6 ½	9.55	12.35	6- 8	9.25	12.00	10 ½	5.35	3.70
7.12	6 ½	10.00	12.95	6-10	9.70	12.60	11 ½	5.40	3.90
7.12	6 ½	10.10	13.10	7- 0	9.80	12.75	11 ½	5.40	3.90
8.63	6 ½	10.75	14.05	7- 6	10.45	13.70	12 ½	5.90	4.30
7.53	7 x7	9.70	12.55	2- 8x6- 8	9.40	12.20	10 ½x10 ½	5.90	4.05
8.37	7	10.15	13.20	6-10	9.85	12.85	11 ½	5.90	4.30
8.37	7	10.25	13.35	7- 0	9.95	13.00	11 ½	5.90	4.30
10.26	7	10.90	14.25	7- 6	10.60	13.90	12 ½	6.40	4.70
7.88	7 ½x7 ½	9.85	12.80	2-10x6- 8	9.55	12.45	11 ½x10 ½	5.90	4.30
8.72	7 ½	10.30	13.40	6-10	10.00	13.05	11 ½	6.40	4.70
8.72	7 ½	10.40	13.55	7- 0	10.10	13.20	11 ½	6.40	4.70
10.61	7 ½	11.10	14.50	7- 6	10.80	14.15	12 ½	7.00	5.10
9.47	8 ½x8 ½	10.00	13.00	3- 0x6- 8	9.70	12.65	12 ½x10 ½	6.40	4.70
9.47	8 ½	10.45	13.65	6-10	10.15	13.30	11 ½	7.00	5.10
10.58	8 ½	10.55	13.75	7- 0	10.25	13.40	11 ½	7.00	5.10
11.36	8 ½	11.25	14.75	7- 6	10.95	14.40	12 ½	9.15	6.20
13.27	8 ½	11.55	15.15	8- 0	11.25	14.80	14	9.60	6.50
10.78	9 x9	11.75	15.40	3- 4x7- 0	11.45	15.05	13 ½x11 ½	8.20	5.70
13.28	9	12.60	16.55	7- 6	12.30	16.20	12 ½	9.60	6.60
13.47	9	12.95	17.10	8- 0	12.65	16.75	14	9.60	6.60
11.27	9 ½x9 ½	11.95	15.60	3- 6x7- 0	11.65	15.25	14 ½x11 ½	8.80	6.10
13.77	9 ½	12.75	16.75	7- 6	12.45	16.40	12 ½	9.60	6.60
13.96	9 ½	13.15	17.30	8- 0	12.85	16.95	14	11.00	7.60


For other door extras, see pages 147-156.

(STANDARD LISTS)



Stiles up to and including 3-0 width,
5½" wide overall.
Over 3-0 width, stiles will be 6½"
wide overall.
Top Rail not over 6½" wide overall.
Bottom Rail not over 18½" wide
overall.
Bars ½" between glass.
Beads for glass included.
Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*



N. D. 641

N. D. 642

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.46	\$3.42	4 1/4 x 13 1/4	\$ 9.00	\$11.65	2- 0x6- 6	\$9.55	\$12.30	4 1/4 x 10 1/4	\$3.45	\$2.50
2.46	3.42	13 1/4	9.10	11.80	6- 8	9.65	12.45	10 1/4	3.45	2.50
2.64	3.66	14 1/4	9.50	12.35	6-10	10.05	13.00	11 1/4	4.10	2.85
2.64	3.66	14 1/4	9.60	12.50	7- 0	10.15	13.15	11 1/4	4.10	2.85
3.42	4.92	5 1/4 x 13 1/4	9.30	12.10	2- 4x6- 6	9.85	12.75	5 1/4 x 10 1/4	4.90	3.40
3.42	4.92	13 1/4	9.40	12.25	6- 8	9.95	12.90	10 1/4	4.90	3.40
3.60	5.24	14 1/4	9.85	12.85	6-10	10.40	13.50	11 1/4	5.35	3.70
3.60	5.24	14 1/4	9.95	12.95	7- 0	10.50	13.60	11 1/4	5.35	3.70
3.96	5.76	6 1/4 x 13 1/4	9.40	12.20	2- 6x6- 6	9.95	12.85	6 1/4 x 10 1/4	5.35	3.70
3.96	5.76	13 1/4	9.50	12.35	6- 8	10.05	13.00	10 1/4	5.35	3.70
3.96	5.76	14 1/4	9.95	12.95	6-10	10.50	13.60	11 1/4	5.90	4.05
3.96	5.76	14 1/4	10.05	13.10	7- 0	10.60	13.75	11 1/4	5.90	4.05
4.74	6.84	16 1/4	10.70	14.05	7- 6	11.25	14.70	12 1/4	6.30	4.35
3.96	5.76	7 x 13 1/4	9.65	12.55	2- 8x6- 8	10.20	13.20	7 x 10 1/4	5.90	4.05
4.56	6.60	14 1/4	10.10	13.20	6-10	10.65	13.85	11 1/4	6.55	4.50
4.56	6.60	14 1/4	10.20	13.35	7- 0	10.75	14.00	11 1/4	6.55	4.50
5.04	7.32	16 1/4	10.85	14.25	7- 6	11.40	14.90	12 1/4	7.05	5.10
4.44	6.00	7 1/4 x 13 1/4	9.80	12.80	2-10x6- 8	10.35	13.45	7 1/4 x 10 1/4	6.45	4.65
4.68	6.48	14 1/4	10.25	13.40	6-10	10.80	14.05	11 1/4	6.45	4.65
4.86	7.08	14 1/4	10.35	13.55	7- 0	10.90	14.20	11 1/4	6.45	4.65
5.88	8.46	16 1/4	11.05	14.50	7- 6	11.60	15.15	12 1/4	7.05	5.10
4.92	6.84	8 1/4 x 13 1/4	9.95	13.00	3- 0x6- 8	10.50	13.65	8 1/4 x 10 1/4	6.60	4.80
5.28	7.32	14 1/4	10.40	13.65	6-10	10.95	14.30	11 1/4	7.20	5.25
5.28	7.32	14 1/4	10.50	13.75	7- 0	11.05	14.40	11 1/4	7.20	5.25
6.72	9.60	16 1/4	11.20	14.75	7- 6	11.75	15.40	12 1/4	7.80	5.70
6.72	9.60	17 1/4	11.50	15.15	8- 0	12.05	15.80	14	8.55	6.15
5.28	7.32	9 x 14 1/4	11.70	15.40	3- 4x7- 0	12.25	16.05	9 x 11 1/4	7.20	5.25
6.72	9.60	16 1/4	12.55	16.55	7- 6	13.10	17.20	12 1/4	7.80	5.70
6.72	9.60	17 1/4	12.90	17.10	8- 0	13.45	17.75	14	8.55	6.15
5.88	8.04	9 1/4 x 14 1/4	11.90	15.60	3- 6x7- 0	12.45	16.25	9 1/4 x 11 1/4	8.10	5.85
7.32	10.56	16 1/4	12.70	16.75	7- 6	13.25	17.40	12 1/4	8.85	6.45
7.32	10.56	17 1/4	13.10	17.30	8- 0	13.65	17.95	14	9.45	6.90

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine Door
14

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223

N. D. 641 N. D. 642

If beads are omitted, deduct list..... \$0.85 \$0.95
1 3/8" 1 1/4"

If top rail is made 5½" wide overall, deduct list..... \$0.15 \$0.22

For other door extras, see pages 147-156.



N. D. 643

Stiles up to and including 3-0 width,
5½" wide overall.

Over 3-0 width, stiles will be 6½"
wide overall.

Top Rail not over 6½" wide overall.

Bottom Rail not over 18½" wide
overall.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List.*

Size of Door	Open List 1½	Open List 1½	Glass Size	Glass List SS	Glass List DS
2- 0x6- 6	\$10.10	\$12.95	4½x8½	\$2.34	\$3.24
6- 8	10.20	13.10	8½	2.34	3.24
6-10	10.60	13.65	9¼	2.88	3.96
7- 0	10.70	13.80	9½	2.88	3.96
2- 4x6- 6	10.40	13.40	5½x8½	3.15	4.32
6- 8	10.50	13.55	8½	3.15	4.32
6-10	10.95	14.15	9¼	3.51	4.86
7- 0	11.05	14.25	9½	3.51	4.86
2- 6x6- 6	10.50	13.50	6½x8½	3.42	4.68
6- 8	10.60	13.65	8½	3.42	4.68
6-10	11.05	14.25	9¼	3.87	5.31
7- 0	11.15	14.40	9½	3.87	5.31
7- 6	11.80	15.35	10½	4.23	5.76
2- 8x6- 8	10.75	13.85	7 x 8½	3.69	5.13
6-10	11.20	14.50	9¼	4.14	5.67
7- 0	11.30	14.65	9½	4.14	5.67
7- 6	11.95	15.55	10½	4.50	6.21
2-10x6- 8	10.90	14.10	7½x 8½	4.23	5.76
6-10	11.35	14.70	9¼	4.68	6.48
7- 0	11.45	14.85	9½	4.68	6.48
7- 6	12.15	15.80	10½	5.40	7.74
3- 0x6- 8	11.05	14.30	8½x 8½	4.68	6.48
6-10	11.50	14.95	9¼	5.49	7.92
7- 0	11.60	15.05	9½	5.49	7.92
7- 6	12.30	16.05	10½	5.76	7.92
8- 0	12.60	16.45	11½	6.30	8.64
3- 4x7- 0	12.80	16.80	9 x 9½	5.49	7.92
7- 6	13.65	17.95	10½	5.76	7.92
8- 0	14.00	18.50	11½	6.30	8.64
3- 6x7- 0	13.00	17.00	9½x 9½	5.94	8.10
7- 6	13.80	18.15	10½	6.66	9.63
8- 0	14.20	18.70	11½	7.02	9.72

N. D. 643

If beads are omitted, deduct list..... **\$1.10**

	1⅜"	1¼"
If top rail is made 5½" wide overall, deduct list.....	\$0.15	\$0.22

For other door extras, see pages 147-156.

Side Lights

Stiles not over 2½" wide overall.
 Top Rail not over 6½" wide overall.
 Bottom Rail not over 18½" wide overall.
 Standard Stock Sticking.
 Beads for glass included.



S. L. 675

Size of Side Light	Open List 1½'	Open List 1¾'	Glass Size	Size of Side Light	Open List 1½'	Open List 1¾'	Glass Size
1-0x6- 8	\$4.10	\$5.05	8x56	1-4x6- 8	\$4.40	\$5.45	12x56
6-10	4.30	5.35	58	6-10	4.65	5.80	58
7- 0	4.35	5.40	60	7- 0	4.70	5.85	60
7- 6	4.65	5.80	66	7- 6	5.00	6.25	66
8- 0	4.80	6.00	72	8- 0	5.10	6.45	72
1-2x6- 8	4.25	5.25	10x56	1-6x6- 8	4.55	5.70	14x56
6-10	4.50	5.55	58	6-10	4.80	6.00	58
7- 0	4.55	5.60	60	7- 0	4.85	6.05	60
7- 6	4.85	6.05	66	7- 6	5.15	6.50	66
8- 0	4.95	6.20	72	8- 0	5.30	6.70	72

1⅜" Thick 1¾" Thick

For each 2" wider than 1-6, add list.....	\$0.20	\$0.25
If beads are omitted, deduct list.....	.35	.35

If made with divided lights, deduct \$0.35 list for beads omitted, and add as follows:

1⅜" Thick 1¾" Thick
With Beads With Beads

If made 3 lights high, add list.....	\$0.95	\$1.10
If made 4 lights high, add list.....	1.15	1.30
If made 5 lights high, add list.....	1.40	1.60
If made 6 lights high, add list.....	1.55	1.80
If made 8 lights (2 wide), add list.....	1.80	2.10
If made 10 lights (2 wide), add list.....	2.35	2.75
If made 12 lights (2 wide), add list.....	2.60	3.10
If made 6 marginal lights, add list.....	1.85	2.10

1⅜" Thick 1¾" Thick

If made with 5½" Top Rail, deduct list.....	\$0.05	\$0.07
If made with 9¾" Bottom Rail, deduct list.....	.50	.65
If made with 11½" Bottom Rail, deduct list.....	.40	.50
If made with 12½" Bottom Rail, deduct list.....	.30	.40

If beads are omitted in 3 light Side Light, deduct list.....	\$0.25
If beads are omitted in 4 light Side Light, deduct list.....	.30
If beads are omitted in 5 light Side Light, deduct list.....	.35
If beads are omitted in 6 light Side Light, deduct list.....	.40
If beads are omitted in 8 light Side Light, deduct list.....	.45
If beads are omitted in 10 light Side Light, deduct list.....	.55
If beads are omitted in 12 light Side Light, deduct list.....	.65
If beads are omitted in 6 marginal light Side Light, deduct list.....	.40

Side Lights,
 Toilet and
 Blind Door
 Pine
 139


Extras,
 Pine Door
 14

Combination
 Doors and
 Extras
 161

Window
 Screens
 183

Veneered
 Door Lists
 and Extras
 197

Flush Door
 Lists and
 Extras
 273



S. L. 676

Side Lights

Stiles not over $2\frac{1}{2}$ " wide overall.

Top Rail not over $5\frac{1}{2}$ " wide overall.

Lock and Bottom Rail not over $9\frac{3}{4}$ " wide overall.

Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick,
or solid raised or solid flat panels not over $\frac{9}{16}$ " thick.

Standard Stock Sticking. Beads for glass included.

Size of Side Light	Open List $1\frac{1}{4}$ "	Open List $1\frac{1}{4}$ "	Glass Size	Size of Side Light	Open List $1\frac{1}{4}$ "	Open List $1\frac{1}{4}$ "	Glass Size
1-0x6- 8	\$4.15	\$5.10	8x46	1-4x6- 8	\$4.45	\$5.50	12x46
6-10	4.35	5.40	48	6-10	4.70	5.85	48
7- 0	4.40	5.45	50	7- 0	4.75	5.90	50
7- 6	4.70	5.85	56	7- 6	5.05	6.30	56
8- 0	4.85	6.05	62	8- 0	5.15	6.50	62
1-2x6- 8	4.30	5.30	10x46	1-6x6- 8	4.60	5.70	14x46
6-10	4.55	5.60	48	6-10	4.85	6.05	48
7- 0	4.60	5.65	50	7- 0	4.90	6.10	50
7- 6	4.90	6.10	56	7- 6	5.20	6.55	56
8- 0	5.00	6.25	62	8- 0	5.35	6.75	62

For each 2" or fraction thereof wider, add list....
If beads are omitted, deduct list.....

$1\frac{3}{8}$ " Thick	$1\frac{3}{4}$ " Thick
\$0.20	\$0.25
.35	.35

If made with divided lights, deduct \$0.35 list for beads omitted and add as follows:

	$1\frac{3}{8}$ " Thick With Beads	$1\frac{3}{4}$ " Thick With Beads
If made 3 lights high, add list.....	\$0.95	\$1.10
If made 4 lights high, add list.....	1.15	1.30
If made 5 lights high, add list.....	1.40	1.60
If made 6 lights (2 wide), add list.....	1.55	1.80
If made 8 lights (2 wide), add list.....	1.80	2.10
If made 6 marginal lights, add list.....	1.85	2.15
If made 1 long flat panel, and 1 light 18" high, add list.....	.80	.80
If made 1 long flat panel, and 1 light 18" high divided 4 lights (2 wide), add list.....	1.90	2.05
If made 1 long flat panel and 1 light 18" high divided 2 lights wide, add list.....	1.45	1.55

	$1\frac{3}{8}$ " Thick	$1\frac{3}{4}$ " Thick
If made with $11\frac{1}{2}$ " Bottom Rail, add list.....	\$0.10	\$0.15
If made with $12\frac{1}{2}$ " Bottom Rail, add list.....	.20	.25

Panel thickness:	$\frac{3}{4}$ "	$1\frac{1}{8}$ "	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
If made with raised panel, add list.....	\$0.10	\$0.20	\$0.25	\$0.40


If beads are omitted in 3 light Side Light, deduct list.....	\$0.25
If beads are omitted in 4 light Side Light, deduct list.....	.30
If beads are omitted in 5 light Side Light, deduct list.....	.35
If beads are omitted in 6 light Side Light, deduct list.....	.40
If beads are omitted in 8 light Side Light, deduct list.....	.45
If beads are omitted in 6 marginal light Side Light, deduct list.....	.40
If beads are omitted in 1 light 18" high, deduct list.....	.10
If beads are omitted in 1 light 18" high, divided 4 lights, 2 wide, deduct list.....	.20
If beads are omitted in 1 light 18" high, divided 2 lights wide, deduct list.....	.15

Storm Doors


**In the White
Not Painted or Primed**

Stiles, Top and Cross Rails not over
4 $\frac{3}{4}$ " wide overall.
Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.
Standard Stock Sticking.

*Glass lists shown are taken from
Jobbers's Single Light List.*



N. D. 702



N. D. 703

Size of Door 1 $\frac{1}{4}$ "	N. D. 702 Panel Door List	N. D. 703 List Open With Beads	Glass Size	Glass List SS Glass
2- 6 $\frac{1}{2}$ x6- 7.....	\$6.90	\$6.65	22x28	\$2.27
6- 9.....	7.00	6.70	30	2.53
7- 1.....	7.60	7.15	34	2.97
2- 8 $\frac{1}{2}$ x6- 9.....	7.30	6.90	24x30	2.78
7- 1.....	7.90	7.35	34	3.30
2-10 $\frac{1}{2}$ x6- 9.....	7.60	7.05	26x30	3.30
6-11.....	8.10	7.45	32	3.30
7- 1.....	8.25	7.50	34	3.71
3- 0 $\frac{1}{2}$ x6- 9.....	7.90	7.20	28x30	3.30
7- 1.....	8.55	7.70	34	4.10

EXTRAS

- | | |
|--|----------|
| 1—If above panel storm door is made with 6 cross panels instead of 5, add | 45c List |
| 2—If above storm door is made with 3 cross panels, with 4" shorter glass, add..... | 15c List |
| 3—If above storm door is made with 3 cross panels below the light, and 1 cross panel above the light with 4" shorter glass, add..... | 35c List |
| 4—If beads are omitted in S. D. 703, deduct..... | 30c List |
| 5—If light is divided into more than one light, deduct for beads per Note No. 4 and add as per Rule No. 7 of the door extras. | |
| 6—For storm doors made over-size up to $\frac{1}{2}$ " wider than sizes shown, add | 30c List |
| 7—For beveling stiles on the face, for $\frac{3}{4}$ " thick casing, add per door.... | 20c List |

Extras,
Pine Door
14


Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273


Toilet Doors



N. D. 726



N. D. 727



N. D. 728

N. D. 726—Stiles, Top, Cross and Bottom Rails not over $4\frac{3}{4}$ " wide overall. 3 Cross Raised Panels, 2 Sides. Standard Stock Sticking.

N. D. 727—Stiles, Top and Bottom Rails not over $3\frac{1}{2}$ " wide overall. Cross Rails and Mullions not over $2\frac{1}{2}$ " wide overall. 4 Stationary Slat Panels. Square Sticking.

N. D. 728—Stiles, Top and Bottom Rails not over $3\frac{1}{2}$ " wide overall. 3 Stationary Slat Panels. Square Sticking.

Size of Door	N. D. 726 List $1\frac{1}{8}$ " Thick	N. D. 727 List $1\frac{1}{8}$ " Thick	N. D. 728 List $1\frac{1}{8}$ " Thick	Size of Door	N. D. 726 List $1\frac{1}{8}$ " Thick	N. D. 727 List $1\frac{1}{8}$ " Thick	N. D. 728 List $1\frac{1}{8}$ " Thick
2-0x4-0..	\$4.35	\$5.50	\$5.55	2-4x5-6..	\$6.05	\$6.30	\$6.25
4-6..	4.75	5.70	5.75	6-0..	6.50	6.50	6.40
5-0..	5.20	6.00	5.90				
5-6..	5.60	6.20	6.10	2-6x4-0..	4.90	5.70	5.75
6-0..	6.00	6.40	6.25	4-6..	5.35	5.85	5.95
2-4x4-0..	4.70	5.65	5.70	5-0..	5.80	6.15	6.15
4-6..	5.15	5.80	5.90	5-6..	6.30	6.35	6.30
5-0..	5.60	6.10	6.05	6-0..	6.75	6.60	6.50

Above lists are based on lugs extending not over $3\frac{1}{2}$ " over door height at top and bottom.

Height of doors with extended lug stiles is taken from top of top rail to bottom of bottom rail.


Extras for Door N. D. 726

For higher than listed sizes, add for each 6" higher or fraction thereof	\$0.60 List
For shorter than listed sizes, deduct for each 6" shorter or fraction thereof	.30 List
For wider than listed sizes, add for each 2" wider or fraction thereof	.25 List
For doors $1\frac{3}{8}$ " thick add.....	10%
For doors $1\frac{3}{4}$ " thick, add.....	35%
For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.	


Extras for Doors N. D. 727 and N. D. 728

For higher than listed sizes, add for each 6" higher or fraction thereof	\$0.25 List
For shorter than listed sizes, deduct for each 6" shorter or fraction thereof	.20 List
For wider than listed sizes, add for each 2" wider or fraction thereof	.05 List
For doors $1\frac{3}{8}$ " thick, add.....	10%
For doors $1\frac{3}{4}$ " thick, add.....	35%
For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.	
If lugs are omitted, deduct for each pair omitted.....	.30 List


Single Blind Doors



N. D. 729



N. D. 730



N. D. 731

N. D. 729—Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall. Bottom Rail not over 8" wide overall. Mullion not over $2\frac{1}{2}$ " wide overall. Raised Panels 2 sides. Stationary Slats. Square Sticking.

N. D. 730—Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall. Bottom Rail not over 8" wide overall. Stationary Slats. Square Sticking.

N. D. 731—Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall. Cross Rail not over $5\frac{1}{8}$ " wide overall. Bottom Rail not over 8" wide overall. Mullion not over $2\frac{1}{2}$ " wide overall. Stationary Slats. Square Sticking.

Size of Door	N. D. 729 List $1\frac{1}{8}$ " Thick	N. D. 730 List $1\frac{1}{8}$ " Thick	N. D. 731 List $1\frac{1}{8}$ " Thick	Size of Door	N. D. 729 List $1\frac{1}{8}$ " Thick	N. D. 730 List $1\frac{1}{8}$ " Thick	N. D. 731 List $1\frac{1}{8}$ " Thick
2-0x4-6..	\$6.20	\$5.10	\$6.00	2- 8x6- 0	\$7.35	\$6.10	\$7.10
5-0..	6.40	5.30	6.20	6- 6	7.60	6.30	7.35
5-6..	6.70	5.50	6.50	6- 8	7.70	6.40	7.45
6-0..	6.90	5.75	6.70	7- 0	8.25	6.85	8.00
2-4x4-6..	6.45	5.30	6.15	2-10x6- 0	7.50	6.20	7.20
5-0..	6.65	5.50	6.40	6- 6	7.75	6.40	7.45
5-6..	6.90	5.70	6.65	6- 8	7.80	6.50	7.55
6-0..	7.15	5.90	6.90	6-10	8.30	6.90	8.00
2-6x4-6..	6.55	5.35	6.25	7- 0	8.40	6.95	8.10
5-0..	6.75	5.60	6.50	3- 0x6- 0	7.65	6.30	7.30
5-6..	7.05	5.80	6.75	6- 6	7.85	6.50	7.55
6-0..	7.25	6.00	7.00	6- 8	7.95	6.60	7.65
6-6..	7.50	6.20	7.25	7- 0	8.50	7.05	8.20
6-8..	7.55	6.30	7.35				

Extras for Above Designs of Doors

For higher than listed sizes, add for each 6" higher or fraction thereof list.	\$.025
For wider than listed sizes, add for each 2" wider or fraction thereof list.	.10
For doors $1\frac{3}{8}$ " thick, add.....	10%
For doors $1\frac{3}{4}$ " thick, add.....	35%
If door N. D. 731 is made with $4\frac{3}{4}$ " stiles, top and cross rails, 8" bottom rail, $2\frac{1}{2}$ " mullions, overall measurements, use list of N. D. 731 of size wanted, and deduct list.	.05
For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.	

Extras,
Pine Dor
1"

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

New England Door Basis

These additions are to be made to the full door list, no deduction for beads from the base list, as this deduction is taken care of in providing the extra.

	Pattern	New England Doors	1½" or 1¾" List
N. D. 651	B	Raised Mould 1/S, Flush Mould 1/S Flat Panels not over ⅝" thick, with 4¾" wide mullions overall. Use list of N. D. 549 of size wanted and add per door If Mullions are not over 3½" wide overall.	\$ 6.15 6.00
		Flush Mould 2/S Raised Panels 1/S Flat Panels 1/S, Panels not over ¾" thick, 4¾" mullions overall. Use list of N. D. 549 of size wanted, and add per door. If Mullions are not over 3½" wide overall.	6.45 6.30
N. D. 652	DD	Flush Mould 2/S Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick. Use list of N. D. 530 of size wanted, and add per door	4.95
		Flush Mould 2/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 530 of size wanted, and add per door	4.35
N. D. 653	G	Flush Mould 2/S, Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick, 9 lights, mould around panels only. Use list of N. D. 591 of size wanted, and add per door	12.20
N. D. 654	H	4 Panels Colonial and 11 lights, Circle Top light, 5" face stile, 9" Bottom Rail, Flush Mould 2/S, Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick. Mould around panels only. Use list of N. D. 600 of size wanted, and add per door	15.65
N. D. 655	I	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panel not over ⅝" thick. Use list of N. D. 507 of size wanted, and add per door	3.55
N. D. 656	J	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 567 of size wanted, and add per door	4.50
		Flush Mould 2/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 567 of size wanted, and add per door	3.95
N. D. 657	K	Use list of N. D. 517, Panels not over ⅝" thick. If Panels are ¾" thick, add per door.....	No extra .40
N. D. 658	L	Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 4 lights, no beads for glass. Mould around panels only. Use list of N. D. 560 of size wanted, and add per door	1.30
		Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 4 lights, with beads for glass. Mould around panels only. Use list of N. D. 560 of size wanted, and add per door	1.70
N. D. 659	L	Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 9 lights, no beads for glass. Mould around panels only. Use list of N. D. 562 of size wanted, and add per door	1.05

New England Door Basis—Continued

	Pattern	New England Doors	1 3/4" or 1 1/2" List
N. D. 659	L	Flush Mould and Flat Panels 2/S, Panels not over 3/16" thick, 9 lights, with beads for glass. Mould around panels only.	
	<i>Continued</i>	Use list of N. D. 562 of size wanted, and add per door	\$ 1.70
N. D. 660	M	Flush Mould and Flat Panels 2/S, Panels not over 3/16" thick.	
		Use list of N. D. 549 of size wanted, and add per door	4.90
N. D. 661	P	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panels not over 3/16" thick, 8 lights with beads for glass. Moulding around panels only.	
		Use list of N. D. 595 of size wanted, and add per door	2.85
		Raised Mould and Raised Panels 1/S, Flush Mould and Flat Panels 1/S, Panels not over 3/4" thick, 8 lights with beads for glass. Moulding around panels only. Use list of N. D. 595 of size wanted, and add per door.....	3.70
N. D. 662	R	Cove and Bead Sticking and Flat Panels 2/S, Panels not over 3/16" thick.	
		Use list of N. D. 594 of size wanted, and add per door	25
		Flush Mould and Flat Panels 2/S, Panels not over 3/16" thick, Moulding around panels only.	
		Use list of N. D. 594 of size wanted, and add per door	4.50
N. D. 663	S-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Panel not over 3/16" thick, Dentil Stool.	
		Use list of N. D. 500 of size wanted, and add per door	4.65
N. D. 664	V-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Dentil Stool.	
		Use list of N. D. 635 of size wanted, and add per door	3.70
N. D. 665	W	Flush Mould 2/S, Flat Panel 2/S, Panel not over 3/16" thick, 9 lights, no beads for glass, Moulding around panel only.	
		Use list of N. D. 511 of size wanted, and add per door	50
		Flush Mould and Flat Panel 2/S, Panel not over 3/16" thick, 9 lights, with beads for glass, Moulding around panel only.	
		Use list of N. D. 511 of size wanted, and add per door	1.20
N. D. 666	X	Flush Mould and Flat Panel 2/S, Panel not over 3/16" thick, 12 lights, no beads for glass, Moulding around panel only.	
		Use list of N. D. 512 of size wanted, and add per door	.30
		Flush Mould and Flat Panel 2/S, Panel not over 3/16" thick, 12 lights, with beads for glass, Moulding around panel only.	
		Use list of N. D. 512 of size wanted, and add per door	1.20
N. D. 667	Y-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Flat Panel 2/S, Dentil Stool.	
		Use list of N. D. 500 of size wanted, and add per door	10.15
N. D. 668	Z-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Use list of N. D. 635 of size wanted, and add per door	10.05

Extras,
Pine Door
14"

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

New England Door Basis—Continued

Pattern	New England Doors	1½' or 1¾' List
N. D. 669 No. 100	Flush Mould 2/S, Raised Panel 1/S, Flat Panel 1/S, no stool. Use list of N. D. 502 of size wanted, and add per door	6.65
	4 Panels Flush Mould and Flat Panels 2/S, Use Standard Panel Door List of size wanted, and add per door.....	\$4.00
	See note, page 87.	
	5X Panels, Flush Mould and Flat Panels 2/S. Use Standard Panel Door List of size wanted, and add per door.....	4.70
	See note, page 87.	
	6 Panels, Colonial, Ovolo Sticking, Panels ¾" thick, Raised 1/S. Use the 6 panel list of the size wanted, and add per door.....	1.05
	See note, page 89.	
	6 Panels, Colonial, Flush Mould and Flat Panels 1/S, Flush Mould and Raised Panels 1/S, Panels not over ¾" thick. Use the 6 Panel List of the size wanted, and add per door.....	6.30
	6 Panels, Colonial, Flush Mould and Flat Panels 1/S, Raised Mould and Raised Panels 1/S, Panels not over ¾" thick. Use the 6 Panel List of the size wanted, and add per door.....	7.05
	6 Panels, Colonial, Flush Mould and Flat Panels 2/S, Panels not over ⅞" thick. Use the 6 Panel List of the size wanted, and add per door.....	5.25
	See note, page 89.	
N. D. 670 U-130	4 Panels and 1 Circle Head Light, divided 4 lights, C and B Sticking, Raised Panels 2/S, Panels not over ⅞" thick. Use list of N. D. 600 of size wanted.	
	4 Panels and 1 Circle Head Light, divided 4 lights, Raised Mould 1/S around panels only, C and B Sticking 1/S, Raised Panels 2/S, not over ⅞" thick. Use list of N. D. 600 of size wanted, and add per door	3.20
	4 Panels and 1 Circle Head Light, divided 4 lights, Flush Mould 1/S, around panels only, C and B Sticking 1/S, Raised Panels 2/S, not over ⅞" thick. Use list of N. D. 600 of size wanted, and add per door	2.90
	4 Panels and 1 Circle Head Light, divided 4 lights, Flush Mould 1/S, Raised Mould 1/S, Flat Panels 2/S, Panels not over ⅞" thick. Moulding around panels only. Use list of N. D. 600 of size wanted, and add per door	3.70
	If Panels in U-130 are wanted ¾" thick, add an additional extra of.....	.50
	Oval. Insert as in Y-1, add to similar 1 light door	6.00
	Oval. Insert as in Z-1, add to similar 1 light door	6.30

Panel and Sash Door Extras

These extras are intended to enable the forming of a complete list on all designs and sizes not regularly listed.
For intermediate sizes, use list of the next larger listed size.

Rule 1 Larger or Smaller Than Listed Sizes

- (A)—Doors narrower than listed sizes, use list of narrowest door of same height, and deduct therefrom for each full 2" narrower. **10c List**
- (B)—Wider than listed sizes, use widest list shown for same height, and add for each additional 2" or fraction thereof. **5%**
- (C)—Higher than listed sizes, use list of highest listed size of same width, and add for each additional 4" or fraction thereof. **5%**
- NOTE—Apply width and height percentages separately, by basing second computation on the list plus first computation.
- EXAMPLE—You want a list on a 5X panel door, 3-6x8-6 $1\frac{3}{8}$ ". Take the list of a 3-4x-8-0 $1\frac{3}{8}$ " of \$11.30 and add 5% for extra width or 57c, equals \$11.87. Then add 10% for extra height, or \$1.19, making a total list of \$13.06.
- (D)—Single doors made to represent pairs, use twice the list of a door one-half the width, (and if larger than listed size, add as per sections B and C of this rule) and then add. **\$3.50 List**

Rule 2 Sash Doors (With Altered Glass Height or Divided Panels)

- (A)—For shortening or lengthening glass in doors that are listed, thus increasing or decreasing the height of panels, add or deduct for each one inch or fraction thereof. **3c List**
- (B)—Full length panels when cut up into small panels, add to the list of a door of similar layout with full length panels, for each additional muntin or cross rail not over $3\frac{1}{2}$ " wide overall and not over 1-0 long. **10c List**
- Over 1-0 in length add to the above for each additional 6" longer, per each additional muntin or cross rail. **2½c List**
- Wider than $3\frac{1}{2}$ ", add as per Rule 5, Section B or C. **12½c List** **4c List**

Rule 3 Sash Doors Not Illustrated

- (A)—To make list for open sash doors, with panels and one light, not otherwise listed or provided for.
Use the list of N. D. 620 or 635 depending on layout desired, of the size wanted, and deduct for glass beads, and proceed as follows:

Cross Rails and Mullions

- (B)—For each cross rail and mullion 2'5" and under in length, not over $4\frac{3}{4}$ " wide overall, add. **35c List**
- Longer than 2'5" and not longer than 2'11", add. **47c List**
- Longer than 2'11" and not longer than 3'5", add. **55c List**
- Longer than 3'5" and not longer than 3'11", add. **71c List**
- Longer than 3'11", for each 6" longer or fraction thereof, add to the 3'11" list. **20c List**
- For heads, add per lineal foot around glass opening. **3½c List**
- For wider stiles, cross rails, mullions or bottom rail, use Rule 5, Sections A, B and C. **50c List** **65c List** **80c List** **95c List** **30c List** **3½c List**

Extras,
Pine Door
14"

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Panel and Sash Door Extras—Continued

Rule 3—Continued

**Panels, Solid Raised or Solid Flat Not Over $\frac{3}{16}$ " Thick,
Laminated Flat Panels Not Over $\frac{5}{16}$ " Thick.**

(C)—For each panel 2'5" and under in length, not over 8 $\frac{1}{2}$ " wide, add	35c List
Longer than 2'5" and not longer than 2'11" not over 8 $\frac{1}{2}$ " wide, add	47c List
Longer than 2'11" and not longer than 3'5" not over 8 $\frac{1}{2}$ " wide, add	51c List
Longer than 3'5" and not longer than 3'11" not over 8 $\frac{1}{2}$ " wide, add	71c List
Longer than 3'11" and not over 8 $\frac{1}{2}$ " wide, for each 6" longer or fraction thereof, add to the 3'11" list.....	16c List
For each panel 2'5" and under in length over 8 $\frac{1}{2}$ " wide, and up to and including 11 $\frac{3}{4}$ " wide, add.....	45c List
Longer than 2'5" and not longer than 2'11" and not over 11 $\frac{3}{4}$ " wide, add.....	62c List
Longer than 2'11" and not longer than 3'5", and not over 11 $\frac{3}{4}$ " wide, add.....	65c List
Longer than 3'5" and not longer than 3'11", and not over 11 $\frac{3}{4}$ " wide, add.....	96c List
Longer than 3'11", and not over 11 $\frac{3}{4}$ " wide, for each 6" or fraction thereof, add to the 3'11" list.....	20c List
For solid softwood panels wider than 11 $\frac{3}{4}$ ", use Rule 5 Section D	
For solid softwood panels, thicker than $\frac{9}{16}$ ", use Rule 8, Section B.	
For Laminated Raised Panels or Flat Panels thicker than $\frac{5}{16}$ ", see Rule 8, Sections E-F-G.	

Rule 4

Thick Doors

(A)—Doors thicker than 1 $\frac{3}{4}$ ", up to and including 2 $\frac{1}{4}$ " (single or double thick), not splined, screwed or plugged, add to the list of 1 $\frac{3}{4}$ " thick door of same size.....	75%
(B)—Doors thicker than 2 $\frac{1}{4}$ ", up to and including 2 $\frac{3}{4}$ " (single or double thick), not splined, screwed or plugged, add to the list of a 1 $\frac{3}{4}$ " thick door of same size.....	110%
(C)—If double thick doors are splined, 2 splines to a stile, add in addition to Sections A or B of this rule.....	\$ 2.25 List
If double thick doors are screwed and plugged, add in addition to Sections A or B of this rule.....	12.50 List
(D)—Panels not over 1 $\frac{1}{8}$ " thick permitted in 2 $\frac{1}{4}$ " and 2 $\frac{1}{2}$ " doors. For thicker panels, see Rule 8.	

Rule 5

Wide Stiles, Rails, Munts and Panels

(A)—For stiles including top rail, wider than layouts shown, add for each additional $\frac{1}{4}$ " wider or fraction thereof.....	1 $\frac{3}{8}$ " 16c List	1 $\frac{1}{4}$ " 25c List
(B)—Top, cross, lock or bottom rails, wider than layouts shown, add for each additional $\frac{1}{4}$ " wider or fraction thereof.....	4c List	6c List
(C)—For mullions wider than layouts shown, add for each additional $\frac{1}{4}$ " wider or fraction thereof. For lengths not over 1'11".....	2c List	2 $\frac{1}{2}$ c List
For lengths over 1'11" to 3'11".....	5 $\frac{1}{2}$ c List	8c List
For lengths over 3'11" to 5'11".....	8c List	12c List
(D)—Solid softwood panels (not otherwise specified) wider than 11 $\frac{3}{4}$ ", add extra for each one inch or fraction thereof wider.....	7 $\frac{1}{2}$ c List	7 $\frac{1}{2}$ c List

Panel and Sash Door Extras—Continued

Rule 6 Standard Arrangement of Raised Panel Doors

- (A)—4 regular and 5 regular panel doors when over 3'0" and not wider than 4'2" will be made 3 upright panels wide.
 Over 4'2" and not wider than 5'6" will be made 4 upright panels wide.
 Over 5'6" and not wider than 6'8" will be made 5 upright panels wide.
 Over 6'8" and not wider than 8'0" will be made 6 upright panels wide.
- (B)—Cross panel doors, up to and including 7'2" high, will be made 5 panels high.
 Over 7'2" and not higher than 8'6", will be made 6 panels high.
 Over 8'6" and not higher than 9'10" will be made 7 panels high.
- (C)—For a less number of panels than shown above, (making wider panels necessary) add extra per Rule 5, Section D.
- (D)—For a greater number of panels than provided, for 4 regular, 5 regular and 5 cross panel doors, add for each additional panel... **45c List**
 This includes only the 3 designs of doors mentioned above.
- (E)—For other types of doors containing 6 or 8 or more panels, use lists and extras on pages 63 and 64.

Rule 7 Divided Lights

(Bars not over ½" between glass)

In doors not listed or otherwise provided for, and special designs, deduct for beads omitted in one light door and add as follows: (If beads 2/S, see Rule 31, page 125).

	1 3/8"	1 3/4"
(A)—Rectangular lights (not marginal) including beads for glass, add as follows:		
Up to and including lights 16" high, add per light.....	30c List	35c List
Over 16", up to and including 30" high, add per light.....	35c List	40c List
Over 30", up to and including 50" high, add per light.....	45c List	50c List
Over 50", add per light.....	75c List	85c List
NOTE—For rectangular lights formed by horizontal bars only, apply section A of this rule reading width for height.		
(B)—Marginal lights, add to the rectangular light basis, per light.....	2c List	2 1/2c List
(C)—Diamond, triangular or irregular shaped lights, if formed by straight bars, add per light.....	90c List	\$1.00 List
(D)—Diamond lights, entirely suspended by bars, add per light.....	\$5.00 List	5.20 List
And for surrounding lights, add per the rectangular light basis per Section A of this rule.		
(E)—Circular or oval lights, entirely suspended by bars, add per light.....	6.60 List	7.05 List
And for surrounding lights, add per the rectangular light basis, per Section A of this rule.		
(F)—Serpentine lights, add per full length bar, for each bar.....	6.00 List	6.45 List
And for the other lights, add per light, per Section C of this rule.		

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Panel and Sash Door Extras—Continued

Rule 7 (Continued)

	1 $\frac{3}{8}$ "	1 $\frac{1}{4}$ "
(G)—Half circle lights, add per bar	\$3.00 List	\$3.25 List
And for the lights formed by circle and straight bar, add per Section C of this rule.		
(H)—Segment lights, add per bar	1.50 List	1.60 List
(I)—For lights similar to lights in doors N. D. 606 and 607 (scalloped lights) add to the rectangular light basis, per light	2.15 List	2.20 List
(J)—For lights with "Sunken Bars", add to the basic list, per light	.15 List	.15 List
(K)—For lights with "Bars Coped to Nailed in moulding," add to the basic list per light.. If bars are "Sunken Face" add also the "Sunken Bar" extra, per Section J of Rule 7.	.20 List	.20 List
(L)—Oval or circle lights cut in panels, add per light	4.50 List	4.50 List
(M)—Rectangular lights cut in panels, add per light	1.50 List	1.50 List
(N)—Diamond lights cut in panels, add per light	2.50 List	2.50 List
(O)—For glass beads omitted from rectangular lights, deduct as follows:		
For rectangular lights up to and including lights 16" high, deduct per light	.08 List	.08 List
Over 16", and up to and including lights 30" high	.10 List	.10 List
Over 30", and up to and including lights 50" high	.15 List	.15 List
Over 50"	.20 List	.20 List
For glass beads omitted from diamond, triangular and irregular shaped lights, deduct per light	.20 List	.20 List
(P)—For bars wider than $\frac{1}{2}$ " between glass, for each $\frac{1}{4}$ " wider, add per light	.03 List	.03 List
(Q)—For lights in doors over $1\frac{1}{4}$ " thick, figure the entire door $1\frac{1}{4}$ " thick and then add as per Rule 4, Sections A or B according to the thickness desired.		

Rule 8

Thick Panels

(A)—For solid raised or solid flat panels, thicker than $\frac{3}{16}$ ", add to the list of regular listed panel doors, list extra per door as below, for the desired thickness of panel and design of door, for doors up to and including 3-0x7-0. For doors higher or wider, see Sections B-1, 2 or 3.

	$\frac{3}{4}$ " Thick	1 $\frac{1}{8}$ " Thick	1 $\frac{1}{2}$ " Thick	1 $\frac{3}{4}$ " Thick
1 Panel	\$2.25	\$3.60	\$4.55	\$7.90
2 Regular Panels	1.65	2.85	3.75	6.20
2 Vertical Panels	1.55	2.60	3.80	6.95
2 Vertical and 1 X Panel	1.60	3.00	3.85	6.50
4 Regular Panels	1.40	2.35	3.70	6.10
5 Regular Panels	1.15	2.15	3.25	5.55
5 Cross Panel	.85	1.75	2.80	4.70
6 Colonial Panel	1.05	2.05	3.05	4.95
8 Panel	.80	1.60	2.65	4.20

For any 3 or 4 cross panel design, see page 63.

Panel and Sash Door Extras—Continued

Rule 8 (Continued)

(B-1)—For thick solid raised or solid flat panels in designs of panel or sash doors not shown or otherwise provided for, add to the list of desired door with standard thickness of panels.

For panels up to and including:

	$\frac{3}{4}"$	$1\frac{1}{8}"$	$1\frac{1}{2}"$	$1\frac{3}{4}"$
12x15.....	\$0.12½	\$0.30	\$0.40	\$0.60
20.....	.20	.35	.55	.85
30.....	.25	.40	.60	1.05
36.....	.40	.70	1.00	1.70
45.....	.55	1.05	1.35	2.30
60.....	.80	1.30	1.90	3.50
75.....	.90	1.50	2.00	4.00
20x20.....	.50	1.05	1.25	2.00
30.....	.80	1.50	1.85	2.75
36.....	.95	1.75	2.20	3.35
45.....	1.20	1.95	2.50	4.20
60.....	1.50	2.45	3.25	5.60
75.....	2.30	3.60	4.60	8.00
28x20.....	.65	1.35	1.65	2.50
30.....	1.10	1.95	2.45	3.75
36.....	1.30	2.30	2.70	4.50
45.....	1.60	2.60	3.35	5.35
60.....	1.90	3.55	4.50	7.75
75.....	3.15	4.95	6.00	10.05

(B-2)—For each 2" or fraction thereof in width over 28", add to the 28" width for same height. 10%

(B-3)—For each 6" or fraction thereof in height over 75", add to the 75" height of same width. 10%

(C)—For panels 2" or 2¼" thick in 2¼" or 2½" thick doors, add to the list of desired door with standard thickness panels per square foot of panel surface. \$1.40 List
For panels 2½" thick in 2½" thick doors, add to the list of desired door with standard thickness panels per square foot of panel surface. 1.80 List

(D)—For irregular shaped thick panels, not otherwise provided for, add to the list of a regular panel of similar size and thickness. 10.00 List

(E)—For 3 ply laminated raised panels regardless of thickness, add in addition to the above thick panel extras where required, per door 1.50 List

(F)—For 3 ply laminated flat panels over ½" thick add for each ¼" or fraction in thickness, per door .75 List

(G)—For 5 ply laminated panels double the three ply extras.

Rule 9 Special Raised Panels

When panels are of a different raise on the two sides of a door, or if raise is wider than 2" and not over 3", or when both features occur in the same door, add per panel:

1 Panel.....	\$0.55 List
2 or 3 Panels.....	.40 List
For more than 3 Panels.....	.25 List

Rule 10 Irregular Shaped Panels

(A)—For rectangular suspended panels, solid stuck and flat panels, (per sketch "X") add to the list of a door with an equal number of panels. \$18.00 List

(B)—For diamond shaped suspended panels, solid stuck and flat panels, (per sketch "Y") add to the list of a door with an equal number of panels. 24.00 List

(C)—For oval or circle shaped suspended panels, solid stuck and flat panels, (per sketch "Z") add to the list of a door with an equal number of panels. 24.00 List

NOTE—The extras on designs X, Y and Z apply where the irregular shaped Panel covers practically the full length of the door within the frame, like the sketches. Where such panels are inserted in either the top or the bottom section of a door divided into a greater number of panels; deduct 35% from the three foregoing extras.

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Panel and Sash Door Extras—Continued

Rule 10—(Continued)



X



Y



Z



XX



YY



ZZ

- (D)—For doors with diagonal rails and four triangular raised panels 2/S, not over $1\frac{1}{8}$ " thick, (per sketch "X-X"), add to the basis list of a door with an equal number of panels. **\$9.00 List**
- NOTE—The above extra covers the diagonal rails and panels only—not the lock rail. See Rule 3 Section B, page 116.
- (E)—For doors with diamond shaped panels, solid stuck, (per sketch "Z-Z"), add to the basis list of a door with an equal number of panels, per panel. **5.50 List**
- (F)—For small sunken triangular panel, in stiles or rails at top of special head doors, add extra for each panel, one side. **1.50 List**
- (G)—For triangular panels, standard thickness, when set in stiles and rails, add to the basis list of a door with an equal number of panels, per panel. **2.00 List**
- (H)—(1)—For flush or raised moulding around panels described in Sections A and B, add to the regular moulding extras for doors with an equal number of panels. **50%**
- (2)—For flush or raised moulding around panels described in Section C, add to the regular moulding extras for doors with an equal number of panels. **100%**
- (3)—For doors described in Sections D and E, if flush or raised moulded, add to the regular moulding basis for an equal number of panels, per panel. **.90 List**
- (J)—For raised panels in the designs shown above, add:
- (1)—Sketch "X", per door. **15.00 List**
- (2)—Sketches "Y" or "Z", per door. **4.50 List**
- (3)—Sketch "Z-Z", per panel. **.50 List**

Rule 11 Clipped Corner Raised Panels

(Per Sketch A)

Add per panel (4 corners) two sides. **\$2.50 List**



A

Rule 12 Blocking In Corner Of Panels

(Per Sketch B)

Add per panel for blocked in corners two sides. **\$5.00 List**

If moulded, add in addition to the foregoing list over the regular Moulded Extra, per panel. **1.50 List**



B

Rule 13 Offsetting Corners Of Panels

(Per Sketch C)

Add for extra width stiles and rails, for the width they are at the widest part, and add extra. **\$9.00 List**



C

Rule 14 Stiles Different Face Width At Panels Than At Light

When face width of stiles is different at the light than at the panels, add per door. **\$7.00 List**

Rule 15 Grooves In Panels

For V grooves in panels, add for each groove or bead, per side. **\$0.15 List**

Rule 16 Ceiling Panels

For vertical ceiling panels use same extras as provided for raised panels of same number and thickness, as shown under Rule 8.

For thinner than $\frac{3}{4}$ ", use $\frac{3}{4}$ " extra.

For diagonal ceiling panels, add to the vertical panel basis. **50%**

Panel and Sash Door Extras—Continued

Rule 17

Diagonal Braces

- (A)—For one diagonal cross brace planted on face of panel, one side, add per panel. \$2.50 List
 Two sides, add per panel. 4.50 List
- (B)—For two diagonal cross braces planted on face of panel, one side, add per panel. 4.50 List
 Two sides, add per panel. 8.00 List

Rule 18

Chamfering Stiles and Rails

- (A)—Ordinary machine chamfer, one side, add per cut. \$0.08 List
 (B)—Stop chamfering, one side, add per cut.15 List

Rule 19

Lock Blocks

- For lock blocks where required, add. \$2.00 List

Rule 20

Wood Louvers

- (A)—Up to 12" high, add. \$2.50 List
 (B)—For each 6" or fraction thereof, higher than 12", add.65 List
 (C)—If louver has center vertical mullion, add per mullion.85 List
 (D)—If Sliding Panel of standard construction, add to the louver basis, per door (no hardware nor metal track). 7.20 List
 (E)—If Metal Track, add. 2.20 List

Rule 21

Moulding Around Panels Or Lights

- (A)—Plain flush or raised moulding two sides for panel doors, with or without fillet, add per door as follows:

	Flush Mould not over $\frac{3}{4} \times 1\frac{1}{4}$ "	Raised Mould not over $\frac{3}{4} \times 1\frac{1}{4}$ "
1 Panel.	\$2.10 List	\$3.10 List
2 Regular Panel.	2.70 List	3.50 List
2 Vertical Panel.	3.20 List	4.15 List
3 Panel.	3.45 List	4.55 List
4 Panel.	4.00 List	4.95 List
5 Panel.	4.70 List	5.70 List
6 Panel.	5.25 List	6.70 List
8 Panel.	6.35 List	8.15 List

- (B)—Plain flush or raised moulding two sides for the following designs of sash doors, no fillet included, add per door as follows:

	Flush Mould not over $\frac{3}{4} \times$ $1\frac{1}{4}$ around panel and light 2/S	Flush Mould not over $\frac{3}{4} \times$ $1\frac{1}{4}$ 2/S around panel only	Raised Mould not over $\frac{3}{4} \times$ $1\frac{1}{4}$ around panel and light 2/S	Raised Mould not over $\frac{3}{4} \times$ $1\frac{1}{4}$ 2/S around panel only
N. D. 500 and 575.	\$3.10 List	\$1.35 List	\$3.85 List	\$1.65 List
N. D. 507.	3.15 List	1.20 List	3.90 List	1.40 List
N. D. 514.	3.35 List	2.15 List	4.25 List	2.55 List
N. D. 522.	3.95 List	2.55 List	5.15 List	3.10 List
N. D. 530.	4.10 List	3.05 List	4.95 List	3.65 List
N. D. 537.	4.15 List	3.00 List	5.00 List	3.55 List
N. D. 544.	4.60 List	3.45 List	6.20 List	4.20 List
N. D. 549.	4.90 List	3.85 List	5.90 List	4.55 List
N. D. 554.	5.35 List	4.30 List	6.50 List	5.20 List
N. D. 559.	3.20 List	1.70 List	4.15 List	2.05 List
N. D. 567.	3.95 List	2.55 List	5.05 List	3.05 List
N. D. 591.	3.60 List	2.50 List	4.60 List	3.15 List
N. D. 600, 601, 602.	9.80 List	3.40 List	10.45 List	4.00 List
N. D. 603.	21.70 List	9.00 List	22.20 List	9.50 List
N. D. 604.	9.25 List	2.50 List	9.90 List	3.00 List
N. D. 605.	11.05 List	10.50 List	14.05 List	13.30 List
N. D. 606, 607.		3.10 List		4.35 List
N. D. 635.	2.10 List		3.10 List	

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271

Panel and Sash Door Extras—Continued

Rule 21—Continued

- (C)—Flush or raised moulding for doors not listed or otherwise provided for, or around extra panels:
- (1)—Flush moulding not over $\frac{3}{4}$ "x $1\frac{1}{4}$ " add per lineal foot or fraction thereof around panel or light for each side. \$0.09 List
 - (2)—Raised moulding not over $\frac{3}{4}$ "x $1\frac{3}{4}$ ", add per lineal foot or fraction thereof around panel or light for each side.12 List
 - (3)—For fillet around glass opening, add per lineal foot or fraction thereof around opening.03½ List
 - (4)—For flush moulding one side, raised moulding one side, use average of both extras. For raised panels, add extra per Rule 9 for panel with different raise two sides.
- (D)—Doors solid stuck one side and moulded one side, use one-half of the regular flush or raised moulded basis and add.20 List
- NOTE—In applying the foregoing extra to doors with raised panels, add extra per Rule 9 for panel with different raise two sides.
- (E)—(1)—For moulding narrower or wider than specified above, add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof, for one or two panels.15 List
- (2)—For two vertical or two vertical and one X Panel.25 List
 - (3)—For four or more panels.30 List
- (F)—(1)—For flush or raised moulding over $\frac{3}{4}$ " thick and up to and including $1\frac{1}{8}$ " thick, to the $\frac{3}{4}$ " thick basis, add. 50%
- (2)—For flush or raised moulding over $1\frac{1}{8}$ " thick and up to and including $1\frac{3}{8}$ " thick, to the $\frac{3}{4}$ " thick basis, add. 75%
- (G)—For gluing moulding around panels and lights, in addition to the extras for flush and raised moulding, add the following:
- (1)—For the first opening, add.50 List
 - (2)—For each additional opening, add.25 List

Hip Raised Moulding

- (H)—Use flush moulding basis for same design of door, and size of mould, and add per door. \$0.30 List

Rule 22

Mirror Doors

For preparing doors for flush mirror including beads.

- (A)—Add to regular panel door list, the following list extras.
- 1 Panel Door \$0.75 List
 - 2 Regular Panel Door. 1.75 List
 - 2 Vertical Panel Door. 2.50 List
 - 3 and 4 Panel Door 3.00 List
 - 5 and 6 Panel Door 3.50 List
 - 8 Panel Door. 5.00 List
 - Insert Frame Door 1.60 List
- (B)—Moulding planted on face, for mirror, all designs. 2.00 List
- If shipped loose. 1.50 List
- (C)—Bars and beads for divided lights, planted on one side of panel doors, add per light.60 List
- (D)—Panel mirror back in divided light doors, add extra to sash door list of equal number of lights, per light.30 List

Panel and Sash Door Extras—Continued

Rule 23

Dutch Doors

(A)—Made with double width lock rail so as to permit cutting through center, but not cut.	\$1.50 List
(B)—Cut through center rail, not rabbeted (includes double width Lock Rail)	2.00 List
(C)—Cut through center rail, and rabbeted (includes double width Lock Rail)	3.50 List
(D)—Shelf and bracket one side, loose.	6.00 List
(E)—Shelf and bracket two sides, loose, add to the one side basis.	3.00 List

Rule 24

Banding

Banding sliding doors two sides, add to proper list for such doors, for each lineal foot around opening of each door	\$0.20 List
--	-------------

Rule 25

Rabbeting and Rule Joint

(A)—Rabbeting and beading folding doors including wide stiles for rabbeting, add to list for such doors, per pair	\$1.75 List
(B)—Astragal Joint or Rule Joint on stiles add per pair	1.75 List
(C)—Doors plain rabbeted, including wide stiles for rabbeting, add to list for such doors per pair	1.00 List
(D)—Minimum for any one order	5.00 List

Rule 26 Segment, Circle and Gothic Top Doors, Etc.

For doors 3'6" wide and under, add per door:

	Square Head Outside Special Inside, List	In and Out, List	Standard Insert Frame Doors In and Out, List	For Flush or Raised Mould- ing bordering on Special Tops, add to 1st or 2nd Column, List
(A)—Segment Top	\$ 4.50	\$ 5.75	\$11.00	\$4.00
(B)—Circle and Elliptic Tops.	9.60	11.00	20.00	6.50
(C)—Gothic and Tudor Tops.	10.40	11.00	20.00	8.00
(D)—Clipped Corner Top	7.20	9.00	13.60	1.60
(E)—Rake Top	4.50	6.50	10.40	1.10
(F)—Peak Top	7.20	10.40	15.00	2.00
(G)—Circle Top glass opening with Panel Corners	15.00			6.50
(H)—Shaped Top Rail for one light, (Scroll Light)	5.50			

For head shaped for 3 or 4 lights, follow rule 7, Section 1.

(I)—For segment, circle or gothic top doors in pairs double the fore- going extras, and deduct	20%
(J)—For doors with segment and circle top etc., wider than 3'6", add for each 6" wider.	10%
(K)—Extra for Munt or Rail bordering on irregular top, add for each munt or rail.	2.00 List

Note: For five or more doors of the size and kind, deduct from Rule-26 extras	10%
---	-----

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Panel and Sash Door Extras—Continued

Rule 27 Blind Mortising and Tenoning

Add per rail.....	\$0.25 List
Minimum per door.....	1.00 List
If wedged, add extra per rail.....	.15 List
Minimum per door.....	.50 List

Rule 28 Caps and Sills

	Loose	Put On
(A)—One member plain moulded, not over 1½"x1¾", add for each.....	\$0.20 List	\$0.30 List
(B)—One member plain moulded, not over 1¾"x1¾", add for each.....	.26 List	.36 List
(C)—One member stool and 3 blocks S4S, add.....	.65 List	1.05 List
(D)—Two member stool with dentil mould.....	.48 List	.68 List

Rule 29 Letter Slots

Straight cut, add per opening.....	\$0.45 List
Bevel cut, add per opening.....	.70 List

Rule 30 Special Sticking

(A)—For any sticking other than standard stock C & B, B & C, Bead, Ovolo, Quarter Round, P. G. or O. G., add per door.....	\$ 0.30 List
Minimum on any one order.....	8.00 List
Maximum on any one order.....	15.00 List
(B)—When different sticking is used around the lights than that used around the panels, add per door.....	.50 List
Minimum on any one order.....	13.00 List
Maximum on any one order.....	25.00 List

Rule 31 Beads Two Sides

(A)—For beads two sides in a one light door, add to the regular list (which includes beads one side) for the design wanted, the amount specified for deduction of beads omitted, and add per door.....	\$0.30 List
(B)—For designs with divided lights, add double the deductions provided in Rule 7, section O.	
(C)—NOTE—For less than 5 doors of a size and kind at one time, add to above (A) or (B) for machine set-up.....	1.50 List


Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273


Garage Door Designs




N. D. 718



N. D. 719




N. D. 720




N. D. 721


Garage Door Designs




N. D. 722



N. D. 723



N. D. 724




N. D. 725

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273



N. D. 736

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$6.20	\$1.35	\$1.25	\$8.80
6- 8.....	6.25	1.40	1.30	8.95
7- 0.....	6.70	1.50	1.35	9.55
2- 8x6- 8.....	6.40	1.45	1.30	9.15
7- 0.....	6.85	1.50	1.40	9.75
2-10x6- 8.....	6.55	1.50	1.35	9.40
6-10.....	6.95	1.50	1.40	9.85
7- 0.....	7.00	1.55	1.45	10.00
3- 0x6- 8.....	6.65	1.50	1.40	9.55
7- 0.....	7.15	1.55	1.45	10.15

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$6.20	\$1.35	\$2.05	\$ 9.60
6- 8.....	6.25	1.40	2.10	9.75
7- 0.....	6.70	1.50	2.20	10.40
2- 8x6- 8.....	6.40	1.45	2.20	10.05
7- 0.....	6.85	1.50	2.25	10.60
2-10x6- 8.....	6.55	1.50	2.25	10.30
6-10.....	6.95	1.50	2.30	10.75
7- 0.....	7.00	1.55	2.35	10.90
3- 0x6- 8.....	6.65	1.50	2.30	10.45
7- 0.....	7.15	1.55	2.40	11.10

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$6.20	\$2.50	\$2.05	\$10.75
6- 8.....	6.25	2.70	2.10	11.05
7- 0.....	6.70	2.80	2.20	11.70
2- 8x6- 8.....	6.40	2.85	2.20	11.45
7- 0.....	6.85	2.90	2.25	12.00
2-10x6- 8.....	6.55	3.00	2.25	11.80
6-10.....	6.95	3.00	2.30	12.25
7- 0.....	7.00	3.05	2.35	12.40
3- 0x6- 8.....	6.65	3.10	2.30	12.05
7- 0.....	7.15	3.15	2.40	12.70

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

N. D. 737

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$1.85	\$1.55	\$ 9.25
6- 8.....	5.95	1.85	1.55	9.35
7- 0.....	6.50	1.85	1.55	9.90
2- 8x6- 8.....	6.05	1.90	1.60	9.55
7- 0.....	6.60	1.90	1.60	10.10
2-10x6- 8.....	6.10	1.90	1.65	9.65
6-10.....	6.55	1.90	1.65	10.10
7- 0.....	6.70	1.90	1.65	10.25
3- 0x6- 8.....	6.20	1.95	1.65	9.80
7- 0.....	6.80	1.95	1.65	10.40

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$1.85	\$2.55	\$10.25
6- 8.....	5.95	1.85	2.55	10.35
7- 0.....	6.50	1.85	2.55	10.90
2- 8x6- 8.....	6.05	1.90	2.60	10.55
7- 0.....	6.60	1.90	2.60	11.10
2-10x6- 8.....	6.10	1.90	2.70	10.70
6-10.....	6.55	1.90	2.70	11.15
7- 0.....	6.70	1.90	2.70	11.30
3- 0x6- 8.....	6.20	1.95	2.80	10.95
7- 0.....	6.80	1.95	2.80	11.55

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.65	\$2.55	\$12.05
6- 8.....	5.95	3.65	2.55	12.15
7- 0.....	6.50	3.65	2.55	12.70
2- 8x6- 8.....	6.05	3.90	2.60	12.55
7- 0.....	6.60	3.90	2.60	13.10
2-10x6- 8.....	6.10	4.00	2.70	12.80
6-10.....	6.55	4.00	2.70	13.25
7- 0.....	6.70	4.00	2.70	13.40
3- 0x6- 8.....	6.20	4.20	2.80	13.20
7- 0.....	6.80	4.20	2.80	13.80


For extras, see page 180.

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 738

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.10	\$1.55	\$ 9.50
6- 8.....	5.95	2.10	1.55	9.60
7- 0.....	6.50	2.10	1.55	10.15
2- 8x6- 8.....	6.05	2.10	1.60	9.75
7- 0.....	6.60	2.10	1.60	10.30
2-10x6- 8.....	6.10	2.15	1.65	9.90
6-10.....	6.55	2.15	1.65	10.35
7- 0.....	6.70	2.15	1.65	10.50
3- 0x6- 8.....	6.20	2.20	1.65	10.05
7- 0.....	6.80	2.20	1.65	10.65

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.10	\$2.55	\$10.50
6- 8.....	5.95	2.10	2.55	10.60
7- 0.....	6.50	2.10	2.55	11.15
2- 8x6- 8.....	6.05	2.10	2.60	10.75
7- 0.....	6.60	2.10	2.60	11.30
2-10x6- 8.....	6.10	2.15	2.70	10.95
6-10.....	6.55	2.15	2.70	11.40
7- 0.....	6.70	2.15	2.70	11.55
3- 0x6- 8.....	6.20	2.20	2.80	11.20
7- 0.....	6.80	2.20	2.80	11.80

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.65	\$2.55	\$13.05
6- 8.....	5.95	4.65	2.55	13.15
7- 0.....	6.50	4.65	2.55	13.70
2- 8x6- 8.....	6.05	4.95	2.60	13.60
7- 0.....	6.60	4.95	2.60	14.15
2-10x6- 8.....	6.10	5.25	2.70	14.05
6-10.....	6.55	5.25	2.70	14.50
7- 0.....	6.70	5.25	2.70	14.65
3- 0x6- 8.....	6.20	5.30	2.80	14.30
7- 0.....	6.80	5.30	2.80	14.90

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

N. D. 739

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open No Wire
2- 6x6- 6.....	\$5.85	\$2.15	\$1.55	\$ 9.55
6- 8.....	5.95	2.15	1.55	9.65
7- 0.....	6.50	2.15	1.55	10.20
2- 8x6- 8.....	6.05	2.20	1.60	9.85
7- 0.....	6.60	2.20	1.60	10.40
2-10x6- 8.....	6.10	2.20	1.65	9.95
6-10.....	6.55	2.20	1.65	10.40
7- 0.....	6.70	2.20	1.65	10.55
3- 0x6- 8.....	6.20	2.25	1.65	10.10
7- 0.....	6.80	2.25	1.65	10.70

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.15	\$2.55	\$10.55
6- 8.....	5.95	2.15	2.55	10.65
7- 0.....	6.50	2.15	2.55	11.20
2- 8x6- 8.....	6.05	2.20	2.60	10.85
7- 0.....	6.60	2.20	2.60	11.40
2-10x6- 8.....	6.10	2.20	2.70	11.00
6-10.....	6.55	2.20	2.70	11.45
7- 0.....	6.70	2.20	2.70	11.60
3- 0x6- 8.....	6.20	2.25	2.80	11.25
7- 0.....	6.80	2.25	2.80	11.85


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.30	\$2.55	\$12.70
6- 8.....	5.95	4.30	2.55	12.80
7- 0.....	6.50	4.30	2.55	13.35
2- 8x6- 8.....	6.05	4.75	2.60	13.40
7- 0.....	6.60	4.75	2.60	13.95
2-10x6- 8.....	6.10	4.80	2.70	13.60
6-10.....	6.55	4.80	2.70	14.05
7- 0.....	6.70	4.80	2.70	14.20
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
221



N. D. 740

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8.....	5.95	2.25	1.55	9.75
7- 0.....	6.50	2.25	1.55	10.30
2- 8x6- 8.....	6.05	2.30	1.60	9.95
7- 0.....	6.60	2.30	1.60	10.50
2-10x6- 8.....	6.10	2.35	1.65	10.10
6-10.....	6.55	2.35	1.65	10.55
7- 0.....	6.70	2.35	1.65	10.70
3- 0x6- 8.....	6.20	2.40	1.65	10.25
7- 0.....	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.25	\$2.55	\$10.65
6- 8.....	5.95	2.25	2.55	10.75
7- 0.....	6.50	2.25	2.55	11.30
2- 8x6- 8.....	6.05	2.30	2.60	10.95
7- 0.....	6.60	2.30	2.60	11.50
2-10x6- 8.....	6.10	2.35	2.70	11.15
6-10.....	6.55	2.35	2.70	11.60
7- 0.....	6.70	2.35	2.70	11.75
3- 0x6- 8.....	6.20	2.40	2.80	11.40
7- 0.....	6.80	2.40	2.80	12.00

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.65	\$2.55	\$13.05
6- 8.....	5.95	4.65	2.55	13.15
7- 0.....	6.50	4.65	2.55	13.70
2- 8x6- 8.....	6.05	4.85	2.60	13.50
7- 0.....	6.60	4.85	2.60	14.05
2-10x6- 8.....	6.10	5.00	2.70	13.80
6-10.....	6.55	5.00	2.70	14.25
7- 0.....	6.70	5.00	2.70	14.40
3- 0x6- 8.....	6.20	5.35	2.80	14.35
7- 0.....	6.80	5.35	2.80	14.95

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 741


Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open No Wire
2- 6x6- 6	\$5.85	\$2.20	\$1.55	\$ 9.60
6- 8	5.95	2.20	1.55	9.70
7- 0	6.50	2.20	1.55	10.25
2- 8x6- 8	6.05	2.25	1.60	9.90
7- 0	6.60	2.25	1.60	10.45
2-10x6- 8	6.10	2.30	1.65	10.05
6-10	6.55	2.30	1.65	10.50
7- 0	6.70	2.30	1.65	10.65
3- 0x6- 8	6.20	2.35	1.65	10.20
7- 0	6.80	2.35	1.65	10.80

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.20	\$2.55	\$10.60
6- 8	5.95	2.20	2.55	10.70
7- 0	6.50	2.20	2.55	11.25
2- 8x6- 8	6.05	2.25	2.60	10.90
7- 0	6.60	2.25	2.60	11.45
2-10x6- 8	6.10	2.30	2.70	11.10
6-10	6.55	2.30	2.70	11.55
7- 0	6.70	2.30	2.70	11.70
3- 0x6- 8	6.20	2.35	2.80	11.35
7- 0	6.80	2.35	2.80	11.95

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.35	\$2.55	\$12.75
6- 8	5.95	4.35	2.55	12.85
7- 0	6.50	4.35	2.55	13.40
2- 8x6- 8	6.05	4.65	2.60	13.30
7- 0	6.60	4.65	2.60	13.85
2-10x6- 8	6.10	4.75	2.70	13.55
6-10	6.55	4.75	2.70	14.00
7- 0	6.70	4.75	2.70	14.15
3- 0x6- 8	6.20	5.05	2.80	14.05
7- 0	6.80	5.05	2.80	14.65

For extras, see page 180.

Window
Screens
183Veneered
Door Lists
and Extras
197Flush Door
Lists and
Extras
273



Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

N. D. 742

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8.....	5.95	2.25	1.55	9.75
7- 0.....	6.50	2.25	1.55	10.30
2- 8x6- 8.....	6.05	2.30	1.60	9.95
7- 0.....	6.60	2.30	1.60	10.50
2-10x6- 8.....	6.10	2.35	1.65	10.10
6-10.....	6.55	2.35	1.65	10.55
7- 0.....	6.70	2.35	1.65	10.70
3- 0x6- 8.....	6.20	2.40	1.65	10.25
7- 0.....	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.25	\$2.55	\$10.65
6- 8.....	5.95	2.25	2.55	10.75
7- 0.....	6.50	2.25	2.55	11.30
2- 8x6- 8.....	6.05	2.30	2.60	10.95
7- 0.....	6.60	2.30	2.60	11.50
2-10x6- 8.....	6.10	2.35	2.70	11.15
6-10.....	6.55	2.35	2.70	11.60
7- 0.....	6.70	2.35	2.70	11.75
3- 0x6- 8.....	6.20	2.40	2.80	11.40
7- 0.....	6.80	2.40	2.80	12.00

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.40	\$2.55	\$12.80
6- 8.....	5.95	4.40	2.55	12.90
7- 0.....	6.50	4.40	2.55	13.45
2- 8x6- 8.....	6.05	4.60	2.60	13.25
7- 0.....	6.60	4.60	2.60	13.80
2-10x6- 8.....	6.10	4.75	2.70	13.55
6-10.....	6.55	4.75	2.70	14.00
7- 0.....	6.70	4.75	2.70	14.15
3- 0x6- 8.....	6.20	4.95	2.80	13.95
7- 0.....	6.80	4.95	2.80	14.55

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1' higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 743

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.20	\$1.55	\$ 9.60
6- 8.....	5.95	2.20	1.55	9.70
7- 0.....	6.50	2.20	1.55	10.25
2- 8x6- 8.....	6.05	2.25	1.60	9.90
7- 0.....	6.60	2.25	1.60	10.45
2-10x6- 8.....	6.10	2.35	1.65	10.10
6-10.....	6.55	2.35	1.65	10.55
7- 0.....	6.70	2.35	1.65	10.70
3- 0x6- 8.....	6.20	2.40	1.65	10.25
7- 0.....	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.20	\$2.55	\$10.60
6- 8.....	5.95	2.20	2.55	10.70
7- 0.....	6.50	2.20	2.55	11.25
2- 8x6- 8.....	6.05	2.25	2.60	10.90
7- 0.....	6.60	2.25	2.60	11.45
2-10x6- 8.....	6.10	2.35	2.70	11.15
6-10.....	6.55	2.35	2.70	11.60
7- 0.....	6.70	2.35	2.70	11.75
3- 0x6- 8.....	6.20	2.40	2.80	11.40
7- 0.....	6.80	2.40	2.80	12.00


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.75	\$2.55	\$12.15
6- 8.....	5.95	3.75	2.55	12.25
7- 0.....	6.50	3.75	2.55	12.80
2- 8x6- 8.....	6.05	3.95	2.60	12.60
7- 0.....	6.60	3.95	2.60	13.15
2-10x6- 8.....	6.10	4.20	2.70	13.00
6-10.....	6.55	4.20	2.70	13.45
7- 0.....	6.70	4.20	2.70	13.60
3- 0x6- 8.....	6.20	4.40	2.80	13.40
7- 0.....	6.80	4.40	2.80	14.00

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
229



Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

N. D. 744

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8.....	5.95	2.25	1.55	9.75
7- 0.....	6.50	2.25	1.55	10.30
2- 8x6- 8.....	6.05	2.30	1.60	9.95
7- 0.....	6.60	2.30	1.60	10.50
2-10x6- 8.....	6.10	2.40	1.65	10.15
6-10.....	6.55	2.40	1.65	10.60
7- 0.....	6.70	2.40	1.65	10.75
3- 0x6- 8.....	6.20	2.45	1.65	10.30
7- 0.....	6.80	2.45	1.65	10.90

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.25	\$2.55	\$10.65
6- 8.....	5.95	2.25	2.55	10.75
7- 0.....	6.50	2.25	2.55	11.30
2- 8x6- 8.....	6.05	2.30	2.60	10.95
7- 0.....	6.60	2.30	2.60	11.50
2-10x6- 8.....	6.10	2.40	2.70	11.20
6-10.....	6.55	2.40	2.70	11.65
7- 0.....	6.70	2.40	2.70	11.80
3- 0x6- 8.....	6.20	2.45	2.80	11.45
7- 0.....	6.80	2.45	2.80	12.05

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.95	\$2.55	\$12.35
6- 8.....	5.95	3.95	2.55	12.45
7- 0.....	6.50	3.95	2.55	13.00
2- 8x6- 8.....	6.05	4.15	2.60	12.80
7- 0.....	6.60	4.15	2.60	13.35
2-10x6- 8.....	6.10	4.25	2.70	13.05
6-10.....	6.55	4.25	2.70	13.50
7- 0.....	6.70	4.25	2.70	13.65
3- 0x6- 8.....	6.20	4.70	2.80	13.70
7- 0.....	6.80	4.70	2.80	14.30

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 745

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.65	\$1.55	\$10.05
6- 8.....	5.95	2.65	1.55	10.15
7- 0.....	6.50	2.65	1.55	10.70
2- 8x6- 8.....	6.05	2.70	1.60	10.35
7- 0.....	6.60	2.70	1.60	10.90
2-10x6- 8.....	6.10	2.80	1.65	10.55
6-10.....	6.55	2.80	1.65	11.00
7- 0.....	6.70	2.80	1.65	11.15
3- 0x6- 8.....	6.20	2.85	1.65	10.70
7- 0.....	6.80	2.85	1.65	11.30

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.65	\$2.55	\$11.05
6- 8.....	5.95	2.65	2.55	11.15
7- 0.....	6.50	2.65	2.55	11.70
2- 8x6- 8.....	6.05	2.70	2.60	11.35
7- 0.....	6.60	2.70	2.60	11.90
2-10x6- 8.....	6.10	2.80	2.70	11.60
6-10.....	6.55	2.80	2.70	12.05
7- 0.....	6.70	2.80	2.70	12.20
3- 0x6- 8.....	6.20	2.85	2.80	11.85
7- 0.....	6.80	2.85	2.80	12.45


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.60	\$2.55	\$13.00
6- 8.....	5.95	4.60	2.55	13.10
7- 0.....	6.50	4.60	2.55	13.65
2- 8x6- 8.....	6.05	4.85	2.60	13.50
7- 0.....	6.60	4.85	2.60	14.05
2-10x6- 8.....	6.10	5.00	2.70	13.80
6-10.....	6.55	5.00	2.70	14.25
7- 0.....	6.70	5.00	2.70	14.40
3- 0x6- 8.....	6.20	5.15	2.80	14.15
7- 0.....	6.80	5.15	2.80	14.75

For extras, see page 180.

Window Screens 183

Veneered Door Lists and Extras 197

Flush Door Lists and Extras 279



Combination Door Lists

1½" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than ½" wider and 1' higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

N. D. 746

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.70	\$1.55	\$10.10
6- 8	5.95	2.70	1.55	10.20
7- 0	6.50	2.70	1.55	10.75
2- 8x6- 8	6.05	2.75	1.60	10.40
7- 0	6.60	2.75	1.60	10.95
2-10x6- 8	6.10	2.85	1.65	10.60
6-10	6.55	2.85	1.65	11.05
7- 0	6.70	2.85	1.65	11.20
3- 0x6- 8	6.20	2.90	1.65	10.75
7- 0	6.80	2.90	1.65	11.35

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.70	\$2.55	\$11.10
6- 8	5.95	2.70	2.55	11.20
7- 0	6.50	2.70	2.55	11.75
2- 8x6- 8	6.05	2.75	2.60	11.40
7- 0	6.60	2.75	2.60	11.95
2-10x6- 8	6.10	2.85	2.70	11.65
6-10	6.55	2.85	2.70	12.10
7- 0	6.70	2.85	2.70	12.25
3- 0x6- 8	6.20	2.90	2.80	11.90
7- 0	6.80	2.90	2.80	12.50

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.75	\$2.55	\$13.15
6- 8	5.95	4.75	2.55	13.25
7- 0	6.50	4.75	2.55	13.80
2- 8x6- 8	6.05	4.85	2.60	13.50
7- 0	6.60	4.85	2.60	14.05
2-10x6- 8	6.10	5.05	2.70	13.85
6-10	6.55	5.05	2.70	14.30
7- 0	6.70	5.05	2.70	14.45
3- 0x6- 8	6.20	5.20	2.80	14.20
7- 0	6.80	5.20	2.80	14.80

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 747

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.35	\$1.55	\$ 9.75
6- 8.....	5.95	2.35	1.55	9.85
7- 0.....	6.50	2.35	1.55	10.40
2- 8x6- 8.....	6.05	2.40	1.60	10.05
7- 0.....	6.60	2.40	1.60	10.60
2-10x6- 8.....	6.10	2.50	1.65	10.25
6-10.....	6.55	2.50	1.65	10.70
7- 0.....	6.70	2.50	1.65	10.85
3- 0x6- 8.....	6.20	2.60	1.65	10.45
7- 0.....	6.80	2.60	1.65	11.05

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.35	\$2.55	\$10.75
6- 8.....	5.95	2.35	2.55	10.85
7- 0.....	6.50	2.35	2.55	11.40
2- 8x6- 8.....	6.05	2.40	2.60	11.05
7- 0.....	6.60	2.40	2.60	11.60
2-10x6- 8.....	6.10	2.50	2.70	11.30
6-10.....	6.55	2.50	2.70	11.75
7- 0.....	6.70	2.50	2.70	11.90
3- 0x6- 8.....	6.20	2.60	2.80	11.60
7- 0.....	6.80	2.60	2.80	12.20


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.60	\$2.55	\$12.00
6- 8.....	5.95	3.60	2.55	12.10
7- 0.....	6.50	3.60	2.55	12.65
2- 8x6- 8.....	6.05	3.70	2.60	12.35
7- 0.....	6.60	3.70	2.60	12.90
2-10x6- 8.....	6.10	3.95	2.70	12.75
6-10.....	6.55	3.95	2.70	13.20
7- 0.....	6.70	3.95	2.70	13.35
3- 0x6- 8.....	6.20	4.15	2.80	13.15
7- 0.....	6.80	4.15	2.80	13.75

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
277



N. D. 748

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.55	\$1.55	\$ 9.95
6- 8.....	5.95	2.55	1.55	10.05
7- 0.....	6.50	2.55	1.55	10.60
2- 8x6- 8.....	6.05	2.65	1.60	10.30
7- 0.....	6.60	2.65	1.60	10.85
2-10x6- 8.....	6.10	2.75	1.65	10.50
6-10.....	6.55	2.75	1.65	10.95
7- 0.....	6.70	2.75	1.65	11.10
3- 0x6- 8.....	6.20	2.85	1.65	10.70
7- 0.....	6.80	2.85	1.65	11.30

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.55	\$2.55	\$10.95
6- 8.....	5.95	2.55	2.55	11.05
7- 0.....	6.50	2.55	2.55	11.60
2- 8x6- 8.....	6.05	2.65	2.60	11.30
7- 0.....	6.60	2.65	2.60	11.85
2-10x6- 8.....	6.10	2.75	2.70	11.55
6-10.....	6.55	2.75	2.70	12.00
7- 0.....	6.70	2.75	2.70	12.15
3- 0x6- 8.....	6.20	2.85	2.80	11.85
7- 0.....	6.80	2.85	2.80	12.45

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wire
2- 6x6- 6.....	\$5.85	\$3.85	\$2.55	\$12.25
6- 8.....	5.95	3.85	2.55	12.35
7- 0.....	6.50	3.85	2.55	12.90
2- 8x6- 8.....	6.05	4.05	2.60	12.70
7- 0.....	6.60	4.05	2.60	13.25
2-10x6- 8.....	6.10	4.25	2.70	13.05
6-10.....	6.55	4.25	2.70	13.50
7- 0.....	6.70	4.25	2.70	13.65
3- 0x6- 8.....	6.20	4.45	2.80	13.45
7- 0.....	6.80	4.45	2.80	14.05

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 749

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6-	\$5.85	\$2.70	\$1.55	\$10.10
6- 8-	5.95	2.70	1.55	10.20
7- 0-	6.50	2.70	1.55	10.75
2- 8x6- 8-	6.05	2.80	1.60	10.45
7- 0-	6.60	2.80	1.60	11.00
2-10x6- 8-	6.10	2.90	1.65	10.65
6-10-	6.55	2.90	1.65	11.10
7- 0-	6.70	2.90	1.65	11.25
3- 0x6- 8-	6.20	2.95	1.65	10.80
7- 0-	6.80	2.95	1.65	11.40

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6-	\$5.85	\$2.70	\$2.55	\$11.10
6- 8-	5.95	2.70	2.55	11.20
7- 0-	6.50	2.70	2.55	11.75
2- 8x6- 8-	6.05	2.80	2.60	11.45
7- 0-	6.60	2.80	2.60	12.00
2-10x6- 8-	6.10	2.90	2.70	11.70
6-10-	6.55	2.90	2.70	12.15
7- 0-	6.70	2.90	2.70	12.30
3- 0x6- 8-	6.20	2.95	2.80	11.95
7- 0-	6.80	2.95	2.80	12.55


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wired	Total List Sash Glazed Screen Section Wire
2- 6x6- 6-	\$5.85	\$4.15	\$2.55	\$12.55
6- 8-	5.95	4.15	2.55	12.65
7- 0-	6.50	4.15	2.55	13.20
2- 8x6- 8-	6.05	4.35	2.60	13.00
7- 0-	6.60	4.35	2.60	13.55
2-10x6- 8-	6.10	4.40	2.70	13.20
6-10-	6.55	4.40	2.70	13.65
7- 0-	6.70	4.40	2.70	13.80
3- 0x6- 8-	6.20	4.75	2.80	13.75
7- 0-	6.80	4.75	2.80	14.35

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
271



N. D. 750

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.85	\$1.55	\$10.25
6- 8.....	5.95	2.85	1.55	10.35
7- 0.....	6.50	2.85	1.55	10.90
2- 8x6- 8.....	6.05	2.95	1.60	10.60
7- 0.....	6.60	2.95	1.60	11.15
2-10x6- 8.....	6.10	3.05	1.65	10.80
6-10.....	6.55	3.05	1.65	11.25
7- 0.....	6.70	3.05	1.65	11.40
3- 0x6- 8.....	6.20	3.20	1.65	11.05
7- 0.....	6.80	3.20	1.65	11.65

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.85	\$2.55	\$11.25
6- 8.....	5.95	2.85	2.55	11.35
7- 0.....	6.50	2.85	2.55	11.90
2- 8x6- 8.....	6.05	2.95	2.60	11.60
7- 0.....	6.60	2.95	2.60	12.15
2-10x6- 8.....	6.10	3.05	2.70	11.85
6-10.....	6.55	3.05	2.70	12.30
7- 0.....	6.70	3.05	2.70	12.45
3- 0x6- 8.....	6.20	3.20	2.80	12.20
7- 0.....	6.80	3.20	2.80	12.80

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.70	\$2.55	\$12.10
6- 8.....	5.95	3.70	2.55	12.20
7- 0.....	6.50	3.70	2.55	12.75
2- 8x6- 8.....	6.05	3.90	2.60	12.55
7- 0.....	6.60	3.90	2.60	13.10
2-10x6- 8.....	6.10	4.05	2.70	12.85
6-10.....	6.55	4.05	2.70	13.30
7- 0.....	6.70	4.05	2.70	13.45
3- 0x6- 8.....	6.20	4.30	2.80	13.30
7- 0.....	6.80	4.30	2.80	13.90

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 751

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$3.00	\$1.55	\$10.40
6- 8.....	5.95	3.00	1.55	10.50
7- 0.....	6.50	3.00	1.55	11.05
2- 8x6- 8.....	6.05	3.15	1.60	10.80
7- 0.....	6.60	3.15	1.60	11.35
2-10x6- 8.....	6.10	3.25	1.65	11.00
6-10.....	6.55	3.25	1.65	11.45
7- 0.....	6.70	3.25	1.65	11.60
3- 0x6- 8.....	6.20	3.40	1.65	11.25
7- 0.....	6.80	3.40	1.65	11.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.00	\$2.55	\$11.40
6- 8.....	5.95	3.00	2.55	11.50
7- 0.....	6.50	3.00	2.55	12.05
2- 8x6- 8.....	6.05	3.15	2.60	11.80
7- 0.....	6.60	3.15	2.60	12.35
2-10x6- 8.....	6.10	3.25	2.70	12.05
6-10.....	6.55	3.25	2.70	12.50
7- 0.....	6.70	3.25	2.70	12.65
3- 0x6- 8.....	6.20	3.40	2.80	12.40
7- 0.....	6.80	3.40	2.80	13.00


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.10	\$2.55	\$12.50
6- 8.....	5.95	4.10	2.55	12.60
7- 0.....	6.50	4.10	2.55	13.15
2- 8x6- 8.....	6.05	4.35	2.60	13.00
7- 0.....	6.60	4.35	2.60	13.55
2-10x6- 8.....	6.10	4.55	2.70	13.35
6-10.....	6.55	4.55	2.70	13.80
7- 0.....	6.70	4.55	2.70	13.95
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
279



N. D. 752

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$3.15	\$1.55	\$10.55
6- 8.....	5.95	3.15	1.55	10.65
7- 0.....	6.50	3.15	1.55	11.20
2- 8x6- 8.....	6.05	3.30	1.60	10.95
7- 0.....	6.60	3.30	1.60	11.50
2-10x6- 8.....	6.10	3.40	1.65	11.15
6-10.....	6.55	3.40	1.65	11.60
7- 0.....	6.70	3.40	1.65	11.75
3- 0x6- 8.....	6.20	3.50	1.65	11.35
7- 0.....	6.80	3.50	1.65	11.95

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.15	\$2.55	\$11.55
6- 8.....	5.95	3.15	2.55	11.65
7- 0.....	6.50	3.15	2.55	12.20
2- 8x6- 8.....	6.05	3.30	2.60	11.95
7- 0.....	6.60	3.30	2.60	12.50
2-10x6- 8.....	6.10	3.40	2.70	12.20
6-10.....	6.55	3.40	2.70	12.65
7- 0.....	6.70	3.40	2.70	12.80
3- 0x6- 8.....	6.20	3.50	2.80	12.50
7- 0.....	6.80	3.50	2.80	13.10

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.25	\$2.55	\$12.65
6- 8.....	5.95	4.25	2.55	12.75
7- 0.....	6.50	4.25	2.55	13.30
2- 8x6- 8.....	6.05	4.45	2.60	13.10
7- 0.....	6.60	4.45	2.60	13.65
2-10x6- 8.....	6.10	4.65	2.70	13.45
6-10.....	6.55	4.65	2.70	13.90
7- 0.....	6.70	4.65	2.70	14.05
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 753

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$3.25	\$1.55	\$10.65
6- 8.....	5.95	3.25	1.55	10.75
7- 0.....	6.50	3.25	1.55	11.30
2- 8x6- 8.....	6.05	3.40	1.60	11.05
7- 0.....	6.60	3.40	1.60	11.60
2-10x6- 8.....	6.10	3.50	1.65	11.25
6-10.....	6.55	3.50	1.65	11.70
7- 0.....	6.70	3.50	1.65	11.85
3- 0x6- 8.....	6.20	3.60	1.65	11.45
7- 0.....	6.80	3.60	1.65	12.05

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.25	\$2.55	\$11.65
6- 8.....	5.95	3.25	2.55	11.75
7- 0.....	6.50	3.25	2.55	12.30
2- 8x6- 8.....	6.05	3.40	2.60	12.05
7- 0.....	6.60	3.40	2.60	12.60
2-10x6- 8.....	6.10	3.50	2.70	12.30
6-10.....	6.55	3.50	2.70	12.75
7- 0.....	6.70	3.50	2.70	12.90
3- 0x6- 8.....	6.20	3.60	2.80	12.60
7- 0.....	6.80	3.60	2.80	13.20


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.35	\$2.55	\$12.75
6- 8.....	5.95	4.35	2.55	12.85
7- 0.....	6.50	4.35	2.55	13.40
2- 8x6- 8.....	6.05	4.50	2.60	13.15
7- 0.....	6.60	4.50	2.60	13.70
2-10x6- 8.....	6.10	4.75	2.70	13.55
6-10.....	6.55	4.75	2.70	14.00
7- 0.....	6.70	4.75	2.70	14.15
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 754

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open List No Wire
2- 6x6- 6.....	\$5.85	\$3.40	\$1.55	\$10.80
6- 8.....	5.95	3.40	1.55	10.90
7- 0.....	6.50	3.40	1.55	11.45
2- 8x6- 8.....	6.05	3.50	1.60	11.15
7- 0.....	6.60	3.50	1.60	11.70
2-10x6- 8.....	6.10	3.65	1.65	11.40
6-10.....	6.55	3.65	1.65	11.85
7- 0.....	6.70	3.65	1.65	12.00
3- 0x6- 8.....	6.20	3.75	1.65	11.60
7- 0.....	6.80	3.75	1.65	12.20

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.40	\$2.55	\$11.80
6- 8.....	5.95	3.40	2.55	11.90
7- 0.....	6.50	3.40	2.55	12.45
2- 8x6- 8.....	6.05	3.50	2.60	12.15
7- 0.....	6.60	3.50	2.60	12.70
2-10x6- 8.....	6.10	3.65	2.70	12.45
6-10.....	6.55	3.65	2.70	12.90
7- 0.....	6.70	3.65	2.70	13.05
3- 0x6- 8.....	6.20	3.75	2.80	12.75
7- 0.....	6.80	3.75	2.80	13.35

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.60	\$2.55	\$13.00
6- 8.....	5.95	4.60	2.55	13.10
7- 0.....	6.50	4.60	2.55	13.65
2- 8x6- 8.....	6.05	4.75	2.60	13.40
7- 0.....	6.60	4.75	2.60	13.95
2-10x6- 8.....	6.10	4.95	2.70	13.75
6-10.....	6.55	4.95	2.70	14.20
7- 0.....	6.70	4.95	2.70	14.35
3- 0x6- 8.....	6.20	5.15	2.80	14.15
7- 0.....	6.80	5.15	2.80	14.75

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 755

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$1.45	\$1.55	\$ 8.85
6- 8.....	5.95	1.45	1.55	8.95
7- 0.....	6.50	1.45	1.55	9.50
2- 8x6- 8.....	6.05	1.50	1.60	9.15
7- 0.....	6.60	1.50	1.60	9.70
2-10x6- 8.....	6.10	1.55	1.65	9.30
6-10.....	6.55	1.55	1.65	9.75
7- 0.....	6.70	1.55	1.65	9.90
3- 0x6- 8.....	6.20	1.55	1.65	9.40
7- 0.....	6.80	1.55	1.65	10.00

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$1.45	\$2.55	\$ 9.85
6- 8.....	5.95	1.45	2.55	9.95
7- 0.....	6.50	1.45	2.55	10.50
2- 8x6- 8.....	6.05	1.50	2.60	10.15
7- 0.....	6.60	1.50	2.60	10.70
2-10x6- 8.....	6.10	1.55	2.70	10.35
6-10.....	6.55	1.55	2.70	10.80
7- 0.....	6.70	1.55	2.70	10.95
3- 0x6- 8.....	6.20	1.55	2.80	10.55
7- 0.....	6.80	1.55	2.80	11.15

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.55	\$2.55	\$11.95
6- 8.....	5.95	3.55	2.55	12.05
7- 0.....	6.50	3.55	2.55	12.60
2- 8x6- 8.....	6.05	3.70	2.60	12.35
7- 0.....	6.60	3.70	2.60	12.90
2-10x6- 8.....	6.10	3.90	2.70	12.70
6-10.....	6.55	3.90	2.70	13.15
7- 0.....	6.70	3.90	2.70	13.30
3- 0x6- 8.....	6.20	4.10	2.80	13.10
7- 0.....	6.80	4.10	2.80	13.70

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Combination Door Extras

The following list extras are intended to enable the building of a list on those sizes and thicknesses not already listed, and providing extras not included in the regular list.

Rule 1—For irregular or intermediate sizes, use list of the next largest listed size.

Rule 2—Wider than listed sizes, add to list of a 3-0 wide door of same height, for each additional 2" or fraction thereof:

(A)—For all sections open.....	\$0.20 List
(B)—For sash section open, screen section wired 14-mesh galvanized.....	.30 List
(C)—For sash section glazed, screen section wired 14-mesh galvanized.....	.40 List

Rule 3—Higher than listed sizes, add to list of a 7-0 high door of same width, for each additional 2" or fraction thereof:

(A)—For all sections open.....	.40 List
(B)—For sash section open, screen section wired 14-mesh galvanized.....	.40 List
(C)—For sash section glazed, screen section wired 14-mesh galvanized.....	.40 List

Rule 4—Combination Doors made oversize $\frac{3}{4}$ " or 1" wider, add... .30 List

Rule 5—(A)—Doors with stiles and top rail wider than $4\frac{3}{4}$ " overall, for each additional $\frac{1}{4}$ " wider or fraction thereof, add... .16 List

(B)—Top and lock rails wider than $4\frac{3}{4}$ " overall and bottom rail wider than $9\frac{3}{4}$ " overall, for each additional $\frac{1}{4}$ " wider or fraction thereof, add... .04 List

Rule 6—For doors $1\frac{3}{8}$ " thick, add to the list of a $1\frac{1}{8}$ " thick door section of same size... 20%

NOTE—Combination doors $1\frac{3}{8}$ " thick include sash and screen sections $1\frac{1}{8}$ " thick. For thicker sections, see Rule 8.

Rule 7—For doors $1\frac{3}{4}$ " thick, add to the list of a $1\frac{1}{8}$ " thick door section of same size... 60%

NOTE—Combination doors $1\frac{3}{4}$ " thick include sash and screen sections $1\frac{1}{8}$ " thick. For thicker sections, see Rule 8.

Rule 8—For Sash and screen sections $1\frac{3}{8}$ " thick for $1\frac{3}{8}$ " or $1\frac{3}{4}$ " door section, add to the list of a $1\frac{1}{8}$ " sash and screen section of the corresponding open list... 12½%

Combination Door Extras—Continued

Rule 9—(A)—For 12 mesh black or galvanized wire, deduct.	\$0.10 List
(B)—For 16 mesh galvanized wire, add.	.20 List
(C)—For 18 mesh galvanized wire, add.	.40 List
(D)—For 14 or 16 mesh bronze wire, add.	1.00 List
(E)—For 18 mesh bronze wire, add.	1.40 List
(F)—When screen sections are sold separately, the above extras must be added to the screen section list.	
Rule 10—(A)—Circle Top, add.	19.50 List
(B)—Gothic or Semi-Gothic, add.	19.50 List
(C)—Segment Head in and out, add.	10.00 List
(D)—Peak Head, add.	14.50 List
Rule 11—Finishing combinations with 2 coats of varnish, add per door	3.50 List

Add for Beads for Glass in Sash Sections

	<u>List</u>
Rule 12—For N. D.—736.	\$0.90
For N. D.—737.	1.20
For N. D.—738.	1.35
For N. D.—739.	1.80
For N. D.—740.	2.25
For N. D.—741.	1.65
For N. D.—742.	1.80
For N. D.—743.	.90
For N. D.—744.	.90
For N. D.—745.	1.65
For N. D.—746.	1.80
For N. D.—747.	.25
For N. D.—748.	.60
For N. D.—749.	.90
For N. D.—750.	.25
For N. D.—751.	.45
For N. D.—752.	.90
For N. D.—753.	.90
For N. D.—754.	1.35
For N. D.—755.	.55

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Standard List of Full Size Window Screens

Two-Light Full Size Window Screens

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" - Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
10x10	1-2x2- $3\frac{3}{8}$	\$1.65	\$1.70	\$1.75	\$2.10	\$2.15	\$2.20
	12 2- $7\frac{7}{8}$	1.75	1.80	1.85	2.25	2.30	2.35
	14 2- $11\frac{3}{8}$	1.85	1.90	1.95	2.40	2.45	2.50
	16 3- $3\frac{3}{8}$	1.95	2.00	2.05	2.55	2.60	2.65
	18 3- $7\frac{7}{8}$	2.05	2.10	2.15	2.70	2.75	2.80
	20 3- $11\frac{3}{8}$	2.10	2.20	2.30	2.85	2.90	2.95
	22 4- $3\frac{3}{8}$	2.20	2.35	2.40	3.00	3.05	3.10
	24 4- $7\frac{7}{8}$	2.30	2.45	2.50	3.20	3.25	3.30
	26 4- $11\frac{3}{8}$	2.40	2.55	2.60	3.35	3.40	3.45
	28 5- $3\frac{3}{8}$	2.50	2.65	2.70	3.50	3.55	3.60
	30 5- $7\frac{7}{8}$	2.60	2.75	2.85	3.60	3.70	3.80
	32 5- $11\frac{3}{8}$	2.70	2.85	2.95	3.75	3.85	3.95
	34 6- $3\frac{3}{8}$	2.80	2.95	3.05	3.90	4.00	4.10
	36 6- $7\frac{7}{8}$	2.90	3.05	3.15	4.05	4.15	4.25
12x10	1-4x2- $3\frac{3}{8}$	1.70	1.80	1.85	2.25	2.30	2.35
	12 2- $7\frac{7}{8}$	1.80	1.90	1.95	2.40	2.45	2.50
	14 2- $11\frac{3}{8}$	1.90	2.00	2.05	2.55	2.60	2.65
	16 3- $3\frac{3}{8}$	2.00	2.10	2.20	2.75	2.80	2.85
	18 3- $7\frac{7}{8}$	2.10	2.20	2.30	2.90	2.95	3.00
	20 3- $11\frac{3}{8}$	2.20	2.35	2.40	3.05	3.10	3.15
	22 4- $3\frac{3}{8}$	2.30	2.45	2.50	3.25	3.30	3.35
	24 4- $7\frac{7}{8}$	2.40	2.55	2.65	3.40	3.45	3.50
	26 4- $11\frac{3}{8}$	2.50	2.65	2.75	3.55	3.65	3.75
	28 5- $3\frac{3}{8}$	2.60	2.75	2.85	3.70	3.80	3.90
	30 5- $7\frac{7}{8}$	2.70	2.85	3.00	3.90	4.00	4.10
	32 5- $11\frac{3}{8}$	2.80	3.00	3.10	4.05	4.15	4.25
	34 6- $3\frac{3}{8}$	2.90	3.10	3.20	4.25	4.35	4.45
	36 6- $7\frac{7}{8}$	3.00	3.20	3.35	4.35	4.50	4.65
14x10	1-6x2- $3\frac{3}{8}$	1.80	1.85	1.90	2.40	2.45	2.50
	12 2- $7\frac{7}{8}$	1.90	2.00	2.05	2.55	2.60	2.65
	14 2- $11\frac{3}{8}$	2.00	2.10	2.15	2.75	2.80	2.85
	16 3- $3\frac{3}{8}$	2.10	2.20	2.30	2.95	3.00	3.05
	18 3- $7\frac{7}{8}$	2.20	2.35	2.40	3.15	3.20	3.25
	20 3- $11\frac{3}{8}$	2.30	2.45	2.55	3.30	3.35	3.40
	22 4- $3\frac{3}{8}$	2.40	2.55	2.65	3.50	3.55	3.60
	24 4- $7\frac{7}{8}$	2.50	2.65	2.75	3.65	3.75	3.85
	26 4- $11\frac{3}{8}$	2.60	2.80	2.90	3.85	3.95	4.05
	28 5- $3\frac{3}{8}$	2.70	2.90	3.00	4.00	4.10	4.20
	30 5- $7\frac{7}{8}$	2.80	3.00	3.15	4.20	4.30	4.40
	32 5- $11\frac{3}{8}$	2.90	3.10	3.25	4.35	4.50	4.65
	34 6- $3\frac{3}{8}$	3.00	3.25	3.40	4.55	4.70	4.85
	36 6- $7\frac{7}{8}$	3.10	3.35	3.50	4.70	4.85	5.00
16x10	1-8x2- $3\frac{3}{8}$	1.85	1.95	2.00	2.55	2.60	2.65
	12 2- $7\frac{7}{8}$	1.95	2.05	2.15	2.75	2.80	2.85
	14 2- $11\frac{3}{8}$	2.05	2.20	2.25	2.95	3.00	3.05
	15 3- $1\frac{3}{8}$	2.15	2.25	2.35	3.05	3.10	3.15
	16 3- $3\frac{3}{8}$	2.20	2.30	2.40	3.15	3.20	3.25
	18 3- $7\frac{7}{8}$	2.30	2.45	2.50	3.35	3.40	3.45
	20 3- $11\frac{3}{8}$	2.40	2.55	2.65	3.50	3.60	3.70

Two-Light Full Size Window Screens (Continued)

Frames 1 7/8" Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
16x22	1-8x4- 3 3/8.....	\$2.50	\$2.65	\$2.75	\$3.70	\$3.80	\$3.90
24	4- 7 7/8.....	2.60	2.80	2.90	3.90	4.00	4.10
26	4-11 3/8.....	2.70	2.90	3.05	4.10	4.20	4.30
28	5- 3 3/8.....	2.80	3.05	3.15	4.30	4.40	4.50
30	5- 7 7/8.....	2.90	3.15	3.30	4.45	4.60	4.75
32	5-11 3/8.....	3.00	3.25	3.40	4.65	4.80	4.95
34	6- 3 3/8.....	3.10	3.40	3.55	4.85	5.00	5.15
36	6- 7 7/8.....	3.25	3.50	3.70	5.00	5.20	5.40
18x10	1-10x2- 3 3/8.....	1.95	2.05	2.10	2.70	2.75	2.80
12	2- 7 7/8.....	2.05	2.15	2.20	2.90	2.95	3.00
14	2-11 3/8.....	2.15	2.30	2.35	3.15	3.20	3.25
16	3- 3 3/8.....	2.25	2.40	2.50	3.35	3.40	3.45
18	3- 7 7/8.....	2.35	2.55	2.65	3.50	3.60	3.70
20	3-11 3/8.....	2.45	2.65	2.75	3.75	3.85	3.95
22	4- 3 3/8.....	2.60	2.80	2.90	3.95	4.05	4.15
24	4- 7 7/8.....	2.70	2.90	3.05	4.15	4.25	4.35
26	4-11 3/8.....	2.80	3.05	3.15	4.35	4.50	4.65
28	5- 3 3/8.....	2.90	3.15	3.30	4.55	4.70	4.85
30	5- 7 7/8.....	3.00	3.30	3.45	4.75	4.90	5.05
32	5-11 3/8.....	3.10	3.40	3.60	4.95	5.15	5.35
34	6- 3 3/8.....	3.25	3.55	3.70	5.15	5.35	5.55
36	6- 7 7/8.....	3.35	3.65	3.85	5.35	5.55	5.75
20x10	2-0x2- 3 3/8.....	2.00	2.10	2.15	2.85	2.90	2.95
12	2- 7 7/8.....	2.10	2.25	2.30	3.05	3.10	3.15
14	2-11 3/8.....	2.20	2.35	2.45	3.30	3.35	3.40
15	3- 1 3/8.....	2.30	2.45	2.55	3.40	3.45	3.50
16	3- 3 3/8.....	2.35	2.50	2.60	3.50	3.55	3.60
18	3- 7 7/8.....	2.45	2.65	2.75	3.70	3.80	3.90
20	3-11 3/8.....	2.55	2.75	2.90	3.95	4.05	4.15
22	4- 3 3/8.....	2.65	2.90	3.05	4.15	4.25	4.35
24	4- 7 7/8.....	2.80	3.05	3.15	4.35	4.50	4.65
26	4-11 3/8.....	2.90	3.15	3.30	4.60	4.75	4.90
28	5- 3 3/8.....	3.00	3.30	3.45	4.80	4.95	5.10
30	5- 7 7/8.....	3.10	3.45	3.60	5.00	5.20	5.40
32	5-11 3/8.....	3.25	3.55	3.75	5.25	5.45	5.65
34	6- 3 3/8.....	3.35	3.70	3.90	5.45	5.65	5.85
36	6- 7 7/8.....	3.45	3.85	4.05	5.70	5.90	6.10
22x10	2-2x2- 3 3/8.....	2.05	2.20	2.25	3.00	3.05	3.10
12	2- 7 7/8.....	2.20	2.30	2.40	3.25	3.30	3.35
14	2-11 3/8.....	2.30	2.45	2.55	3.50	3.55	3.60
16	3- 3 3/8.....	2.40	2.60	2.70	3.70	3.80	3.90
18	3- 7 7/8.....	2.55	2.75	2.85	3.95	4.05	4.15
20	3-11 3/8.....	2.65	2.85	3.00	4.20	4.30	4.40
22	4- 3 3/8.....	2.75	3.00	3.15	4.40	4.55	4.70
24	4- 7 7/8.....	2.90	3.15	3.30	4.65	4.80	4.95
26	4-11 3/8.....	3.00	3.30	3.45	4.90	5.05	5.20
28	5- 3 3/8.....	3.10	3.40	3.60	5.10	5.30	5.50
30	5- 7 7/8.....	3.25	3.55	3.75	5.35	5.55	5.75
32	5-11 3/8.....	3.35	3.70	3.90	5.60	5.80	6.00
34	6- 3 3/8.....	3.45	3.80	4.05	5.85	6.05	6.25
36	6- 7 7/8.....	3.55	3.95	4.20	6.10	6.30	6.50
24x10	2-4x2- 3 3/8.....	2.15	2.25	2.35	3.15	3.20	3.25
12	2- 7 7/8.....	2.25	2.40	2.50	3.40	3.45	3.50
14	2-11 3/8.....	2.40	2.55	2.65	3.60	3.70	3.80

Window
Screens
183Venereal
Door Lists
and Extras
197Flush Door
Lists and
Extras
273

Two-Light Full Size Window Screens (Continued)

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
24x15	2-4x3- $1\frac{1}{8}$	\$2.45	\$2.65	\$2.75	\$3.75	\$3.85	\$3.95
16	3- $3\frac{3}{8}$	2.50	2.70	2.80	3.90	4.00	4.10
18	3- $7\frac{7}{8}$	2.60	2.85	2.95	4.15	4.25	4.35
20	3- $11\frac{1}{8}$	2.75	2.95	3.10	4.35	4.50	4.65
22	4- $3\frac{3}{8}$	2.85	3.10	3.30	4.65	4.80	4.95
24	4- $7\frac{7}{8}$	2.95	3.25	3.45	4.90	5.05	5.20
26	4- $11\frac{1}{8}$	3.10	3.40	3.60	5.10	5.30	5.50
28	5- $3\frac{3}{8}$	3.20	3.55	3.75	5.40	5.60	5.80
30	5- $7\frac{7}{8}$	3.35	3.65	3.90	5.65	5.85	6.05
32	5- $11\frac{1}{8}$	3.45	3.80	4.05	5.90	6.10	6.30
34	6- $3\frac{3}{8}$	3.55	3.95	4.20	6.20	6.40	6.60
36	6- $7\frac{7}{8}$	3.70	4.10	4.40	6.40	6.65	6.90
26x10	2-6x2- $3\frac{3}{8}$	2.20	2.35	2.40	3.30	3.35	3.40
12	2- $7\frac{7}{8}$	2.35	2.50	2.60	3.50	3.60	3.70
14	2- $11\frac{1}{8}$	2.45	2.65	2.75	3.80	3.90	4.00
16	3- $3\frac{3}{8}$	2.60	2.80	2.90	4.05	4.15	4.25
18	3- $7\frac{7}{8}$	2.70	2.95	3.10	4.35	4.45	4.55
20	3- $11\frac{1}{8}$	2.85	3.10	3.25	4.55	4.70	4.85
22	4- $3\frac{3}{8}$	2.95	3.25	3.40	4.85	5.00	5.15
24	4- $7\frac{7}{8}$	3.10	3.40	3.55	5.10	5.30	5.50
26	4- $11\frac{1}{8}$	3.20	3.50	3.75	5.35	5.55	5.75
28	5- $3\frac{3}{8}$	3.35	3.65	3.90	5.65	5.85	6.05
30	5- $7\frac{7}{8}$	3.45	3.80	4.05	5.90	6.10	6.30
32	5- $11\frac{1}{8}$	3.60	3.95	4.25	6.20	6.40	6.60
34	6- $3\frac{3}{8}$	3.70	4.10	4.40	6.45	6.70	6.95
36	6- $7\frac{7}{8}$	3.85	4.25	4.55	6.75	7.00	7.25
27x10	2-7x2- $3\frac{3}{8}$	2.25	2.40	2.45	3.40	3.45	3.50
12	2- $7\frac{7}{8}$	2.40	2.55	2.65	3.60	3.70	3.80
14	2- $11\frac{1}{8}$	2.50	2.70	2.80	3.90	4.00	4.10
15	3- $1\frac{1}{8}$	2.60	2.80	2.90	4.05	4.15	4.25
16	3- $3\frac{3}{8}$	2.65	2.85	2.95	4.15	4.25	4.35
18	3- $7\frac{7}{8}$	2.75	3.00	3.15	4.45	4.55	4.70
20	3- $11\frac{1}{8}$	2.90	3.15	3.30	4.70	4.85	5.00
22	4- $3\frac{3}{8}$	3.05	3.30	3.50	5.00	5.15	5.30
24	4- $7\frac{7}{8}$	3.15	3.50	3.65	5.25	5.45	5.65
26	4- $11\frac{1}{8}$	3.30	3.60	3.80	5.50	5.70	5.90
28	5- $3\frac{3}{8}$	3.45	3.75	4.00	5.80	6.00	6.20
30	5- $7\frac{7}{8}$	3.55	3.90	4.15	6.10	6.30	6.50
32	5- $11\frac{1}{8}$	3.70	4.05	4.35	6.35	6.60	6.80
34	6- $3\frac{3}{8}$	3.80	4.20	4.50	6.65	6.90	7.15
36	6- $7\frac{7}{8}$	3.95	4.40	4.65	6.95	7.20	7.45
28x10	2-8x2- $3\frac{3}{8}$	2.30	2.45	2.50	3.45	3.50	3.55
12	2- $7\frac{7}{8}$	2.40	2.60	2.65	3.65	3.75	3.85
14	2- $11\frac{1}{8}$	2.55	2.75	2.85	3.95	4.05	4.15
15	3- $1\frac{1}{8}$	2.65	2.85	2.95	4.10	4.20	4.30
16	3- $3\frac{3}{8}$	2.70	2.90	3.00	4.25	4.35	4.45
18	3- $7\frac{7}{8}$	2.80	3.05	3.20	4.50	4.65	4.80
20	3- $11\frac{1}{8}$	2.95	3.20	3.35	4.80	4.95	5.10
22	4- $3\frac{3}{8}$	3.10	3.35	3.55	5.10	5.25	5.40
24	4- $7\frac{7}{8}$	3.20	3.55	3.70	5.35	5.55	5.75
26	4- $11\frac{1}{8}$	3.35	3.70	3.85	5.65	5.85	6.05
28	5- $3\frac{3}{8}$	3.50	3.85	4.05	5.95	6.15	6.35
30	5- $7\frac{7}{8}$	3.60	4.00	4.20	6.25	6.45	6.65
32	5- $11\frac{1}{8}$	3.75	4.15	4.40	6.50	6.75	7.00

Two-Light Full Size Window Screens (Continued)

Frames 1½" Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
28x34	2- 8x6- 3⅜.....	\$3.90	\$4.30	\$4.55	\$6.80	\$7.05	\$7.30
36	6- 7⅜.....	4.00	4.50	4.75	7.10	7.35	7.60
30x10	2-10x2- 3⅜.....	2.35	2.50	2.60	3.55	3.65	3.75
12	2- 7⅜.....	2.50	2.65	2.75	3.85	3.95	4.05
14	2-11⅜.....	2.60	2.85	2.95	4.15	4.25	4.35
15	3- 1⅜.....	2.70	2.95	3.05	4.30	4.40	4.55
16	3- 3⅜.....	2.75	3.00	3.10	4.40	4.55	4.70
18	3- 7⅜.....	2.90	3.15	3.30	4.70	4.85	5.00
20	3-11⅜.....	3.05	3.35	3.50	5.00	5.15	5.30
22	4- 3⅜.....	3.15	3.50	3.65	5.30	5.45	5.60
24	4- 7⅜.....	3.30	3.65	3.85	5.55	5.75	5.95
26	4-11⅜.....	3.45	3.80	4.00	5.85	6.05	6.25
28	5- 3⅜.....	3.60	4.00	4.20	6.20	6.40	6.60
30	5- 7⅜.....	3.70	4.15	4.35	6.45	6.70	6.95
32	5-11⅜.....	3.85	4.30	4.55	6.80	7.05	7.30
34	6- 3⅜.....	4.00	4.50	4.75	7.10	7.35	7.60
36	6- 7⅜.....	4.15	4.65	4.90	7.45	7.70	7.95
10	2- 3⅜.....	2.40	2.60	2.65	3.70	3.80	3.90
12	2- 7⅜.....	2.55	2.75	2.85	4.00	4.10	4.20
14	2-11⅜.....	2.70	2.95	3.05	4.35	4.45	4.55
16	3- 3⅜.....	2.85	3.10	3.25	4.60	4.75	4.90
32x18	3-0x3- 7⅜.....	3.00	3.25	3.40	4.95	5.10	5.25
20	3-11⅜.....	3.15	3.45	3.60	5.25	5.40	5.55
22	4- 3⅜.....	3.30	3.60	3.80	5.55	5.75	5.95
24	4- 7⅜.....	3.45	3.80	3.95	5.85	6.05	6.25
26	4-11⅜.....	3.55	3.95	4.15	6.20	6.40	6.60
28	5- 3⅜.....	3.70	4.15	4.35	6.45	6.70	6.95
30	5- 7⅜.....	3.85	4.30	4.50	6.80	7.05	7.30
32	5-11⅜.....	4.00	4.50	4.70	7.15	7.40	7.65
34	6- 3⅜.....	4.15	4.65	4.90	7.45	7.75	8.05
36	6- 7⅜.....	4.30	4.80	5.10	7.80	8.10	8.40
34x10	3-2x2- 3⅜.....	2.50	2.65	2.75	3.85	3.95	4.05
12	2- 7⅜.....	2.65	2.85	2.95	4.15	4.25	4.35
14	2-11⅜.....	2.80	3.00	3.15	4.45	4.60	4.75
16	3- 3⅜.....	2.95	3.20	3.35	4.80	4.95	5.10
18	3- 7⅜.....	3.10	3.40	3.50	5.15	5.30	5.45
20	3-11⅜.....	3.25	3.55	3.70	5.45	5.65	5.85
22	4- 3⅜.....	3.35	3.70	3.90	5.80	6.00	6.20
24	4- 7⅜.....	3.50	3.90	4.10	6.15	6.35	6.55
26	4-11⅜.....	3.65	4.05	4.30	6.45	6.70	6.95
28	5- 3⅜.....	3.80	4.25	4.50	6.80	7.05	7.30
30	5- 7⅜.....	3.95	4.40	4.70	7.15	7.40	7.65
32	5-11⅜.....	4.10	4.60	4.85	7.50	7.75	8.00
34	6- 3⅜.....	4.25	4.75	5.05	7.80	8.10	8.40
36	6- 7⅜.....	4.40	4.95	5.25	8.15	8.45	8.75
36x10	3-4x2- 3⅜.....	2.55	2.75	2.85	4.00	4.10	4.20
12	2- 7⅜.....	2.70	2.95	3.05	4.35	4.45	4.55
14	2-11⅜.....	2.85	3.10	3.25	4.65	4.80	4.95
16	3- 3⅜.....	3.00	3.30	3.45	5.00	5.15	5.30
18	3- 7⅜.....	3.20	3.50	3.65	5.40	5.55	5.70
20	3-11⅜.....	3.35	3.65	3.85	5.70	5.90	6.10
22	4- 3⅜.....	3.50	3.85	4.05	6.05	6.25	6.45
24	4- 7⅜.....	3.65	4.00	4.25	6.40	6.60	6.80
26	4-11⅜.....	3.80	4.20	4.45	6.75	7.00	7.25

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Two-Light Full Size Window Screens (Continued)

Frames 1 $\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
36x28	3-4x5- 3 $\frac{3}{8}$	\$3.95	\$4.40	\$4.65	\$7.10	\$7.35	\$7.60
30	5- 7 $\frac{3}{8}$	4.10	4.55	4.85	7.45	7.70	7.95
32	5-11 $\frac{3}{8}$	4.25	4.75	5.05	7.75	8.05	8.35
34	6- 3 $\frac{3}{8}$	4.40	4.95	5.25	8.15	8.45	8.75
36	6- 7 $\frac{3}{8}$	4.55	5.10	5.50	8.50	8.80	9.10
38x10	3-6x2- 3 $\frac{3}{8}$	2.65	2.85	2.90	4.15	4.25	4.35
12	2- 7 $\frac{3}{8}$	2.80	3.00	3.15	4.45	4.60	4.75
14	2-11 $\frac{3}{8}$	2.95	3.20	3.35	4.85	5.00	5.15
16	3- 3 $\frac{3}{8}$	3.10	3.40	3.55	5.20	5.35	5.50
18	3- 7 $\frac{3}{8}$	3.25	3.60	3.75	5.55	5.75	5.95
20	3-11 $\frac{3}{8}$	3.40	3.80	3.95	5.90	6.10	6.30
22	4- 3 $\frac{3}{8}$	3.60	3.95	4.20	6.30	6.50	6.70
24	4- 7 $\frac{3}{8}$	3.75	4.15	4.40	6.60	6.85	7.10
26	4-11 $\frac{3}{8}$	3.90	4.35	4.60	7.00	7.25	7.50
28	5- 3 $\frac{3}{8}$	4.05	4.55	4.80	7.35	7.60	7.85
30	5- 7 $\frac{3}{8}$	4.20	4.70	5.00	7.70	8.00	8.30
32	5-11 $\frac{3}{8}$	4.35	4.90	5.25	8.05	8.35	8.65
34	6- 3 $\frac{3}{8}$	4.50	5.10	5.45	8.45	8.75	9.05
36	6- 7 $\frac{3}{8}$	4.70	5.30	5.65	8.80	9.15	9.50
40x10	3-8x2- 3 $\frac{3}{8}$	2.70	2.90	3.00	4.30	4.40	4.50
12	2- 7 $\frac{3}{8}$	2.85	3.10	3.25	4.60	4.75	4.90
14	2-11 $\frac{3}{8}$	3.05	3.30	3.45	5.00	5.15	5.30
16	3- 3 $\frac{3}{8}$	3.20	3.50	3.65	5.40	5.55	5.70
18	3- 7 $\frac{3}{8}$	3.35	3.70	3.90	5.75	5.95	6.15
20	3-11 $\frac{3}{8}$	3.50	3.90	4.10	6.15	6.35	6.55
22	4- 3 $\frac{3}{8}$	3.70	4.10	4.35	6.55	6.75	6.95
24	4- 7 $\frac{3}{8}$	3.85	4.30	4.55	6.90	7.15	7.40
26	4-11 $\frac{3}{8}$	4.00	4.50	4.75	7.30	7.55	7.80
28	5- 3 $\frac{3}{8}$	4.20	4.65	5.00	7.70	7.95	8.20
30	5- 7 $\frac{3}{8}$	4.35	4.85	5.20	8.05	8.35	8.65
32	5-11 $\frac{3}{8}$	4.50	5.05	5.45	8.45	8.75	9.05
34	6- 3 $\frac{3}{8}$	4.65	5.25	5.65	8.80	9.15	9.50
36	6- 7 $\frac{3}{8}$	4.85	5.45	5.85	9.20	9.55	9.90

Four-Light Full Size Window Screens

No Vertical Bars

Frames 1 $\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

4-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
10x10	2-1x2- 3 $\frac{3}{8}$	\$2.05	\$2.15	\$2.20	\$2.95	\$3.00	\$3.05
12	2- 7 $\frac{3}{8}$	2.15	2.30	2.35	3.15	3.20	3.25
14	2-11 $\frac{3}{8}$	2.25	2.40	2.50	3.40	3.45	3.50
16	3- 3 $\frac{3}{8}$	2.40	2.55	2.65	3.60	3.70	3.80
18	3- 7 $\frac{3}{8}$	2.50	2.70	2.80	3.80	3.90	4.00
20	3-11 $\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
22	4- 3 $\frac{3}{8}$	2.75	2.95	3.10	4.30	4.40	4.50
24	4- 7 $\frac{3}{8}$	2.85	3.10	3.25	4.45	4.60	4.75
26	4-11 $\frac{3}{8}$	2.95	3.25	3.40	4.70	4.85	5.00
28	5- 3 $\frac{3}{8}$	3.10	3.40	3.55	4.95	5.10	5.25
30	5- 7 $\frac{3}{8}$	3.20	3.50	3.70	5.15	5.35	5.55
32	5-11 $\frac{3}{8}$	3.30	3.65	3.80	5.40	5.60	5.80
34	6- 3 $\frac{3}{8}$	3.40	3.80	3.95	5.65	5.85	6.05
36	6- 7 $\frac{3}{8}$	3.55	3.90	4.10	5.90	6.10	6.30

Four-Light Full Size Window Screens (Continued)

Frames 1½" Thick - Pine - All "In the White" Flush Moulding

4-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
12x10	2-5x2- 3¾.....	\$2.20	\$2.30	\$2.40	\$3.25	\$3.30	\$3.35
12	2- 7¾.....	2.30	2.45	2.55	3.50	3.55	3.60
14	2-11¾.....	2.40	2.60	2.70	3.75	3.85	3.95
16	3- 3¾.....	2.55	2.75	2.85	4.00	4.10	4.20
18	3- 7¾.....	2.65	2.90	3.00	4.30	4.40	4.50
20	3-11¾.....	2.80	3.05	3.20	4.50	4.65	4.80
22	4- 3¾.....	2.90	3.20	3.35	4.80	4.95	5.10
24	4- 7¾.....	3.05	3.35	3.50	5.05	5.20	5.35
26	4-11¾.....	3.15	3.50	3.65	5.30	5.50	5.70
28	5- 3¾.....	3.30	3.65	3.80	5.55	5.75	5.95
30	5- 7¾.....	3.40	3.80	4.00	5.85	6.05	6.25
32	5-11¾.....	3.50	3.95	4.15	6.10	6.30	6.50
34	6- 3¾.....	3.65	4.05	4.30	6.35	6.60	6.80
36	6- 7¾.....	3.75	4.20	4.45	6.60	6.85	7.10
14x10	2-9x2- 3¾.....	2.30	2.45	2.55	3.50	3.60	3.70
12	2- 7¾.....	2.45	2.65	2.70	3.80	3.90	4.00
14	2-11¾.....	2.60	2.80	2.90	4.10	4.20	4.30
16	3- 3¾.....	2.70	2.95	3.05	4.35	4.50	4.65
18	3- 7¾.....	2.85	3.10	3.25	4.65	4.80	4.95
20	3-11¾.....	3.00	3.25	3.40	4.95	5.10	5.25
22	4- 3¾.....	3.10	3.45	3.60	5.20	5.40	5.60
24	4- 7¾.....	3.25	3.60	3.75	5.50	5.70	5.90
26	4-11¾.....	3.40	3.75	3.95	5.80	6.00	6.20
28	5- 3¾.....	3.50	3.90	4.10	6.10	6.30	6.50
30	5- 7¾.....	3.65	4.10	4.30	6.55	6.60	6.85
32	5-11¾.....	3.80	4.25	4.45	6.65	6.90	7.15
34	6- 3¾.....	3.90	4.40	4.65	6.95	7.20	7.45
36	6- 7¾.....	4.05	4.55	4.80	7.30	7.55	7.80

One-Light Sash Screens

USE SAME LIST FOR HALF SCREENS

These lists do not include filler strips, sliding strips or grooving of stiles.

Frames 1½" Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1' shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
12x12	1-4x1- 6¾.....	\$1.35	\$1.40	\$1.45	\$1.65	\$1.70	\$1.75
14	1- 8¾.....	1.40	1.45	1.50	1.75	1.80	1.85
16	1-10¾.....	1.45	1.50	1.55	1.80	1.85	1.90
18	2- 0¾.....	1.50	1.55	1.60	1.90	1.95	2.00
20	2- 2¾.....	1.55	1.60	1.65	2.00	2.05	2.10
22	2- 4¾.....	1.60	1.65	1.70	2.05	2.10	2.15
24	2- 6¾.....	1.65	1.70	1.75	2.15	2.20	2.25
26	2- 8¾.....	1.70	1.75	1.80	2.25	2.30	2.35
28	2-10¾.....	1.75	1.80	1.85	2.35	2.40	2.45
30	3- 0¾.....	1.80	1.85	1.90	2.40	2.45	2.50
32	3- 2¾.....	1.85	1.90	1.95	2.50	2.55	2.60
14x12	1-6x1- 6¾.....	1.40	1.50	1.55	1.75	1.80	1.85
14	1- 8¾.....	1.45	1.55	1.60	1.85	1.90	1.95
16	1-10¾.....	1.50	1.60	1.65	1.95	2.00	2.05
18	2- 0¾.....	1.55	1.65	1.70	2.05	2.10	2.15
20	2- 2¾.....	1.60	1.70	1.75	2.10	2.15	2.20
22	2- 4¾.....	1.65	1.75	1.80	2.20	2.25	2.30

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

One-Light Sash Screens (Continued)

USE SAME LIST FOR HALF SCREENS

These lists do not include filler strips, sliding strips or grooving of stiles.

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1" shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
14x24	1- 6x2- 6 3/8	\$1.70	\$1.80	\$1.85	\$2.30	\$2.35	\$2.40
26	2- 8 3/8	1.75	1.85	1.90	2.40	2.45	2.50
28	2-10 3/8	1.80	1.90	1.95	2.50	2.55	2.60
30	3- 0 3/8	1.85	1.95	2.00	2.55	2.60	2.65
32	3- 2 3/8	1.90	2.00	2.05	2.65	2.70	2.75
16x12	1 -8x1- 6 3/8	1.50	1.55	1.60	1.85	1.90	1.95
14	1- 8 3/8	1.55	1.60	1.65	1.95	2.00	2.05
16	1-10 3/8	1.60	1.65	1.70	2.05	2.10	2.15
18	2- 0 3/8	1.65	1.70	1.75	2.15	2.20	2.25
20	2- 2 3/8	1.70	1.80	1.85	2.25	2.30	2.35
22	2- 4 3/8	1.75	1.85	1.90	2.35	2.40	2.45
24	2- 6 3/8	1.80	1.90	1.95	2.45	2.50	2.55
26	2- 8 3/8	1.85	1.95	2.00	2.55	2.60	2.65
28	2-10 3/8	1.90	2.00	2.05	2.65	2.70	2.75
30	3- 0 3/8	1.95	2.05	2.10	2.75	2.80	2.85
32	3- 2 3/8	2.00	2.10	2.15	2.85	2.90	2.95
18x12	1-10x1- 6 3/8	1.55	1.60	1.65	1.95	2.00	2.05
14	1- 8 3/8	1.60	1.70	1.75	2.05	2.10	2.15
16	1-10 3/8	1.65	1.75	1.80	2.15	2.20	2.25
18	2- 0 3/8	1.70	1.80	1.85	2.25	2.30	2.35
20	2- 2 3/8	1.75	1.85	1.90	2.40	2.45	2.50
22	2- 4 3/8	1.80	1.90	1.95	2.50	2.55	2.60
24	2- 6 3/8	1.85	2.00	2.05	2.60	2.65	2.70
26	2- 8 3/8	1.90	2.05	2.10	2.70	2.75	2.80
28	2-10 3/8	1.95	2.10	2.15	2.80	2.85	2.90
30	3- 0 3/8	2.00	2.15	2.20	2.90	2.95	3.00
32	3- 2 3/8	2.05	2.20	2.30	3.00	3.05	3.10
20x12	2 -0x1- 6 3/8	1.60	1.70	1.75	2.05	2.10	2.15
14	1- 8 3/8	1.65	1.75	1.80	2.15	2.20	2.25
16	1-10 3/8	1.70	1.80	1.85	2.30	2.35	2.40
18	2- 0 3/8	1.75	1.85	1.90	2.40	2.45	2.50
20	2- 2 3/8	1.85	1.95	2.00	2.50	2.55	2.60
22	2- 4 3/8	1.90	2.00	2.05	2.60	2.65	2.70
24	2- 6 3/8	1.95	2.05	2.10	2.75	2.80	2.85
26	2- 8 3/8	2.00	2.15	2.20	2.85	2.90	2.95
28	2-10 3/8	2.05	2.20	2.25	2.95	3.00	3.05
30	3- 0 3/8	2.10	2.25	2.30	3.05	3.10	3.20
32	3- 2 3/8	2.15	2.30	2.40	3.15	3.20	3.30
22x12	2 -2x1- 6 3/8	1.65	1.75	1.80	2.15	2.20	2.25
14	1- 8 3/8	1.70	1.80	1.85	2.25	2.35	2.40
16	1-10 3/8	1.80	1.90	1.95	2.40	2.45	2.50
18	2- 0 3/8	1.85	1.95	2.00	2.50	2.55	2.60
20	2- 2 3/8	1.90	2.00	2.05	2.65	2.70	2.75
22	2- 4 3/8	1.95	2.10	2.15	2.75	2.80	2.85
24	2- 6 3/8	2.00	2.15	2.20	2.85	2.90	3.00
26	2- 8 3/8	2.05	2.20	2.30	3.00	3.05	3.10
28	2-10 3/8	2.10	2.30	2.35	3.10	3.15	3.25
30	3- 0 3/8	2.15	2.35	2.40	3.25	3.30	3.35
32	3- 2 3/8	2.25	2.40	2.50	3.35	3.40	3.50

One-Light Sash Screens (Continued)

USE SAME LIST FOR HALF SCREENS

These lists do not include filler strips, sliding strips or grooving of stiles.

Frames 1½" Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1" shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
24x12	2 -4x1-	6⅜..... \$1.70	\$1.80	\$1.85	\$2.25	\$2.30	\$2.35
14	1- 8⅜.....	1.80	1.90	1.95	2.40	2.45	2.50
16	1-10⅜.....	1.85	1.95	2.00	2.50	2.55	2.60
18	2- 0⅜.....	1.90	2.05	2.10	2.65	2.70	2.75
20	2- 2⅜.....	1.95	2.10	2.15	2.75	2.80	2.90
22	2- 4⅜.....	2.00	2.15	2.20	2.90	2.95	3.00
24	2- 6⅜.....	2.10	2.25	2.30	3.00	3.05	3.15
26	2- 8⅜.....	2.15	2.30	2.35	3.15	3.20	3.25
28	2-10⅜.....	2.20	2.40	2.45	3.25	3.30	3.40
30	3- 0⅜.....	2.25	2.45	2.50	3.40	3.45	3.55
32	3- 2⅜.....	2.30	2.50	2.60	3.50	3.55	3.60
26x12	2 -6x1-	6⅜..... 1.80	1.90	1.95	2.35	2.40	2.45
14	1- 8⅜.....	1.85	1.95	2.00	2.50	2.55	2.60
16	1-10⅜.....	1.90	2.05	2.10	2.60	2.70	2.75
18	2- 0⅜.....	1.95	2.10	2.15	2.75	2.80	2.90
20	2- 2⅜.....	2.05	2.20	2.25	2.90	2.95	3.00
22	2- 4⅜.....	2.10	2.25	2.30	3.00	3.10	3.15
24	2- 6⅜.....	2.15	2.30	2.40	3.15	3.20	3.30
26	2- 8⅜.....	2.20	2.40	2.45	3.30	3.35	3.45
28	2-10⅜.....	2.30	2.45	2.55	3.40	3.45	3.60
30	3- 0⅜.....	2.35	2.55	2.60	3.55	3.60	3.70
32	3- 2⅜.....	2.40	2.60	2.70	3.70	3.75	3.85
28x12	2 -8x1-	6⅜..... 1.85	1.95	2.00	2.45	2.50	2.55
14	1- 8⅜.....	1.90	2.00	2.10	2.60	2.65	2.70
16	1-10⅜.....	1.95	2.10	2.15	2.75	2.80	2.85
18	2- 0⅜.....	2.05	2.20	2.25	2.90	2.95	3.00
20	2- 2⅜.....	2.10	2.25	2.30	3.00	3.10	3.15
22	2- 4⅜.....	2.15	2.35	2.40	3.15	3.20	3.30
24	2- 6⅜.....	2.20	2.40	2.50	3.30	3.35	3.45
26	2- 8⅜.....	2.30	2.50	2.55	3.45	3.50	3.60
28	2-10⅜.....	2.35	2.55	2.65	3.55	3.65	3.75
30	3- 0⅜.....	2.40	2.65	2.70	3.70	3.80	3.90
32	3- 2⅜.....	2.50	2.70	2.80	3.85	3.95	4.05
30x12	2-10x1-	6⅜..... 1.90	2.00	2.05	2.55	2.60	2.65
14	1- 8⅜.....	1.95	2.10	2.15	2.70	2.75	2.85
16	1-10⅜.....	2.05	2.15	2.25	2.85	2.90	3.00
18	2- 0⅜.....	2.10	2.25	2.30	3.00	3.05	3.15
20	2- 2⅜.....	2.15	2.35	2.40	3.15	3.20	3.30
22	2- 4⅜.....	2.25	2.40	2.50	3.30	3.35	3.45
24	2- 6⅜.....	2.30	2.50	2.55	3.45	3.50	3.60
26	2- 8⅜.....	2.35	2.55	2.65	3.60	3.65	3.75
28	2-10⅜.....	2.45	2.65	2.75	3.75	3.80	3.90
30	3- 0⅜.....	2.50	2.75	2.80	3.90	3.95	4.05
32	3- 2⅜.....	2.55	2.80	2.90	4.00	4.10	4.20
32x12	3 -0x1-	6⅜..... 1.95	2.10	2.15	2.65	2.70	2.75
14	1- 8⅜.....	2.05	2.15	2.20	2.80	2.85	2.95
16	1-10⅜.....	2.10	2.25	2.30	2.95	3.00	3.10
18	2- 0⅜.....	2.15	2.35	2.40	3.10	3.15	3.25
20	2- 2⅜.....	2.25	2.40	2.50	3.25	3.35	3.45
22	2- 4⅜.....	2.30	2.50	2.55	3.40	3.50	3.60

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

One-Light Sash Screens (Continued)

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding
Half Screens are same width but 1' shorter than 1-light

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
32x24	3-0x2- $6\frac{3}{8}$	\$2.40	\$2.60	\$2.65	\$3.60	\$3.65	\$3.75
26	2- $8\frac{3}{8}$	2.45	2.65	2.75	3.75	3.85	3.95
28	2-10 $\frac{3}{8}$	2.50	2.75	2.85	3.90	4.00	4.10
30	3- $0\frac{3}{8}$	2.60	2.85	2.90	4.05	4.15	4.25
32	3- $2\frac{3}{8}$	2.65	2.90	3.00	4.20	4.30	4.40
34x12	3-2x1- $6\frac{3}{8}$	2.05	2.15	2.20	2.75	2.80	2.85
14	1- $8\frac{3}{8}$	2.10	2.25	2.30	2.90	2.95	3.05
16	1-10 $\frac{3}{8}$	2.15	2.30	2.40	3.10	3.15	3.20
18	2- $0\frac{3}{8}$	2.25	2.40	2.50	3.25	3.30	3.40
20	2- $2\frac{3}{8}$	2.30	2.50	2.55	3.40	3.50	3.55
22	2- $4\frac{3}{8}$	2.40	2.60	2.65	3.55	3.65	3.75
24	2- $6\frac{3}{8}$	2.45	2.65	2.75	3.70	3.80	3.90
26	2- $8\frac{3}{8}$	2.50	2.75	2.85	3.85	4.00	4.10
28	2-10 $\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
30	3- $0\frac{3}{8}$	2.65	2.95	3.05	4.20	4.30	4.45
32	3- $2\frac{3}{8}$	2.75	3.00	3.10	4.35	4.50	4.60
36x12	3-4x1- $6\frac{3}{8}$	2.10	2.20	2.30	2.85	2.90	2.95
14	1- $8\frac{3}{8}$	2.15	2.30	2.35	3.00	3.10	3.15
16	1-10 $\frac{3}{8}$	2.25	2.40	2.45	3.20	3.25	3.35
18	2- $0\frac{3}{8}$	2.30	2.50	2.55	3.35	3.45	3.55
20	2- $2\frac{3}{8}$	2.40	2.55	2.65	3.50	3.60	3.70
22	2- $4\frac{3}{8}$	2.45	2.65	2.75	3.70	3.80	3.90
24	2- $6\frac{3}{8}$	2.50	2.75	2.85	3.85	3.95	4.10
26	2- $8\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
28	2-10 $\frac{3}{8}$	2.65	2.95	3.05	4.20	4.35	4.45
30	3- $0\frac{3}{8}$	2.75	3.05	3.15	4.35	4.50	4.65
32	3- $2\frac{3}{8}$	2.80	3.10	3.20	4.55	4.70	4.85

Two-Light Cellar Screens

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding - No Bars

9x12	1-11x1- $5\frac{1}{2}$	\$1.50	\$1.55	\$1.60	\$1.90	\$1.95	\$2.00
14	1- $7\frac{1}{2}$	1.55	1.60	1.65	2.00	2.05	2.10
16	1- $9\frac{1}{2}$	1.60	1.65	1.70	2.10	2.15	2.20
18	1-11 $\frac{1}{2}$	1.65	1.70	1.75	2.20	2.25	2.30
20	2- $1\frac{1}{2}$	1.70	1.80	1.85	2.30	2.35	2.40
10x12	2-1x1- $5\frac{1}{2}$	1.55	1.60	1.65	2.00	2.05	2.10
14	1- $7\frac{1}{2}$	1.60	1.65	1.70	2.10	2.15	2.20
16	1- $9\frac{1}{2}$	1.65	1.75	1.80	2.20	2.25	2.30
18	1-11 $\frac{1}{2}$	1.70	1.80	1.85	2.35	2.40	2.45
20	2- $1\frac{1}{2}$	1.75	1.85	1.90	2.45	2.50	2.55
12x12	2-5x1- $5\frac{1}{2}$	1.65	1.75	1.80	2.20	2.25	2.30
14	1- $7\frac{1}{2}$	1.70	1.80	1.85	2.30	2.35	2.40
16	1- $9\frac{1}{2}$	1.80	1.85	1.90	2.45	2.50	2.55
18	1-11 $\frac{1}{2}$	1.85	1.95	2.00	2.55	2.60	2.70
20	2- $1\frac{1}{2}$	1.90	2.00	2.05	2.70	2.75	2.80
14x12	2-9x1- $5\frac{1}{2}$	1.80	1.85	1.90	2.35	2.40	2.45
14	1- $7\frac{1}{2}$	1.85	1.95	2.00	2.50	2.55	2.60
16	1- $9\frac{1}{2}$	1.90	2.00	2.05	2.65	2.70	2.75
18	1-11 $\frac{1}{2}$	1.95	2.10	2.15	2.80	2.85	2.90
20	2- $1\frac{1}{2}$	2.05	2.15	2.20	2.95	3.00	3.05
16x12	3-1x1- $5\frac{1}{2}$	1.90	2.00	2.05	2.55	2.60	2.65
14	1- $7\frac{1}{2}$	1.95	2.05	2.10	2.70	2.75	2.85
16	1- $9\frac{1}{2}$	2.05	2.15	2.20	2.85	2.95	3.00
18	1-11 $\frac{1}{2}$	2.10	2.25	2.30	3.00	3.10	3.20
20	2- $1\frac{1}{2}$	2.15	2.30	2.40	3.15	3.25	3.35

Three-Light Cellar Screens

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding - No Bars

3-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
8x10	2-4x1- 3 1/2.....	\$1.55	\$1.65	\$1.70	\$2.00	\$2.05	\$2.10
12	1- 5 1/2.....	1.65	1.70	1.75	2.10	2.15	2.20
14	1- 7 1/2.....	1.70	1.75	1.80	2.25	2.30	2.35
16	1- 9 1/2.....	1.75	1.80	1.85	2.35	2.40	2.45
18	1-11 1/2.....	1.80	1.85	1.90	2.45	2.55	2.60
20	2- 1 1/2.....	1.85	1.95	2.00	2.60	2.65	2.70
9x10	2-7x1- 3 1/2.....	1.65	1.70	1.75	2.15	2.20	2.25
12	1- 5 1/2.....	1.70	1.80	1.85	2.25	2.30	2.35
14	1- 7 1/2.....	1.75	1.85	1.90	2.40	2.45	2.50
16	1- 9 1/2.....	1.85	1.90	1.95	2.50	2.60	2.65
18	1-11 1/2.....	1.90	2.00	2.05	2.65	2.70	2.80
20	2- 1 1/2.....	1.95	2.05	2.10	2.75	2.85	2.90
10x10	2-10x1- 3 1/2.....	1.75	1.80	1.85	2.25	2.30	2.35
12	1- 5 1/2.....	1.80	1.90	1.95	2.40	2.45	2.50
14	1- 7 1/2.....	1.85	1.95	2.00	2.55	2.60	2.65
16	1- 9 1/2.....	1.90	2.05	2.10	2.70	2.75	2.80
18	1-11 1/2.....	2.00	2.10	2.15	2.80	2.90	2.95
20	2- 1 1/2.....	2.05	2.20	2.25	2.95	3.05	3.10
12x10	3-4x1- 3 1/2.....	1.90	2.00	2.05	2.55	2.60	2.65
12	1- 5 1/2.....	2.00	2.05	2.15	2.70	2.75	2.80
14	1- 7 1/2.....	2.05	2.15	2.20	2.85	2.90	3.00
16	1- 9 1/2.....	2.10	2.25	2.30	3.00	3.10	3.15
18	1-11 1/2.....	2.20	2.30	2.40	3.15	3.25	3.35
20	2- 1 1/2.....	2.25	2.40	2.50	3.30	3.40	3.50
14x10	3-10x1- 3 1/2.....	2.10	2.20	2.25	2.80	2.85	2.90
12	1- 5 1/2.....	2.15	2.25	2.35	2.95	3.05	3.10
14	1- 7 1/2.....	2.20	2.35	2.45	3.15	3.20	3.30
16	1- 9 1/2.....	2.30	2.45	2.55	3.35	3.40	3.50
18	1-11 1/2.....	2.35	2.55	2.65	3.50	3.60	3.70
20	2- 1 1/2.....	2.45	2.65	2.75	3.70	3.80	3.90
16x10	4-4x1- 3 1/2.....	2.25	2.35	2.40	3.05	3.10	3.20
12	1- 5 1/2.....	2.30	2.45	2.55	3.25	3.30	3.40
14	1- 7 1/2.....	2.40	2.55	2.65	3.45	3.55	3.65
16	1- 9 1/2.....	2.45	2.65	2.75	3.65	3.75	3.85
18	1-11 1/2.....	2.55	2.75	2.85	3.85	3.95	4.10
20	2- 1 1/2.....	2.60	2.85	2.95	4.05	4.15	4.30

EXTRAS

- (A)—For wider than listed sizes, add to the widest listed size for each 2" or fraction thereof..... 5%
- (B)—For higher than listed sizes, add to the highest listed size for each 4" or fraction thereof..... 5%

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Index of Veneered Door Lists and Extras

	Rule		Rule
Aprons.....	43	Doors (Continued)	
Astragals.....	42	Sash Door Lists.....	..
Banding.....	41	Square Foot Door Table.....	..
Beads.....	9	Segment Heads.....	36
Belt Sanding.....	39	Slat.....	37
Braces.....	17	Thick Doors.....	2
Chamfering.....	16	Two or Three Ply.....	14
Circle Heads.....	36	Toilet.....	..
Circle Lights.....	8	To Represent Pairs.....	33
Cores, Special.....	51	Wide.....	1
Cross Band Stiles and Rails... ..	12	Dowels, Special.....	52
Cross Bucks or Braces.....	17	Dutch Doors.....	34
Cutting Lights in Panels.....	35	Edge Strip—Stile Ends.....	53
Designs—Typical Panel Sash		Fillet Extras.....	24
Doors and Side Lights.....	..	Flush Mouldings.....	19-21
Design Extras—Typical.....	..	Flush Door List and Extras... ..	..
Diagonal Cross Pieces.....	17	Glass Beads.....	9
Different Panel, 2 Sides.....	7	Glue, Screw and Plug.....	15
Divided Lights.....	8	Gothic Head.....	36
Doors		Gothic Lights.....	8
Casement Door List.....	..	Grilles, Wood.....	37
Circle Heads.....	36	Guarantee.....	..
Clipped Corner Top.....	36	Hand Smoothing.....	39
Double Thick.....	14	High Doors.....	1
Dutch.....	34	Hinge Cut.....	48
Dwarf.....	..	Hip Raised Moulding.....	20
Elliptic Head.....	36	Horns Cut Off.....	55
French Door Lists.....	..	Inserted Sash.....	8
Gothic Heads.....	36	Irregular Heads.....	36
High Doors.....	1	Irregular Lights.....	8
Irregular Heads.....	36	K. D. Veneered Door Stock List	..
K. D. Veneered Door List.....	..	Letter Slots.....	49
Mirror.....	6	Lights Divided	
Oversizes.....	1	Irregular.....	8
Over 1¾" Thick.....	2	Rectangular.....	8
Panel Door Designs—Typical..	..	Lists	
Panel Door Designs—Manufac-		Casement Doors.....	..
turers.....	..	French Doors.....	..
Panel Door Extras.....	..	K. D. Veneered Door Stock... ..	..
Panel Door List.....	..	Panel Doors.....	..
Panel Sash Door List.....	..	Panel Sash Doors.....	..
Peak Head.....	36	Sash.....	..
Rake Top.....	36		
Sash Door Designs—Typical... ..	..		
Sash Door Extras—Typical... ..	..		

Index of Veneered Door Lists and Extras—Cont.

	Rule		Rule
Lists (Continued)		Sash Inserted	8
Sash Doors.....	..	Sash Lists	..
Side Lights.....	..	Sawed Veneers	10
Toilet Doors.....	..	Segment Head	36
Transoms.....	..	Segment Lights	8
Lock Blocks	18	Sash Doors	..
Louvres		Side Light Lists	..
Metal.....	38	Single Doors to Represent Pair	33
Wood.....	37	Slab Door List and Extras	..
Lugs.....	44	Slat Doors	37
Metal Vent Louvres	38	Slots, Letter	49
Mirror Doors	6	Special Solid Sticking	5
Mortise and Tenon	45	Special Heads	36
Mortising for Locks	47	Squaring Door to Fit Jamb ...	46
Moulding		Square Foot Door Table	..
Flush (Panel Doors).....	19	Staining, Finishing and	
Flush (Sash Doors).....	21	Priming	F-28
Hip Raised.....	20	Stools	43
Raised (Panel Doors).....	22	Thick Panels	25
Raised (Sash Doors).....	23	Thick Veneers	11
Oversize Doors	1	Thick Doors	2
Panels		Toilet Doors	..
Ceiling.....	27	Transom Lists	..
Graduated.....	26	Two Kinds Wood	3
Irregular.....	29-32	Two or Three Ply Doors	14
Raised.....	28	Varnish, or Painting Edges ...	56
Thick.....	25	Vencers	
Three and Five Ply.....	25	Sawed.....	10
"V" joint or ceiling.....	27	Thick.....	11
Panel Different, 2 Sides	7	Vertical Grain on Rails.....	13
Pegs or Plugs	50	Ventilators	38
Rabbet and Bead	40	Waterproof Glue, High Test ...	57
Raised Moulding	22-23	White Leaded Joints	54
Raised Hip Moulding	20	Wide Doors	1
Raised Panels	28	Wide Door to Represent Pair ..	33
Rectangular Lights	8	Wide Stiles and Rails	4
Sanding		Wood Grilles	37
Belt.....	39	Wood Louvres	37
Hand.....	39		

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
273

Woodwork Requires Proper Care

Wood has a natural affinity for water because of the nature of its structural fibers and continuously absorbs or gives off moisture in proportion to the changes in the humidity of the surrounding atmosphere.

Either excessive moisture or excessive dryness of the atmosphere can seriously damage woodwork. There is a common tendency to dry out the interior of a house during the heating season by failure to supply the air with sufficient moisture. The relative humidity—the amount of moisture contained in air expressed in percent of the maximum which the air can hold at a given temperature—should be maintained at a minimum of 50 degrees in summer and 35 degrees in winter.

In highly insulated houses with weatherstripped windows and doors and with moisture provided through the heating plant, humidity may build up to an excessive degree. In such a condition, reduction of moisture in the heating plant or ventilation is required.

Woodwork should not be delivered to a building until it has had time to dry out to a safe relative humidity. It should not be stored in a basement nor delivered during wet weather without adequate protection.

All woodwork should receive at least a priming coat upon delivery. The backs as well as the faces of all trim and casework and the edges of doors and sash, after fitting, should always be protected by paint or varnish.

It should be noted, however, that no paint is a perfect protection against some eventual absorption of moisture.

Table of Square Feet

Showing
Actual Number of Square Feet, Surface Measure of Door
Decimal Basis

Width of Door	Height of Door							
	6-0	6-4	6-6	6-8	6-10	7-0	7-6	8-0
1- 8.....	10.0	10.6	10.8	11.1	11.4	11.7	12.5	13.3
1-10.....	11.0	11.6	11.9	12.2	12.5	12.8	13.8	14.7
2- 0.....	12.0	12.7	13.0	13.3	13.7	14.0	15.0	16.0
2- 2.....	13.0	13.7	14.1	14.4	14.8	15.2	16.3	17.3
2- 4.....	14.0	14.8	15.2	15.6	15.9	16.3	17.5	18.7
2- 6.....	15.0	15.8	16.3	16.7	17.1	17.5	18.8	20.0
2- 8.....	16.0	16.9	17.3	17.8	18.2	18.7	20.0	21.3
2-10.....	17.0	17.9	18.4	18.9	19.4	19.8	21.3	22.7
3- 0.....	18.0	19.0	19.5	20.0	20.5	21.0	22.5	24.0
3- 2.....	19.0	20.1	20.6	21.1	21.6	22.2	23.8	25.3
3- 4.....	20.0	21.1	21.7	22.2	22.8	23.3	25.0	26.7
3- 6.....	21.0	22.2	22.8	23.3	23.9	24.5	26.3	28.0
3- 8.....	22.0	23.2	23.8	24.4	25.1	25.7	27.5	29.3
3-10.....	23.0	24.3	24.9	25.6	26.2	26.8	28.8	30.7
4- 0.....	24.0	25.3	26.0	26.7	27.3	28.0	30.0	32.0
4- 2.....	25.0	26.4	27.1	27.8	28.5	29.2	31.3	33.3
4- 4.....	26.0	27.5	28.2	28.9	29.6	30.3	32.5	34.7
4- 6.....	27.0	28.5	29.3	30.0	30.8	31.5	33.8	36.0
4- 8.....	28.0	29.6	30.3	31.1	31.9	32.7	35.0	37.3
4-10.....	29.0	30.6	31.4	32.2	33.0	33.8	36.3	38.7
5- 0.....	30.0	31.7	32.5	33.3	34.2	35.0	37.5	40.0
5- 2.....	31.0	32.7	33.6	34.4	35.3	36.2	38.8	41.3
5- 4.....	32.0	33.8	34.7	35.6	36.4	37.3	40.0	42.7
5- 6.....	33.0	34.8	35.8	36.7	37.6	38.5	41.3	44.0
5- 8.....	34.0	35.9	36.8	37.8	38.7	39.7	42.5	45.3
5-10.....	35.0	37.0	37.9	38.9	39.9	40.8	43.8	46.7
6- 0.....	36.0	38.0	39.0	40.0	41.0	42.0	45.0	48.0

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Veneered Door Base List

Panel Doors and Panel Sash Doors

Stiles and Top Rails not over 4 $\frac{7}{8}$ "—Bottom Rail not over 9 $\frac{3}{4}$ "—Both overall sizes. Veneers Standard $\frac{1}{8}$ " faces, sawn or rotary-cut at factory option. Stock Sticking.

1 3/8" Thick

1- 8x6-0.....	\$12.80	2- 2x6-10.....	\$14.20
1-10x6-0.....	12.80	2- 4x6-10.....	14.60
2- 0x6-0.....	12.80	2- 6x6-10.....	15.10
2- 2x6-0.....	13.10	2- 8x6-10.....	15.70
2- 4x6-0.....	13.50	2-10x6-10.....	16.40
2- 6x6-0.....	14.00	3- 0x6-10.....	17.20
2- 8x6-0.....	14.60	3- 2x6-10.....	18.90
2-10x6-0.....	15.30	3- 4x6-10.....	20.60
3- 0x6-0.....	16.10		
1- 8x6-4.....	13.00	1- 8x7-0.....	14.40
1-10x6-4.....	13.00	1-10x7-0.....	14.40
2- 0x6-4.....	13.00	2- 0x7-0.....	14.40
2- 2x6-4.....	13.30	2- 2x7-0.....	14.70
2- 4x6-4.....	13.70	2- 4x7-0.....	15.10
2- 6x6-4.....	14.20	2- 6x7-0.....	15.60
2- 8x6-4.....	14.80	2- 8x7-0.....	16.20
2-10x6-4.....	15.50	2-10x7-0.....	16.90
3- 0x6-4.....	16.30	3- 0x7-0.....	17.70
		3- 2x7-0.....	19.45
		3- 4x7-0.....	21.20
1- 8x6-6.....	13.10		
1-10x6-6.....	13.10	1- 8x7-6.....	17.10
2- 0x6-6.....	13.10	1-10x7-6.....	17.10
2- 2x6-6.....	13.40	2- 0x7-6.....	17.10
2- 4x6-6.....	13.80	2- 2x7-6.....	17.10
2- 6x6-6.....	14.30	2- 4x7-6.....	17.10
2- 8x6-6.....	14.90	2- 6x7-6.....	17.60
2-10x6-6.....	15.60	2- 8x7-6.....	18.20
3- 0x6-6.....	16.40	2-10x7-6.....	18.90
		3- 0x7-6.....	19.70
1- 8x6-8.....	13.20	3- 2x7-6.....	21.65
1-10x6-8.....	13.20	3- 4x7-6.....	23.60
2- 0x6-8.....	13.20		
2- 2x6-8.....	13.50	1- 8x8-0.....	19.10
2- 4x6-8.....	13.90	1-10x8-0.....	19.10
2- 6x6-8.....	14.40	2- 0x8-0.....	19.10
2- 8x6-8.....	15.00	2- 2x8-0.....	19.10
2-10x6-8.....	15.70	2- 4x8-0.....	19.10
3- 0x6-8.....	16.50	2- 6x8-0.....	19.60
3- 2x6-8.....	18.15	2- 8x8-0.....	20.20
3- 4x6-8.....	19.80	2-10x8-0.....	20.90
		3- 0x8-0.....	21.70
1- 8x6-10.....	13.90	3- 2x8-0.....	23.85
1-10x6-10.....	13.90	3- 4x8-0.....	26.00
2- 0x6-10.....	13.90		

For smaller or intermediate sizes use next larger listed size.

For larger than listed sizes add to the foregoing base list:

For each additional 2" in width, add to above list per door \$2.25.

For each additional 6" in height, add to above list per door \$2.50.

For sizes larger than 4'0"x8'0" add as above plus extras in Rule 1, page 202.

Veneered Casement Door Base List

For

1 Light Doors, Blank Rim Doors and French Doors

Stiles and Top Rails not over $4\frac{7}{8}"$ —Bottom Rail not over $9\frac{3}{4}"$ —Both Overall sizes. Veneers Standard $\frac{1}{8}"$ faces, sawn or rotary-cut at factory option. Stock Sticking.

No Glass Beads included

$1\frac{3}{8}"$ Thick

1- 8x6-0.....	\$ 9.65	1- 8x6-8.....	\$ 9.90	2- 4x7-0.....	\$11.05
1-10x6-0.....	9.65	1-10x6-8.....	9.90	2- 6x7-0.....	11.20
2- 0x6-0.....	9.65	2- 0x6-8.....	9.90	2- 8x7-0.....	11.35
2- 2x6-0.....	9.80	2- 2x6-8.....	10.05	2-10x7-0.....	11.55
2- 4x6-0.....	9.95	2- 4x6-8.....	10.20	3- 0x7-0.....	11.75
2- 6x6-0.....	10.10	2- 6x6-8.....	10.35	3- 2x7-0.....	12.15
2- 8x6-0.....	10.25	2- 8x6-8.....	10.50	3- 4x7-0.....	12.55
2-10x6-0.....	10.45	2-10x6-8.....	10.70		
3- 0x6-0.....	10.65	3- 0x6-8.....	10.90		
		3- 2x6-8.....	11.30	2- 0x7-6.....	12.15
1- 8x6-4.....	9.75	3- 4x6-8.....	11.70	2- 2x7-6.....	12.30
1-10x6-4.....	9.75			2- 4x7-6.....	12.45
2- 0x6-4.....	9.75	1- 8x6-10.....	10.40	2- 6x7-6.....	12.60
2- 2x6-4.....	9.90	1-10x6-10.....	10.40	2- 8x7-6.....	12.75
2- 4x6-4.....	10.05	2- 0x6-10.....	10.40	2-10x7-6.....	12.95
2- 6x6-4.....	10.20	2- 2x6-10.....	10.55	3- 0x7-6.....	13.15
2- 8x6-4.....	10.35	2- 4x6-10.....	10.70	3- 2x7-6.....	13.55
2-10x6-4.....	10.55	2- 6x6-10.....	10.85	3- 4x7-6.....	13.95
3- 0x6-4.....	10.75	2- 8x6-10.....	11.00		
		2-10x6-10.....	11.20	2- 0x8-0.....	13.55
1- 8x6-6.....	9.80	3- 0x6-10.....	11.40	2- 2x8-0.....	13.70
1-10x6-6.....	9.80	3- 2x6-10.....	11.80	2- 4x8-0.....	13.85
2- 0x6-6.....	9.80	3- 4x6-10.....	12.20	2- 6x8-0.....	14.00
2- 2x6-6.....	9.95			2- 8x8-0.....	14.15
2- 4x6-6.....	10.10	1- 8x7-0.....	10.75	2-10x8-0.....	14.35
2- 6x6-6.....	10.25	1-10x7-0.....	10.75	3- 0x8-0.....	14.55
2- 8x6-6.....	10.40	2- 0x7-0.....	10.75	3- 2x8-0.....	14.95
2-10x6-6.....	10.60	2- 2x7-0.....	10.90	3- 4x8-0.....	15.35
3- 0x6-6.....	10.80				

For smaller or intermediate sizes use next larger listed size.

For larger than listed sizes add to the foregoing base list:

For each additional 2" in width, add to above list per door \$1.50.

For each additional 6" in height, add to above list per door \$1.75.

For sizes larger than 4'0"x8'0" add as above plus extras in Rule 1, page 202.

Side Light Base List—(1-Lt. Design)

$2\frac{1}{2}"$ Stiles; $4\frac{7}{8}"$ Top Rail and $9\frac{3}{4}"$ Bottom Rail, Overall, with Beads

$1\frac{3}{8}"$ Thick

Width	1'0"	1'2"	1'4"	1'6"	1'8"	1'10"	2'0"
6' 8" in height....	\$ 9.60	\$ 9.60	\$ 9.60	\$ 9.60	\$ 9.90	\$ 9.90	\$ 9.90
6'10" in height....	10.10	10.10	10.10	10.10	10.40	10.40	10.40
7' 0" in height....	10.45	10.45	10.45	10.45	10.75	10.75	10.75
7' 6" in height....	11.85	11.85	11.85	11.85	12.15	12.15	12.15

For wider Bottom Rail see Rule 4, page 202.

For other designs add list extras as shown on page 201.

Veneered
Door Lists
and Extras
197

Flash Door
Lists and
Extras
273

Typical Panel Door Designs

See Design Extras Page 199



A



B



C



D



E



F



G



H



I



J



K



L




M



N




O



P



Q



R



S




T



U



V



W

Panels when made of rotary-cut Birch, Brown Ash, Calico Ash or Gum, permit up to 25% spliced panel faces distributed at random. When made of rotary-cut Oak or of sawn veneer in any wood, panels are not limited as to splicing. Panels may be rotary-cut or of sawn stock at the manufacturer's option.

Panel Door Layout and Design Extras

For Typical Panel Doors

EXTRAS as shown below are for design only, as illustrated on page 198, with standard layout. Extras for wide Stiles and Rails, etc., to be added as shown on page 202.

DESIGN		LAYOUT*		Uns. Birch, Uns. Gum, Cal. Ash	Red Gum, R. or Wh. Birch, Yel. Pine, R. Oak, Wh. Oak, Brown Ash	Qtr. R. Oak, Qtr. White Oak, Qtr. R. Gum, Phil. Hdwds., Cypress, Chest.	Afr. Mhgy., Mex. Mhgy., Am. Walnut, Red Cedar
		Specified Dimen- sions are Overall except for Insert Types which are face measure, and None Over					
		Stile Width	Bottom Rail Width				
A	One Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	\$0.80	\$1.30	\$1.40	\$1.70
A	One Panel.....	4 $\frac{7}{8}$	12	.90	1.40	1.55	1.85
A	One Panel.....	5 $\frac{1}{2}$	12	1.00	1.50	1.70	2.00
B	2 Regular Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	.50	.80	1.00	1.30
C	2 Equal Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	.70	1.00	1.20	1.50
D	3 Equal Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	.90	1.20	1.40	1.70
E	4 Cross Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.30	1.40	1.60	2.00
F	5 Cross Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.10	1.40	1.60	2.00
G	2 Vertical Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.30	1.70	2.00	2.50
H	3 Vertical Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.90	2.30	2.60	3.20
I	4 Regular Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.50	1.90	2.30	2.80
J	4 Colonial Panel...	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.60	2.00	2.50	3.00
K	5 Regular Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.80	2.20	2.80	3.40
L	6 Colonial Panel...	4 $\frac{7}{8}$	9 $\frac{3}{4}$	2.20	2.60	3.20	3.80
M	8 Colonial Panel...	4 $\frac{7}{8}$	9 $\frac{3}{4}$	2.60	3.00	3.60	4.20
N	10 Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	3.00	3.40	4.20	4.90
O	15 Panel.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$	4.00	4.40	5.20	6.20
P	2 Reverse Panel....	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	.70	1.00	1.20	1.50
Q	3 Panel Craft.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.30	1.70	2.00	2.50
R	4 Panel Craft.....	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.70	2.20	2.80	3.40
S	One Panel—Insert..	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.00	1.50	1.70	2.00
T	2 Panel—Insert....	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.50	2.00	2.20	2.60
U	3 Panel—Insert....	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.70	2.20	2.40	2.90
V	2 Panel—Insert....	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.50	2.00	2.70	3.30
W	3 Panel—Insert....	4 $\frac{1}{4}$	9 $\frac{3}{4}$	2.00	2.50	3.20	3.80


For Full 1" thick Frame in Insert Frame Doors

add list in addition to extras S to W, incl... .60 .70 .90 1.20

*Note: The foregoing layout dimensions are maximum and range from 4 $\frac{5}{8}$ " to 4 $\frac{7}{8}$ " on the narrow layout, and 5 $\frac{3}{8}$ " to 5 $\frac{1}{2}$ " on the wider stiles, with the Top and Bottom Rails varying in about the same proportion.

Typical Sash Door and Sidelight Designs

See Design Extras on Page 201



A-A



B-B



C-C



D-D




E-E




F-F



G-G



H-H



I-I



J-J



K-K



L-L



M-M



N-N




O-O



P-P



Q-Q



R-R



S-S




T-T



U-U



V-V



W-W



X-X



Y-Y



Z-Z

Panels when made of rotary-cut Birch, Brown Ash, Calico Ash or Gum, permit up to 25% spliced panel faces distributed at random. When made of rotary-cut Oak or of sawn veneer in any wood, panels are not limited as to splicing. Panels may be rotary-cut or of sawn stock at the manufacturer's option.

Sash Door Layouts and Design Extras For Typical Sash Doors

EXTRAS as shown below are for design only, Beads one side included, as illustrated on page 200, with Standard Layout.

Extras for Wide Stiles, Divided Lights, etc., to be added for as shown on pages 202 and 205.

DESIGN		LAYOUT*		Uns. Birch, Uns. Gum, Cal. Ash	Red Gum, Red or Wh. Birch, Yellow Pine, R. Oak, Pl. Wh. Oak, Brown Ash	Qtr. R. Oak, Qtr. White Oak, Qtr. R. Gum, Phil. Hdws., Cypress, Chest.	African Mhgy., Mex. Mhgy., Amer. Walnut, Red Cedar
		Specified Dimensions are Overall except for Insert Types which are face measure, and None Over					
		Stile Width	Bottom Rail Width				
A-A	One Lt.† (See Note)...	4 7/8	9 3/4	\$0.50†	\$0.50†	\$0.50†	\$0.70†
B-B	1 Pan. & 1 Lt.	4 7/8	9 3/4	.10	.20	.30	.40
C-C	1 Pan. & 1 Lt.	4 7/8	9 3/4	.50	.80	.90	1.10
D-D	2 Pan. & 1 Lt.	4 7/8	9 3/4	.90	1.10	1.30	1.50
E-E	2 X Pan. & 1 Lt.	4 7/8	9 3/4	.60	.70	.90	1.10
F-F	3 X Pan. & 1 Lt.	4 7/8	9 3/4	.80	.90	1.10	1.30
G-G	2 Pan. & 1 Lt.	4 7/8	9 3/4	.80	1.00	1.20	1.40
H-H	2 Long Lights.	4 7/8	9 3/4	1.10	1.20	1.40	1.60
I-I	3 Long Lights.	4 7/8	9 3/4	2.40	2.50	3.20	3.50
J-J	2 Ver. Pan. & 1 Lt. ...	4 7/8	9 3/4	.90	1.10	1.30	1.50
K-K	3 Reg. Pan. & 1 Lt. ...	4 7/8	9 3/4	1.40	1.60	1.90	2.20
L-L	4 Col. Pan. & 1 Lt. ...	4 7/8	9 3/4	2.20	2.50	2.90	3.40
M-M	4 Col. Pan. & 1 Lt. ...	4 7/8	9 3/4	1.60	1.80	2.10	2.40
N-N	6 Pan. & 1 Lt.	4 7/8	9 3/4	3.00	3.20	3.80	4.30
O-O	1 Pan. & 1 Lt. Craft.	4 7/8	9 3/4 or 12	.80	1.00	1.20	1.40
P-P	2 Pan. & 1 Lt. Craft.	4 7/8	9 3/4 or 12	1.40	1.70	2.00	2.30
Q-Q	3 Pan. & 1 Lt. Craft.	4 7/8	9 3/4 or 12	1.80	2.20	2.60	3.00
R-R	1 Light—Insert.	4 1/4	9 3/4	.70	.90	1.10	1.30
S-S	1 Pan. & 1 Lt. Insert	4 1/4	9 3/4	1.50	2.00	2.40	2.80
T-T	2 Pan. & 1 Lt. Insert	4 1/4	9 3/4	1.90	2.30	2.70	3.20
U-U	1 Ins. Pan. & 1 Lt. ...	4 1/4	9 3/4	.80	1.00	1.20	1.40
V-V	{ 2 Pan. & 1 Lt. } { Ins. Bot. Pan. }	4 1/4	9 3/4	1.80	2.10	2.50	3.00
W-W	2 Long Lights Insert	4 1/4	9 3/4	1.60	1.80	2.10	2.50
For full 1" thick frame in Insert Frame Doors add list in addition to extras R-R to W-W, incl.				.60	.70	.90	1.20

*Note: The foregoing layout dimensions are maximum, ranging from 4 5/8" to 4 7/8" for the Stiles with the Top and Bottom Rails varying in about the same proportion.

†Note: For one light sash doors, "A-A," use Casement Door Base List. For all other designs indicated use Panel Door Base Lists.

For Typical Side Lights

Following Extras to Apply over Side Light List Shown on page 197

			No Extra	No Extra	No Extra	No Extra
X-X	1 Long Lt., No Pan..	2 1/2	9 5/8			
Y-Y	1 Long Lt. & 1 Pan..	2 1/2	9 5/8	\$0.80	\$0.90	\$1.20
Z-Z	1 Lt. & 1 Long Pan..	2 1/2	9 5/8	1.40	1.60	2.00

Flush Door
Lists and
Extras
223

Rule 5 Special Solid Sticking

For Square sticking (requiring full width veneers), add per door:

American Walnut, African or Mexican Mahogany.....	\$ 0.40
All other Native Woods.....	.20

For other designs, all Woods, if other than C & B, B & C, Bead, Ovolo, QR, PG, or OG:

If not over ½" wide, of practical machining design, add per door.....	.20
Minimum on any one order.....	5.00
Maximum on any one order.....	10.00

For new Special Knives, add for knives, in addition to foregoing, minimum 20.00

For any design, if Sticking is over ½" up to and including ¾" wide, add to the foregoing, per door:

American Walnut, African or Mexican Mahogany.....	.30
All other Native Woods.....	.20

For different Sticking at glass than at panel, add per door 2.00

Rule 6 Mirror Doors

For preparing for Sunken Mirror, in addition to regular design extra, add per door:

DESIGN	Una. Birch, Una. Gum, Cal. Ash, Yel. Pine	R. Gum, R. Oak, Wh. Oak, Br. Ash, Red or Wh. Birch	All Other Native Woods	Phil. Hdwds., Qtr. Oak, Chestnut, Cypress	African Mhgy., Am. Wal Mexican Mhgy., R. Cedar
Insert Frame Design.....	\$1.00	\$1.00	\$1.40	\$1.40	\$2.60
One Panel.....	.50	.50	.60	.60	.80
2 Regular Panel Design.....	1.20	1.20	1.40	1.40	1.60
2 Vertical Panel Design.....	1.60	1.60	1.80	1.80	2.00
3 and 4 Panel Design.....	2.00	2.00	2.20	2.20	2.40
5 and 6 Panel Design.....	2.40	2.40	2.60	2.60	2.80
8 Panel Design.....	3.20	3.20	3.40	3.40	3.60
*Planted on face, all designs	1.65	1.65	1.90	1.90	2.40
*If Shipped loose, deduct..	.50	.50	.50	.50	.50
Lights planted on 1/S Panel Doors per Light.....	.40	.40	.50	.50	.60
Panel Mirror Back in Div. Lt. Doors, add to Div. Lt. Basis, per Light.....	.20	.20	.30	.30	.40

Rule 7 Doors Paneled Differently Two Sides














All Woods (Same Framing both sides)

Add to the Basis List of a Two-panel door:

If One-Panel 1/S, Two-Panel 1/S.....	\$3.00
If One-Panel 1/S, Two-vertical Panel 1/S.....	3.50
If One-Panel 1/S, 5 Cross Panel 1/S.....	4.00
If Two-Panel 1/S, 5 Cross Panel 1/S.....	5.00
If more than 5 cross panel 1/S, add per panel to the two foregoing extras...	1.00
If 6 Panel 1/S, 8 Panel 1/S.....	7.00
For each additional panel over 6 or 8 panels on either side add, per door..	1.00
If Insert Frame Door 1/S, One-Panel 1/S.....	6.00
If Different Framing both sides, add to the foregoing, per door.....	2.50
If Flush 1/S, One-Panel 1/S, add to the Flush Door basis.....	7.00
For each additional panel on 1/S of Flush Door add to foregoing basis, per door	1.00

Divided Lights

See Divided Light Extras, page 205



Rule 8

Divided Lights (See Designs, page 204)

With Glass Beads 1/8, for doors not over 1 3/4" thick, apply Rule 9 Bead Deductions, then add extra per light: (Bars not over 1 3/4" overall or 1/2" between glass.)	Uns. Birch, Uns. Gum, R. Gum, R. Oak, Br. Ash, Cal. Ash, Pl. Wh. Oak, Yel. Pine	All Other Native Woods	Red or Wh. Birch, Phil. Hdwd., Qtr. Wh. Oak, Qtr. & Sel. Fig. R. Gum, Chestnut, Cypress	Af. Ma- hogany, Mex. Ma- hogany, Am. Walnut, R. Cedar
(A) Rectangular lts. up to 16' high.....	\$0.30	\$0.34	\$0.36	\$0.44
Rectangular lts. 17' to 30' high.....	.34	.38	.40	.50
Rectangular lts. 31' to 50' high.....	.42	.46	.48	.56
Rectangular lts. over 50' high.....	.52	.58	.66	.80
(B) Rec. Marginal lts. add per lt. to the Rec- tangular Basis (A).....	.04	.04	.04	.04
Inside lts. same as (A)				
(C) Irreg. arrangement of Rect. lts. (where Marginal basis does not apply), add to the regular Rectangular basis per light	.04	.04	.04	.04
(D) Diamond, Triangular or Irreg. shaped lts. if formed by straight bars, add per lt.....	1.00	1.10	1.20	1.30
(E) Diamond shaped lts., entirely suspended by bars and mts., per light (Surround- ing lights on Rectangular Basis).....	3.90	4.20	4.20	4.60
(F) Circular or Oval lts., entirely suspended by bars and mts., per light.....	3.90	4.20	4.20	4.60
(F1) If Oval or Circular light is not suspended, add per light.....	12.00	12.50	13.00	13.50
(G) Serpentine lts., add per full length bar to the basic divided light extra.....	3.50	3.90	3.90	4.20
(H) Full Half Circle lts., add per bar.....	3.50	4.10	4.10	4.40
(I) Segment Lights, add per bar.....	2.00	2.20	2.20	2.40
(J) Rect. Lts., Bordering on curved or Irreg. Top Doors, add to basic list per light....	.60	.60	.60	.60
For Doors Veneered "Two Woods," use aver. light list of both woods and add per light..	.08	.08	.08	.08
For divided lights in doors over 1 3/4", add for each 1/2" or fraction in thickness to the Rect. or curved lt. basis, per light.....	.08	.08	.10	.12
If lights are furnished for putty, without Beads, deduct from the Rect. light basis, per light.....	.08	.08	.08	.10
If Beads "Two Sides," add to the Rect. light basis, per light.....	.10	.12	.12	.12
If Beads 2/8, (Diamond Lights), add to Diamond lt. basis, per light.....	.20	.22	.22	.26
For lights with "Sunken Bars," add to the basic list, per light.....	.10	.10	.10	.12
For lights with "Bars Coped to Nailed in Moulding," add to basic list per lt. (and if "Sunken Face," add also the "Sunken Bar" extra).....	.14	.14	.14	.16
For Bars wider than Standard 1 3/4", add for each additional 1/4, or fraction thereof in width, per light.....	.02	.03	.04	.04
*Inserted Sash with beads one side, add.....	3.30	3.30	4.30	5.20

*This extra contemplates one light sash. If sash has divided lights, add regular divided light basis to the foregoing.

Rule 9

Bead Deduction

Note: Before adding divided light extras under Rule 8, deduct for beads one side, (already included in sash door design extras) as follows:

Up to 25' high deduct.....	\$0.20	\$0.20	\$0.20	\$0.30
Over 25' to 50' high deduct.....	.40	.40	.40	.50
Over 50' high, deduct.....	.50	.50	.50	.70

Flush Door
Lists and
Extras
273

Rule 14 Two or Three Ply Doors—(Not Splined)

(Solid Stock Not Cored Up)

If $1\frac{3}{4}$ " or $2\frac{1}{4}$ " thick, add to the Veneered Door Basis of same design and thickness, per door:

Unselected Gum.....	\$ 5.00
Red and White Oak.....	6.00
(If White Oak, add to the Sawed White Oak Basis.)	
Unselected Birch, Red Gum and Brown Ash.....	7.50
Philippine Hardwood, Qtr. Oak and Qtr. Fig. Gum.....	8.00
Red or White Birch.....	9.00
African Mahogany.....	11.00
American Walnut and Mexican Mahogany.....	12.00

If Two Ply Doors are splined (2 splines to a stile), add extra per door..... 1.50

Rule 15 Glued, Screwed and Plugged

Add to the foregoing basis, for all woods, per door..... \$3.50

Rule 16 For Chamfering Stiles & Rails

Ordinary Machine Chamfer, One Side, add per cut..... \$0.06
 Stop Chamfering, One Side, add per cut..... .12

Rule 17 Diagonal Cross Pieces or Braces

	Uns. Birch, Uns. Gum, R. Gum, White Oak, Red Oak, Br. Ash, Cal. Ash, Yellow Pine	All Other Native Woods	African Mahogany, American Walnut, Mexican Mahogany
--	--	---------------------------------	--

For 1 Diagonal Cross Piece, planted on face of panel 1/S, per Sketch 1, below, add per door.....


\$2.00	\$2.30	\$3.00
3.50	3.80	4.50

2/S, per Sketch 1


For 2 Diagonal Cross Pieces, planted on face on panel 1/S, per Sketch 2, below, add per door.....

4.00	4.60	6.00
7.00	7.60	9.00

2/S, per Sketch 2,



1



2

NOTE—For solid rails (instead of planted on) with flat or raised panels, see Rule 32, page 214.

If chamfered see Rule 16.

Rule 18 Lock Blocks

For lock blocks planted on face of door, add per side, all woods, if solid stuck \$1.50
 For lock blocks planted on face of door, add per side, all woods, if moulded... 2.20

Rule 19

Moulding Extras on Panel Doors or Sash Doors

(With Moulding Around Both Panel and Glass Opening)

For Fillet around Glass Opening, add per door..... \$0.30

For Fillet around Panels, No Extra.

Beads around Glass Opening are included in Design Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use Average of both extras.

Flush Mouldings

The following extras apply to Glass Opening or Panels, Moulded Two Sides.

Not Over $\frac{3}{4}$ "x1 $\frac{1}{4}$ " Wide, Two Sides, add per door:

DESIGN	Una. Birch, Una. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine	All Other Native Woods	Red or Wh. Birch Chestnut, Cypress, Phil. Hwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Am. Wal., Mexican Mahogany, Red Cedar	If Mld'd 1/S, Sol. Stuck 1/S Deduct All Woods
1 Panel.....	\$2.20	\$2.50	\$2.70	\$2.70	\$3.00	\$0.40
2 Regular Panel	2.90	3.20	3.60	3.60	4.00	.60
2 Vertical Panel	3.40	3.90	4.20	4.20	4.90	.60
3 Panel.....	3.60	4.10	4.50	4.50	5.10	.70
4 Panel.....	4.10	4.50	5.00	5.00	5.70	.70
5 Panel.....	5.10	6.00	6.60	6.60	7.20	.80
6 Panel.....	6.10	6.80	7.20	7.20	8.00	.90
8 Panel.....	6.70	7.40	7.90	7.90	9.00	1.00
For more than 8 panels, add to the 8 panel basis, per panel:	.80	.90	1.00	1.00	1.10	.10

For Flush Moulding wider than 1 $\frac{1}{4}$ ", add to the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1 or 2 Panel.....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16	
3 or more Panels.	.20	.20	.20	.20	.30	

For Flush Moulding Over $\frac{3}{4}$ " thick and up to 1 $\frac{1}{8}$ " thick, add to the foregoing. 15%

For Flush Moulding Over 1 $\frac{1}{8}$ " thick and up to 1 $\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Gluing Moulding, add to the foregoing, per door:

1 and 2 Panel.....	\$0.50
3, 4 and 5 Panel.....	.80
6 and 8 Panel.....	1.20

For Special Mouldings requiring special knives, add for knives and set-up, minimum..... 10.00

Rule 20

Hip Raised Moulding

Use Flush Moulding basis for same design and size of mould, and add per door .20

Rule 21 Moulding Extras on Sash Doors

(With Solid Sticking at Glass Opening and Moulding Around Panel Two Sides)

Add following extras, per door, for Moulding around panels only.
 For Designs see page 200.
 Beads for glass 1/S are already included in Design Extra.
 For Fillet around Panels, No Extra.
 For Raised Moulding 1/S, Flush Moulding 1/S, use average of both extras.
 For this type of door, figure Overall Stile and Rail dimensions at the Solid Sticking.

Flush Mouldings

Not over $\frac{3}{4}$ " x $1\frac{1}{4}$ " wide, Two Sides, add per door:

DESIGN For Designs See page 200	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine	All Other Native Woods	Red or Wh. Birch, Chestnut, Cypress, Phil. Hdwda., Qtr. Oak, Qtr. Fig. Gum	African Mhgy., Am. Wal. Mexican Mhgy., R. Cedar
1 Pan. & 1 Lt. Des. B-B, C-C and O-O.....	\$2.20	\$2.50	\$2.70	\$2.70	\$3.00
2 Pan. & 1 Lt. Des. D-D, E-E G-G, J-J.....	3.00	3.40	3.80	3.80	4.30
3 Pan. & 1 Lt. Des. F-F and K-K.....	3.60	4.10	4.50	4.50	5.20
4 Pan. & 1 Lt. Des. L-L and M-M.....	4.40	5.10	5.50	5.50	6.30
6 Pan. & 1 Lt. Des. N-N.....	5.20	6.00	6.80	6.80	7.70
2 Ver. Pan. & 1 Lt. Des. P-P	3.50	4.00	4.40	4.40	5.10
3 Ver. Pan. & 1 Lt. Des. Q-Q	4.00	4.50	5.10	5.10	5.70

For Flush Moulding wider than $1\frac{1}{4}$ ", add to the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1 or 2 Panel.....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
3 or more Panels.....	.20	.20	.20	.20	.30

For Flush Moulding 1/S only, deduct from the foregoing..... 40%
 For Flush Moulding over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing 15%
 For Flush Moulding over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%
 For Gluing Moulding around Panels in Sash Doors, add to the foregoing per door:

1 and 2 Panel and 1 Light.....	\$0.40
3 and 4 Panel and 1 Light.....	.70
6 Panel and 1 Light.....	1.10
For Special Mouldings requiring special knives, add for knives and set-up minimum.....	10.00

Rule 22

Moulding Extras on Panel Doors or Sash Doors

(With Moulding Around Both Panel

and Glass Opening)

For Fillet around Glass Opening, add per door. \$0.30

For Fillet around Panels, No Extra.

Beads around Glass Opening are included in Design Extra.

For Raised Molding 1/S, Flush Molding 1/S, use Average of both extras.

Rabbeted Raised Mouldings

The following extras apply to Glass Opening or Panels, Moulded Two Sides.

Not over $\frac{3}{4}$ " x $1\frac{3}{4}$ " wide, Two Sides, add per door:

DESIGN	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine	All Other Native Woods	Red or Wh. Birch, Chestnut, Cypress, Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mhgy., Am. Walnut, Mexican Mhgy., Red Cedar	If Mld'd 1/S, Sol. Stuck 1/S Deduct All Woods
1 Panel.	\$3.00	\$3.40	\$3.70	\$3.70	\$4.20	\$0.40
2 Regular Panel	3.90	4.40	5.00	5.00	6.00	.60
2 Vertical Panel	4.70	5.40	5.90	5.90	6.90	.60
3 Panel.	5.10	5.70	6.40	6.40	7.20	.70
4 Panel.	5.70	6.40	7.00	7.00	8.20	.70
5 Panel.	6.80	7.70	8.50	8.50	9.50	.80
6 Panel.	8.10	9.10	9.80	9.80	11.10	.90
8 Panel.	9.10	10.20	11.10	11.10	12.80	1.00
For more than 8 panels, add to the 8 panel basis, per panel:	1.10	1.30	1.40	1.40	1.60	.10

For Raised Moulding wider than $1\frac{3}{4}$ " add to the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1 or 2 Panel.	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16	
3 or more Panels	.20	.20	.20	.20	.30	

For Raised Moulding over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing 15%

For Raised Moulding over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Gluing Moulding, add to the foregoing, per door:

1 and 2 Panel.	\$0.50
3, 4 and 5 Panel.	.80
6 and 8 Panel.	1.20

For Special Mouldings requiring special knives, add for knives and set-up minimum. 10.00

Rule 23

Moulding Extras on Sash Doors

(With Solid Sticking at Glass Opening and Moulding
Around Panel Two Sides)

Add following extras, per door, for Moulding around panels only. For designs see page 200.

Beads for Glass 1/S are already included in Design Extra.

For Fillet around Panels, No Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use Average of both extras.

For this type of door, figure Overall Stile and Rail dimensions at the Solid Sticking.

Rabbeted Raised Mouldings

Not over $\frac{3}{4}" \times 1\frac{3}{4}"$ wide, Two Sides, add per door:

DESIGN For Designs See page 200	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine	All Other Native Woods	Red or Wh. Birch, Chestnut, Cypress, Phil. Hdwds., Qtr. Oak, Gum	African Mbg., Am. Walnut, Mexican Mbg., R. Cedar
1 Pan. & 1 Lt. Des. B-B, C-C, and O-O.....	\$3.00	\$3.40	\$3.70	\$3.70	\$4.20
2 Pan. & 1 Lt. Des. D-D, E-E, and G-G, J-J.....	4.20	4.80	5.40	5.40	6.10
3 Pan. & 1 Lt. Des. F-F, and K-K.....	5.30	5.90	6.60	6.60	7.70
4 Pan. & 1 Lt. Des. L-L and M-M.....	6.40	7.40	8.00	8.00	9.40
6 Pan. & 1 Lt. Des. N-N....	7.70	8.90	10.00	10.00	11.60
2 Ver. Pan. & 1 Lt. Des. P-P	5.10	5.70	6.40	6.40	7.40
3 Ver. Pan. 1 Lt. Des. Q-Q...	5.70	6.60	7.40	7.40	8.40

For Raised Moulding wider than $1\frac{1}{4}"$, add to the foregoing for each $\frac{1}{8}"$ or fraction thereof:

1 or 2 Panel.....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
3 or more Panels.....	.20	.20	.20	.20	.30

For Raised Moulding on 1/S only, deduct from the foregoing..... 40%

For Raised Moulding over $\frac{3}{4}"$ thick and up to $1\frac{1}{8}"$ thick, add to the foregoing 15%

For Raised Moulding over $1\frac{1}{8}"$ thick and up to $1\frac{1}{2}"$ thick, add to $\frac{3}{4}"$ thickness 25%

For Gluing Moulding around Panels in Sash Doors, add to the foregoing per door:

1 and 2 Panel and 1 Light.....	\$0.40
3 and 4 Panel and 1 Light.....	.70
6 Panel and 1 Light.....	1.10

For Special Mouldings requiring special knives, add for knives and set-up, minimum..... 10.00

Rule 24

Fillet Extras

For Fillet in One-Light Blank Doors, add per door..... \$0.30

(For Fillet in other designs, see Moulding Rules.)

Rule 25

Thick Flat Panels (Standard face veneers)

Add per door:

5 PLY

3 PLY

THICKNESS	American Walnut, Mexican or African Mahogany, Qtr. Oak, Qtr. Fig. Gum	All Other Native Woods	American Walnut, Mexican or African Mahogany, Qtr. Oak, Qtr. Fig. Gum	All Other Native Woods
$\frac{5}{16}$ " or under.....		\$0.70		
Over $\frac{5}{16}$ " to $\frac{7}{16}$ ".....	\$0.45	1.20	\$0.45	\$0.45
Over $\frac{7}{16}$ " to $\frac{9}{16}$ ".....	.90	1.60	.90	.90
Over $\frac{9}{16}$ " to $\frac{5}{8}$ ".....	1.60	2.40	1.60	1.60
Over $\frac{5}{8}$ " to $\frac{3}{4}$ ".....	2.20	2.70	2.20	2.20
Over $\frac{3}{4}$ " add for each $\frac{1}{4}$ " or fraction thereof	.70	.70	.70	.70
For panels with $\frac{1}{8}$ " R. C. faces (before sanding), add per door...		.80		.80

NOTE—For flat panels with face veneers heavier than $\frac{1}{8}$ " use the raised panel extras (according to thickness) Rule 28, page 213.

For Sash Doors, in which Glass Opening reduces Panel area $\frac{1}{2}$ or more, use $\frac{1}{2}$ of the foregoing extras.

Rule 26

Graduated Panels

For doors with panels of graduated height, add to the design extra for a door of the same number of panels, for All Woods.....

\$0.50

Rule 27

Ceiling Panels and "V" Grooved Panels

Ceiling Panels:

For vertical panels use same extras as provided for raised panels of same number and thickness. See Rule 28.

For diagonal ceiling panels add to Rule 27, as provided above..... 50%

"V" Grooved Panels:

Add per groove..... \$0.10

If stopped "V" groove, add per groove..... .30

Rule 28

Raised Panels

Add to the regular $\frac{5}{16}$ " Flat Panel Basis, per panel:

RAISED PANELS NOT OVER $\frac{3}{4}$ " THICK, Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise). Panel Groove not less than $\frac{1}{16}$ " wide. If Panel Groove for Raised Panels is less than $\frac{1}{16}$ " wide, thus requiring heavier face veneers, use $1\frac{1}{8}$ " Raised Panel Basis.

Apply regular Design Extras (See pages 199 and 201, etc.,) and add EXTRA per panel	Una. Birch, Una. Gum	All Other Native Woods	Afr. Mhgy., Am. Walnut, Mex. Mhgy.	If Mitred Frame Con- struction Add to Regular Raised Panel Extras
1 Panel Design—per panel (Ven.).....	\$5.10	\$5.40	\$6.00	Figure same
2 Reg. Pan. Design—per pan. (Ven.)...	2.70	2.90	3.30	as $1\frac{1}{8}$ " RSD.
3 Panel Design—per panel (Ven.).....	2.10	2.20	2.60	Panel with
4 to 6 Pan. Design—per pan. (Solid)...	.70	.80	.90	Mitred
4 to 6 Pan. Design—per pan. (Ven.)....	.90	1.00	1.10	Frame (See
For each additional panel over 6 panels add per panel Solid or Veneered.....	.60	.70	.70	Next Page)

Rule 28 (Continued) Raised Panels

RAISED PANELS OVER $\frac{3}{4}$ " THICK, up to and including $1\frac{1}{8}$ ", Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise). Panel Groove not less than $\frac{1}{16}$ " wide.

If Panel Groove for Raised Panels is less than $\frac{1}{16}$ " wide, thus requiring heavier face veneers, use $1\frac{3}{4}$ " Raised Panel Basis.

Apply regular Design Extras (See pages 199 and 201, etc.,) and add EXTRA per panel	Uns. Birch, Uns. Gum	All Other Native Woods	Afr. Mhgy., Am. Walnut, Mex. Mhgy.	If Mitered Frame Con- struction Add to Regular Raised Panel Extras
1 Panel Design—per panel (Ven.).....	\$6.30	\$6.70	\$7.40	\$1.40
2 Reg. Pan. Design—per pan. (Ven.)...	3.80	4.00	4.30	.90
3 Panel Design—per panel (Ven.).....	2.60	2.70	3.10	.80
4 to 6 Pan. Des. per pan. (Sol. or Ven.)	1.20	1.30	1.40	.50
For each additional panel over 6 panels, add per panel Solid or Veneered.....	.60	.70	.70	.50

RAISED PANELS OVER $1\frac{1}{8}$ " THICK, up to and including $1\frac{3}{4}$ ", Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise).

1 Panel Design—per panel (Ven.).....	\$8.80	\$9.40	\$11.40	\$1.60
2 Reg. Pan. Design—per pan. (Ven.)...	4.90	5.20	6.40	1.00
3 Panel Design—per panel (Ven.).....	3.60	3.90	4.60	.90
4 to 6 Pan. Des. per pan. (Sol. or Ven.)	1.90	2.10	2.30	.60
For each additional panel over 6 panels, add per panel Solid or Veneered.....	1.30	1.40	1.60	.60

If Raise is wider than 2" and not over 3", add to the foregoing extras, per panel:

1 Panel.....	\$0.40
2 Regular Panel	.30
3, 4, 5, or 6 Panel.....	.20
For panels raised differently two sides, add to the regular raised panel extra, per panel.....	.50

Rule 29 Clipped Corner Raised Panels (See Sketch A)

Add per panel (4 Corners) Two Sides \$1.60

Rule 30 Blocking in Corner of Panels (See Sketch B)

Add per panel, All Woods, Solid Stuck, Two Sides 3.20

If Moulded, add in addition to the foregoing over the regular Moulded Extra,
per panel..... 1.00

Rule 31 Offsetting Corners of Panels (See Sketch C)

Figure widths of Stiles and Rails at widest point, and add per panel, Two
Sides, All Woods, in addition to the regular Flush Moulded Extra, Flush
Moulded..... 6.00



A



B



C

Rule 33 Single Doors To Represent a Pair

If made simply as a wide door, duplicating arrangement of panels, with top and bottom rails extending across center mullion, add regular extra for Wide Door, Plus double the Design extra for similar design of single door.
 If made with double width center stile extending full height of door, and beaded to represent a pair, in addition to the foregoing, add..... \$3.50
 For extra wide doors, made by doweling two doors together, with bead at joint, add per joint..... 3.50

Rule 34 Dutch Doors	All Other Native Woods	Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Cut through Center Rail, Not Rabtd..	\$2.00	\$2.10	\$2.30
Cut through Center Rail, Rabbeted...	3.00	3.10	3.30
NOTE—Above extras include wide Lock Rail.			
Shelf & Bracket One Side, add extra ..	5.00	5.50	6.50
Shelf & Bracket Two Sides, add to the One Side Basis.....	2.50	3.00	4.00

Rule 35 Cutting Small Light in Panels With Beads Two Sides

Rectangular Lights, add per light.....	\$1.00	\$1.10	\$1.30
Diamond Lights, add per light	1.60	1.70	2.00
Circle or Oval Lights, add per light.....	3.00	3.30	3.80

Rule 36 Segment and Circle Top Doors, Etc. (Sash Doors and Flat Panel Doors)

For Single Doors not over 3'6" Wide, for all Stock Wood, add per door:

For Special Woods see Extra below	If Square Head outside Special Head inside	In and Out	Standard Insert Frame Doors In and Out	For Flush or Raised Mould'g bordering on Special Tops, add to 1st or 2nd col.
Segment Top.....	\$4.95	\$ 5.80	\$11.55	\$4.15
Circle and Elliptic Tops....	9.90	11.55	21.45	6.60
Gothic and Tudor Tops....	10.70	11.55	21.45	8.25
Clipped Corner Top, per Corner.....	7.40	9.00	14.00	1.75
Rake Top.....	4.95	6.60	10.70	1.15
Peak Top.....	7.40	10.70	15.75	1.95

(If over 3'6" wide, add 10% for each 6" in width or multiple)
 Extra for munt or rail bordering on irregular top, add for each rail or munt \$2.00
 For Segment, Circle or Gothic Top Doors, in Pairs, double the foregoing extras and deduct..... 20%
 (This deduction applies to first 3 columns only)
 If Special Woods, add to the foregoing extras as follows:
 Qtr. Oak, Qtr. Fig. Gum and Philippine Hardwood..... 15%
 American Walnut, African and Mexican Mahogany..... 25%
 (Other Native Woods take extras as shown above.)
 For Munts bordering on special shaped heads, add per munt..... 2.00
 If Special Tops on Raised Panel Door, add per panel bordering on head, in addition to the Raised Panel Basis (Rule 28) and the Special Top Extra shown above, per panel..... 1.00
 For 3 special head lights, solid stuck, add for all 3 lights, per door (see Sketch No. 1)..... 13.50
 For 4 special head lights, solid stuck, add for all 4 lights, per door (see sketch No. 2)..... 15.00
 For 3 special head lights, solid stuck, add for all 3 lights, per door (see sketch No. 3)..... 11.50

Rule 36 (Continued) Segment and Circle Top Doors, Etc.

For 4 special head lights, solid stuck, add for all 4 lights, per door (see sketch No. 4)..... \$12.75



No. 1



No. 2



No. 3



No. 4

Rule 37 Louver Doors and Wood Grilles

Following extras are for Louver opening not wider than Two Feet. If wider than Two Feet see extras below.

Use Sash Door Extras for Designs (page 201) and add following extras for Louvers in place of glass (without deduction for beads).	All Other Native Woods	Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Mexican Mahogany, American Walnut
If Louver is 12" high or under.....	\$3.00	\$3.60	\$4.40
For each additional 6" in height or fraction thereof, add.....	.60	.80	.90
If Louver opening is wider than 2 feet thus requiring Center Mullion, not over 12" high	3.80	4.40	5.60
If Louver opening is wider than 2 feet thus requiring Center Mullion, for each addi- tional 6" in Height or fraction thereof, add	.60	.80	.90
If Grille Construction, double the regular Louver basis.			
If "V" type Louver, double the regular Louver basis.			
If Sliding Panel of Standard Construction, add to the Louver Basis, per door (No Hard- ware nor Metal Track).....	4.00	5.20	6.50
If Metal Track, add.....	1.20	1.20	1.20
If 2 Wooded Louvers, add for each 12" in Height of Louver \$0.30.			
For Special Louvers, not otherwise provided for, flush with surface of stiles, add to regular basis 50%.			
For Special Louvers, not otherwise provided for, requiring dadoed or tenoned ends, add to regular basis 50%.			

Rule 38 Metal Ventilouver

Preparing Door for Metal Ventilouver, be- tween Stiles and Rails, beads 2/S, add per opening (Metal Ventilouver not included)	\$0.60	\$0.80	\$0.90
---	--------	--------	--------

Note: This extra is to be added to the Panel Door Basis, that is, if opening above or below One Panel, use the One-panel extra plus the foregoing extra.

Rule 39 Hand Smoothing and Belt Sanding

Add for All Woods, per door:

	Belt Sanding	Hand Smoothing	If Moulded, add extra for Sanding to either column
Panel Doors—(1 to 3 Panels).....	\$.90	\$1.50	\$0.50
Panel Doors—(5 to 8 Panels).....	1.30	2.60	.80
1 Light Doors.....	.70	1.00	.50
Toilet and Dwarf Doors.....	.70	1.00	.40
Panel Transoms.....	.40	.60	.20
1 Light Transoms.....	.30	.40	.20

Rule 40

Rabbeting and Beading

	Plain Rabbeting	Rabbeting & Beading	Astragal Joint or Rule Joint
Add per Joint or pair.....	\$0.80	\$1.50	\$1.50
Minimum on any one order.....	3.00	4.00	4.00

If Rounded or Beveled Edges, add per edge \$0.30.

Rule 41

Banding Sliding Doors Two Sides

(Banding not over $\frac{3}{8}$ " x $2\frac{1}{2}$ ")

Add for each Lineal Foot around edge of door:

All Other Native Woods.....	\$0.14
Philippine Hardwood, Qtr. White Oak or Qtr. Fig. Red Gum.....	.16
African Mahogany.....	.20
American Walnut and Mexican Mahogany.....	.30

Rule 42

Astragals

Add for Stock Designs:

Minimum for Special Design \$4.00	All Other Native Woods	Phil. Hardwood, Qtr. Oak, Qtrd. Fig. Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Single "T" Astr. $1\frac{3}{8}$ " or $1\frac{3}{4}$ "....	\$1.60	\$2.20	\$2.80
Single "T" Astragal, $2\frac{1}{4}$ ".....	1.80	2.40	3.20
Batten Astragal (half "T"), deduct 10% from the foregoing.			
Sliding Door Astr. (Per Set)....	2.00	2.60	3.60
If Two-Wooded Astragal, use Average and add	.30	.30	.30

Rule 43

Stools

Plain Stock One-member Stool.	\$0.60	\$1.00	\$1.20
Plain Stock with Dentil or Bead	1.00	1.50	1.70
Plain Stock with 3 or 4 square blocks below	1.00	1.50	1.70

Rule 44

Lugs—Top and Bottom

Cove and Bead or O. G. Lugs, add per door (Figure Ht. of Dr. excl. of lugs) ..	\$1.50
For Extending Stiles to form a Square Vent opening below Bottom Rail, Sticking not cut out (Figure overall Ht. incl. extended Stiles).....	No Extra
For extending, etc., Sticking removed.....	.20

Rule 45

Blind Mortising and Tenoning

Add per Rail 20 cents. Minimum per door.....	\$0.80
If Wedged, per rail 10 cents. Minimum per door.....	.40

Rule 46

Squaring Door to Fit Jamb

Cut to exact size.....	\$0.50
------------------------	--------

Rule 47

Mortising Door for Locks

But not housed for Face Plate, per door.....	\$0.40
If recessed for face plate, add to foregoing extra	.30
If necessary to square to fit Jamb, add per Rule 46.	

Rule 48	Hinge Cut	
Add per hinge.....		\$0.16
If necessary to square to fit Jamb, add per Rule 46.		

Rule 49	Letter Slots	
Straight Cut, add per opening.....		\$0.50
Medium Bevel Cut, add per opening.....		\$0.80
NOTE—Fitting hardware not included.		

Rule 50	Pegs, or Plugs	
For pegs flush with surface of door, add per peg.....		\$0.10
For pegs plain and projecting above surface of door, add per peg.....		.18
For pegs chiseled and projecting above surface of door, add per peg.....		.24

Rule 51	Cores Certain Specified Widths or Lengths	
Where cores must conform to any one specified width:		
For Panel Doors, add.....		\$0.50
Where cores must be of one piece full length of stiles and rails:		
If alternating pieces full length, add.....		1.20
If all pieces full length, add.....		2.40

Rule 52	Miscellaneous Rules	
	For Panel Doors	
Where specifications require any special arrangement of dowels, add per rail		\$0.20
For double rows of dowels, add per rail.....		.30

Rule 53		
For top and bottom edge strip extending across ends of stiles, add per door..		1.00

Rule 54		
For joints set in white lead or water-proof glue, add.....		.20

Rule 55		
For cutting off horns on ends of stiles, add.....		.20

Rule 56		
For varnishing or painting top and bottom edges, add.....		.20

Rule 57		
For high test water-proof glue to stand 48 hours soaking test, add.....		1.50

Rule 58	Center-Matched Panel Veneer	
For regular panel doors, all woods, add per door.....		.50
For panel sash doors, any design, all woods, add per door.....		.35

Rule 59	Staining and Priming	
See Rule F-28, page 230.		

Toilet and Dwarf Door Base List

(Solid and Veneered)

1 Panel, 2 Panel and 3X Panel designs. *(For greater number of panels see extra below.)

Styles not over 3½" Wide and Bottom Rail 5" Wide, Overall.

Lists include 3 ply flat panels not over ⅝" thick.

1⅛" Thick

1-0x1-6.	\$2.20	1- 0x3-6.	\$6.20	2- 0x4-6.	\$10.00
1-2x1-6.	2.50	1- 2x3-6.	6.50	2- 2x4-6.	10.30
1-4x1-6.	2.80	1- 4x3-6.	6.80	2- 4x4-6.	10.60
1-6x1-6.	3.10	1- 6x3-6.	7.10	2- 6x4-6.	10.90
1-8x1-6.	3.40	1- 8x3-6.	7.40		
		1-10x3-6.	7.70	1- 0x5-0.	9.20
1-0x2-0.	3.20	2- 0x3-6.	8.00	1- 2x5-0.	9.50
1-2x2-0.	3.50	2- 2x3-6.	8.30	1- 4x5-0.	9.80
1-4x2-0.	3.80	2- 4x3-6.	8.60	1- 6x5-0.	10.10
1-6x2-0.	4.10	2- 6x3-6.	8.90	1- 8x5-0.	10.40
1-8x2-0.	4.40			1-10x5-0.	10.70
		1- 0x4-0.	7.20	2- 0x5-0.	11.00
1-0x2-6.	4.20	1- 2x4-0.	7.50	2- 2x5-0.	11.30
1-2x2-6.	4.50	1- 4x4-0.	7.80	2- 4x5-0.	11.60
1-4x2-6.	4.80	1- 6x4-0.	8.10	2- 6x5-0.	11.90
1-6x2-6.	5.10	1- 8x4-0.	8.40		
1-8x2-6.	5.40	1-10x4-0.	8.70	1- 0x5-6.	10.20
		2- 0x4-0.	9.00	1- 2x5-6.	10.50
1- 0x3-0.	5.20	2- 2x4-0.	9.30	1- 4x5-6.	10.80
1- 2x3-0.	5.50	2- 4x4-0.	9.60	1- 6x5-6.	11.10
1- 4x3-0.	5.80	2- 6x4-0.	9.90	1- 8x5-6.	11.40
1- 6x3-0.	6.10			1-10x5-6.	11.70
1- 8x3-0.	6.40	1- 0x4-6.	8.20	2- 0x5-6.	12.00
1-10x3-0.	6.70	1- 2x4-6.	8.50	2- 2x5-6.	12.30
2- 0x3-0.	7.00	1- 4x4-6.	8.80	2- 4x5-6.	12.60
2- 2x3-0.	7.30	1- 6x4-6.	9.10	2- 6x5-6.	12.90
2- 4x3-0.	7.60	1- 8x4-6.	9.40		
2- 6x3-0.	7.90	1-10x4-6.	9.70		

For smaller or intermediate sizes use next larger listed size.

For the foregoing items, if ¾" thick, deduct. 10%

For the foregoing items, if 1¼" or 1⅝" thick, Solid, add. 10%

For the foregoing items, if 1¼" or 1⅝" thick, Veneered. No Extra

For the foregoing items, if 1¼" thick, Solid, add to the 1⅝" basis. 25%

For the foregoing items, if 1¼" thick, Veneered, add to the 1⅝" basis. 15%

For full ⅛" Veneers, add to the foregoing list. 20%

For Standard ¼" Veneers, add to the foregoing list. 30%

For Flush or Raised Molding, deduct from the Molding Extra for a Regular Panel Door of the same design. 20%

Extras

For Raised Panels, use 75% of the extras shown under Rule 28, page 213.

For Stationary Slats instead of Panels, add extra for each foot or fraction thereof in height of Slats:	All Other Native Woods	Phil. Hrdwd., Q. S. Oak, Q. S. Fig, Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Per Foot or fraction thereof.	\$0.60	\$0.80	\$1.00
Minimum.	1.20	1.40	1.80

If two rows of slats are required to match 2 Vertical Panels or 4 Regular Panel Doors use Double the foregoing extras.

*For each Additional Panel over Three (3) Panels, add per door All Woods \$0.40

For O. G. Lugs, top and bottom (heights given do not include lugs), add per door. \$1.50

For Hand Smoothing, and Belt Sanding, See Rule 39, page 216.

Flush Door
Lists and
Extras
273

Transoms and Hardwood Sash Base List

Stiles and Top Rail not over 2½" wide, Bottom Rail not over 3½" wide, overall. One Light—Beads included—Solid or 2-Ply Construction. If Wider Frame than listed, add 5% for each ½" or fraction on stiles and 5% for each ½" or fraction on rails.

Extra for Panel Transoms is based on ⅝" 3-Ply Panels.

Woods	List prices are per 100 Lineal Inches around the outside measurement of sash. Minimum per sash, 80 Lineal Inches.		
	1 Light 1¼"	1 Light 1½"	If Pan. Transoms, add to one light list
Unselected Birch.....	\$2.55	\$3.00	\$0.90
Unselected Gum.....	2.40	2.85	.75
Red Gum.....	2.85	3.15	1.05
Plain Red Oak.....	2.85	3.45	1.35
Yellow Pine.....	2.25	2.70	.90
Fig. Red Gum, Rotary-cut.....	3.15	3.45	1.35
White or Red Birch.....	2.85	3.75	1.20
Brown Ash.....	2.55	3.30	1.05
White Oak.....	2.85	3.75	1.65
Qtr. White Oak.....	3.60	4.35	1.80
Philippine Hardwood.....	2.85	3.60	1.35
Qtr. Fig. Red Gum.....	3.60	4.35	1.65
African Mahogany.....	5.40	6.60	1.80
Native Walnut.....	5.75	6.95	2.00

For Standard ⅛" Veneered Construction, add to the foregoing list..... \$0.45
 For 2¼" thick Transoms, Solid or Veneered, add to the 1¾" Ven. Basis.... 10%

EXTRAS: Transom Flush Moulding Extras

Add net per transom (One-light design). Moulding not over 1¼" wide, Two Sides:

Unselected Birch, Unselected Gum, Yellow Pine and White Pine.....	\$1.00
Red Gum, Red Oak and Brown Ash.....	1.10
All Other Native Woods.....	1.20
Philippine Hardwood, White Oak and Qtr. White Oak.....	1.50
African Mahogany.....	1.80
American Walnut.....	1.80
For Raised Mould add to the foregoing Flush Mould extras.....	40%

Divided Lights

For divided lights in transoms use regular door extras, see page 205, Rules 8 and 9.

Segment and Circle Top Transoms

Use Regular Door Basis, see Page 215, Rule 36, less..... 40%

Miscellaneous Transom Extras:

Thick Panels	Use ⅓ of door extras under Rule 25.
Thick Veneers	If ¼", add 10% to Standard ⅛" Basis.
Raised Panels	Use nearest corresponding size of Panel per Rule 28.
Two Woods	Use average and add per transom 20 cents.
Spec. Sticking	Use 50% of full size door extras per Rule 5.

K. D. Veneered Door Stock Base List

Standard Face Veneers $\frac{1}{8}$ " Rotary-Cut or Sawn at Manufacturer's Option.

Width	List prices per 100 Lineal Feet.	
	$1\frac{1}{4}$ "	$1\frac{1}{2}$ "
$4\frac{7}{8}$ " Stiles.....	\$ 54.75	\$ 71.20
$5\frac{5}{8}$ " Stiles.....	59.00	76.45
$6\frac{1}{8}$ " Stiles.....	61.60	79.40
$6\frac{5}{8}$ " Stiles.....	64.10	82.60
$4\frac{7}{8}$ " Rails.....	46.60	62.35
$5\frac{5}{8}$ " Rails.....	49.60	65.70
$6\frac{1}{8}$ " Rails.....	53.45	70.95
$6\frac{5}{8}$ " Rails.....	55.25	72.65
$7\frac{1}{8}$ " Rails.....	58.60	76.20
$7\frac{5}{8}$ " Rails.....	60.65	80.15
$8\frac{1}{4}$ " Rails.....	65.20	85.70
$8\frac{5}{8}$ " Rails.....	67.05	88.05
$9\frac{5}{8}$ " Rails.....	73.65	99.90
$9\frac{7}{8}$ " Rails.....	80.65	103.45
$11\frac{5}{8}$ " Rails.....	84.00	112.50
$12\frac{1}{8}$ " Rails.....	87.75	116.50
$12\frac{5}{8}$ " Rails.....	91.50	121.00
$14\frac{5}{8}$ " Rails.....	106.25	138.25
$15\frac{5}{8}$ " Rails.....	114.75	148.50
$16\frac{5}{8}$ " Rails.....	128.50	164.25
$18\frac{5}{8}$ " Rails.....	156.50	196.25
$19\frac{5}{8}$ " Rails.....	167.00	208.25
$20\frac{5}{8}$ " Rails.....	189.25	233.50

For each $\frac{1}{2}$ " or fraction thereof in thickness over $1\frac{3}{4}$ " thick, use same differential as between $1\frac{3}{8}$ " and $1\frac{3}{4}$ " lists shown.

All Lengths of Stiles and Rails to be figured at next full inch, that is 7'1" Stiles will be figured as 7'2".

For Stiles over 8'0" long, add to above list for each additional 6" or fraction thereof, per 100 Lineal Feet. \$ 8.00

For Rails over 2'6" long, add to above list for each additional 6" or fraction thereof, per 100 Lineal Feet, as follows:

$4\frac{7}{8}$ " and Under.....	2.50
$5\frac{1}{2}$ " to $6\frac{5}{8}$ ".....	4.00
$7\frac{1}{8}$ " to $9\frac{7}{8}$ ".....	7.00
$11\frac{5}{8}$ " to $14\frac{5}{8}$ ".....	10.00
$15\frac{5}{8}$ " to $18\frac{5}{8}$ ".....	15.00
Over $18\frac{5}{8}$ ".....	20.00

All Sizes given are rough trimmed sizes and with no machine work included.

When furnished solid stuck, dimensions will be approximately $\frac{1}{8}$ " less.

Extras

If Stuck with O. G., C & B, B & C, Ovolo or Square Sticking, add per 100 Lineal Feet. \$0.90

Foregoing lists are for Standard $\frac{1}{8}$ " Veneers, either Rotary-cut or Sawn Veneers at manufacturer's option.

Heavy Veneers: For $\frac{1}{4}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list. 15%
 For $\frac{3}{8}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list. 20%
 For $\frac{1}{2}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list. 25%

Vertical Grain Veneers on Rails:

For vertical grain veneers on rails, add per rail. .30

Stock Veneered Two Woods, figure the Average for the Two Woods, and add per 100 Lineal Feet. 5.00

Intermediate Widths use list of the next higher listed size.

For total quantities of less than 500 Lineal Feet on any one order, add. 10%

Index—Flush Doors

	Rule		Rule
Aprons.....	F-21	Lead-lined.....	F-18
Astragals.....	F-20	Light Openings.....	F- 4
Belt Sanding.....	F-15	Lists.....	
Bent Face.....	F-27	Louvers.....	F- 7
Concealed Cross Band.....	F-13	Lugs.....	F-14
Cores, Special.....	F-26	Mirror Doors.....	F- 6
Cross Band Omitted.....	F-24	Moulded Light Openings...	F- 5
Door List.....		Oversize Doors.....	F- 1
Dutch Doors.....	F-22	Paneled One Side.....	F-16
Edge Strips (Wide).....	F-10	Priming, Etc.....	F-28
False Rails.....	F-12	Rabbeting and Beading....	F-19
Finishing.....	F-28	Rails (False).....	F-12
Framed Core.....	F-23	Screwed and Plugged.....	F- 9
Glued, Screwed and Plugged	F- 9	Special Tops.....	F- 8
Grilles.....	F- 7	Staining.....	F-28
Grooves.....	F-11	Stools.....	F-21
Guarantee.....		Thick Doors.....	F- 2
Hand Smoothing.....	F-15	Three Ply.....	F- 9
Horns.....	F-14	Toilet Door List.....	
Index.....		Transom List.....	
Inlay Designs.....		Two Wooded Doors.....	F- 3
Inlay Extras.....	F-17	V Grooves.....	F-11
Irregular Tops.....	F- 8	Water Proof Glue Special...	F-25
Large Doors.....	F- 1	Wide Edge Strips.....	F-10

Flush Door Base List

1 3/4" Thick

For unlisted sizes, use next higher list.

Width	Height										
	6-0	6-2	6-4	6-6	6-8	6-10	7-0	7-2	7-4	7-6	8-0
1- 0.....	\$10.50	\$10.60	\$10.70	\$10.80	\$10.90	\$11.00	\$11.20	\$11.40	\$11.60	\$11.80	\$12.80
1- 6.....	12.00	12.10	12.20	12.40	12.60	12.90	13.10	13.30	13.60	13.90	14.90
1- 8.....	12.90	13.00	13.10	13.30	13.50	13.80	14.00	14.20	14.50	14.80	15.80
1-10.....	13.70	13.80	13.90	14.10	14.30	14.60	14.80	15.20	15.50	15.80	16.80
2- 0.....	14.40	14.50	14.60	14.80	15.00	15.30	15.50	15.90	16.20	16.50	17.50
2- 2.....	15.00	15.10	15.20	15.50	15.70	16.00	16.20	16.70	17.00	17.30	18.30
2- 4.....	15.60	15.70	15.80	16.20	16.40	16.70	16.90	17.50	17.80	18.10	19.10
2- 6.....	16.20	16.30	16.40	16.90	17.10	17.40	17.60	18.30	18.60	18.90	19.90
2- 8.....	16.80	16.90	17.00	17.60	17.80	18.10	18.30	19.10	19.40	19.70	20.70
2-10.....	17.40	17.50	17.60	18.30	18.50	18.80	19.00	19.90	20.20	20.50	21.50
3- 0.....	18.00	18.10	18.20	19.00	19.20	19.50	19.70	20.70	21.00	21.30	22.30
3- 2.....	18.90	19.00	19.10	20.00	20.20	20.50	20.70	21.80	22.10	22.40	23.50
3- 4.....	19.80	19.90	20.00	21.00	21.20	21.50	21.70	22.90	23.20	23.50	24.70
3- 6.....	20.70	20.80	20.90	22.00	22.20	22.50	22.70	24.00	24.30	24.60	25.90
3- 8.....	21.90	22.00	22.10	23.30	23.50	23.80	24.00	25.40	25.70	26.00	27.40
3-10.....	23.10	23.20	23.30	24.60	24.80	25.10	25.30	26.80	27.10	27.40	28.90
4- 0.....	24.30	24.40	24.50	25.90	26.10	26.40	26.60	28.20	28.50	28.80	30.40

Note: For larger than listed sizes see Rule F-1.

Flush Transoms and Flush Toilet Door Base List

1 3/4" Thick

For unlisted sizes, use next higher list.

	1-0	1-6	2-0	2-6	3-0	3-6	4-0	4-6	5-0	5-6
1- 0.....	\$2.10	\$2.35	\$2.45	\$3.00	\$3.70	\$4.55	\$5.55	\$7.05	\$8.50	\$10.00
1- 2.....	2.10	2.55	2.75	3.40	4.15	5.05	6.15	7.65	9.00	10.40
1- 4.....	2.10	2.75	3.10	3.80	4.65	5.60	6.75	8.25	9.50	10.80
1- 6.....	2.35	2.95	3.45	4.25	5.15	6.15	7.35	8.85	10.00	11.25
1- 8.....	2.35	3.15	3.70	4.55	5.55	6.55	7.80	9.45	10.65	12.00
1-10.....	2.35	3.30	3.95	4.90	5.95	7.05	8.30	10.05	11.30	12.80
2- 0.....	2.45	3.45	4.25	5.25	6.35	7.55	8.80	10.65	12.00	13.60
2- 2.....	2.60	3.70	4.55	5.60	6.75	8.00	9.35	11.25	12.50	14.05
2- 4.....	2.80	3.95	4.90	6.00	7.20	8.50	9.90	11.85	13.00	14.50
2- 6.....	3.00	4.25	5.25	6.40	7.65	9.00	10.50	12.50	13.50	15.00
2- 8.....	3.25	4.55	5.60	6.80	8.10	9.55	11.10	13.25	14.15	15.65
2-10.....	3.45	4.85	5.95	7.20	8.60	10.10	11.70	13.90	14.80	16.30
3- 0.....	3.70	5.15	6.35	7.65	9.10	10.70	12.30	14.60	15.50	17.00
3- 2.....	3.95	5.45	6.75	8.10	9.60	11.30	12.90	15.30	16.30	17.80
3- 4.....	4.25	5.80	7.15	8.55	10.15	11.90	13.55	16.00	17.15	18.65
3- 6.....	4.55	6.15	7.55	9.00	10.70	12.50	14.30	16.70	18.00	19.50
3- 8.....	4.85	6.55	7.95	9.50	11.20	13.10	15.05	17.40	19.00	20.50
3-10.....	5.20	6.95	8.35	10.00	11.75	13.70	15.80	18.10	20.00	21.50
4- 0.....	5.55	7.35	8.80	10.50	12.30	14.30	16.60	18.80	21.00	22.50

Rule F-1 Doors Oversize

If over 4'0" to 4'11" wide, inclusive, add to the above list for each 2" in width \$2.25

If 5'0" or over wide, add to the above list for each 2" in width. 4.00

(Note: This \$4.00 extra applies for each 2" in width over 4-0 wide)

If over 8'0" to 12'0" high, use sawed veneer basis and add to the above list for each 6" in height or fraction thereof. 3.00

If over 12'0" to 16'0" high, use sawed veneer basis and add to the above list for each 6" in height or fraction thereof. 4.00

Flush Door
Lists and
Extras
271

Flush Door Extras

Rule F-2 Thickness

All Flush Door lists cover 1¾" thickness only.

Rule F-3 Two Woods

Figure the average of both woods and add per door \$0.70

Rule F-4 Light Openings with Sunken Beads Two Sides

(See extra below for Raised Beads)

With Stock Glass Bead, unless otherwise specified, add per Light:	All Other Woods	Red or Wh. Birch, Qtr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
One Rectangular Light	\$1.30	\$1.40	\$1.60
One Rectangular Light (No Beads)	.80	.80	.80
Two or more Rectangular Lights out of solid (Not made by inserting small bars) add per light	1.00	1.10	1.30
Two or more Rectangular Lights as above if staggered, add per light	1.30	1.40	1.60
Divided Rectangular Lights with beads (Made by inserting bars in a One Light Door) add to the One Light no bead extra per light . .	.50	.60	.70
If foregoing furnished without beads, deduct per light	.20	.26	.32
If Two Wooded Lights, use average of both woods and add per light	.10	.10	.10
Oval Light, Beads 2/S	9.80	10.40	11.10
*Circle Light, (8") Beads 2/S	5.20	5.90	6.50
*Circle Light, (8" to 14") Beads 2/S	6.50	7.20	7.80
*Circle Light, (14" to 20") Beads 2/S	7.80	8.50	9.10
*If no Beads Required, deduct	2.60	2.60	2.60
Segment Top Light, Beads 2/S	5.20	5.60	6.00
Circle Top or Gothic Light, Beads 2/S	6.50	7.00	7.80
Peak Bottom Light	2.60	2.90	3.30
Two or more Peak Bottom lights, add per light	2.30	2.60	3.00
Peak Head Light	2.60	2.90	3.30
Peak Top and Bottom Light	3.50	3.80	4.30
Single Diamond Light	3.00	3.30	3.80
Hexagonal Light	6.00	6.50	7.50
Octagonal light	7.00	7.50	8.50
If beads are raised above surface of door, add per light to the foregoing extras:			
For Regular Rectangular Lights	.30	.40	.50
For other Lights formed by straight beads	.40	.50	.60
For other Lights formed by curved beads	.50	.60	.70
Banding around Light Opening Rabbeted or Plain	1.00	1.30	1.60
Copper Strip at bottom of Light Opening	.30	.30	.30

Flush Door Extras (Continued)

Rule F-5 Flush Moulding Wider than $\frac{3}{4}$ " and Fillet

(Add to Light Extra, as in Rule F-4)

	All Other Woods	Red or Wh, Birch, Qtr. Wh. Oak, Phil. Hdwd. Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
If Fillet around opening.....	\$0.60	\$0.60	\$0.60
If Flush Mold 2/S over $\frac{3}{4}$ " wide around light opening, add to regular One Light, Beads 2/S basis, for each $\frac{3}{4}$ " in width or fraction over $\frac{3}{4}$ " wide.....	.20	.24	.36

Rule F-6 Mirror Doors

For Sunken Mirror, with beads, add.....	\$6.00	\$6.20	\$6.50
(This construction is not guaranteed)			
For Mirror Moulding of Stock Pattern planted on face of door.....	1.65	1.90	2.40

Rule F-7 Louver Doors and Wood Grilles

For Louver Opening, no beads, add per opening.....	\$0.80	\$0.80	\$0.80
For Louver Opening, beads 2/S, use Rect. Light Extra.....			
For Wood Louver inserted add 80 cents for opening plus following extras for Wood Louver not wider than two feet. (If wider than two feet see extras below):			
If Louver is 12' high or under.....	3.00	3.60	4.40
For each additional 6' in height or fraction thereof, add.....	.60	.80	.90
If Louver Opening is wider than 2 feet thus requiring Center Mullion, not over 12' high	3.80	4.40	5.60
If Louver Opening is wider than 2 feet thus requiring Center Mullion, add for each additional 6' in height or fraction thereof	.60	.80	.90
If Grille Construction, double the regular Louver basis above.			
For "V" type Louvers, double the regular Louver basis above.			
If two Wooded Louvers, add for each 12' in height of Louver.....			\$0.30
For Special Louvers not otherwise provided for, flush with surface of stiles, add to regular basis.....			50%
For Special Louvers not otherwise provided for, requiring dadoed or tenoned ends, add to regular basis.....			50%

Rule F-8 Irregular Top Doors

(With Hardwood exposed top edge)

(See note below regarding pine exposed top edge)

Segment Top.....	\$3.00	\$3.50	\$4.20
Circle Top.....	3.50	4.00	4.70
Peak Top.....	3.00	3.50	4.20
Gothic Top.....	3.50	4.00	4.70
If W. P. P. Core exposed top edge, deduct from the foregoing extras.....	1.50	2.00	2.70
Preparing doors with special head to permit being cut for circle or other irregular top:			
(1)-Hardwood exposed top edge, add per end	2.00	2.50	3.20
(2)-Pine exposed top edge, (solid rail) add per end.....	1.00		

Flush Door Extras (Continued)

Rule F-9

Three Ply Doors

	All Other Woods	Qtr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
Add to list of Regular Flush Door, per Door.....	\$ 9.00	\$10.00	\$12.00
If Screwed and Plugged, add per door	19.00	20.00	22.00
Note: The latter extra includes the three-ply Feature.			

Rule F-10

Wide Edge Strips

To allow cutting down width of door:	W. P. Pine			
For 2" in width.....	\$0.20	\$0.40	\$0.50	\$0.60
For 4" in width.....	.40	.80	1.00	1.20
For 6" in width.....	.60	1.20	1.50	1.80
To allow cutting down height of door:				
For 2" in height.....	.10			
For 4" in height.....	.20			
For 6" in height.....	.30			

Rule F-11

For "V" Grooves

For regular "V" grooves, add for heavy veneers of sufficient thickness to allow grooving, and add per groove per side not over ¼" wide, all woods:	
For 25 or more doors, per groove.....	\$0.16
For less than 25 doors, per groove.....	.24
If joint of veneer must coincide with groove, triple the foregoing extras.	
For horizontal and diagonal "V" grooves, add per groove.....	.20
For stopped "V" grooves, add per groove.....	.30
For grooves of special design and wider than ¼", add per groove for each ¼" in width, all woods (See note below).....	.40
For Mould set in, add to the above extra, per inset.....	.50
Note: In addition to foregoing extra, add for special knives, per setup.....	5.00

Rule F-12

False Top or Bottom Rail

Add per rail 1/S, in addition to regular "V" joint and heavy veneer extra, all woods.....	\$1.00
---	--------

Rule F-13

Cross Banding

For Flush Doors made with concealed cross banding:	
add per door containing 12 or more square feet.....	\$1.30
add per door containing 5 to 12 square feet.....	.80
add per door containing less than 5 square feet.....	.60
Thicker crossbanding:	
¾" thick, add per door.....	.80

Rule F-14

Lugs or Horns

(At Top or Bottom)

	Square Lugs	Shaped or Band-Sawed Lugs
Add for one end of door only.....	\$0.40	\$0.70
Add for both ends of door.....	.80	1.40

Rule F-15

Hand Smoothing or Belt Sanding

For Belt Sanding, add per door.....	\$0.70
For Hand Smoothing, add per door.....	1.00

Flush Door Extras (Continued)

Rule F-16 Doors Flush 1/S, Paneled 1/S (Not Guaranteed)

Figure as Flush Door and add per door:

For 1 Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	\$ 7.00
For 2 Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	8.00
For 5X Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	11.00
For 6 regular Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	12.00
For 8 regular Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	14.00
For Inner Frame 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	11.00
For mould wider than $\frac{3}{4}$ " apply panel door extras, Rules 19 to 23, inclusive, pages 208 to 211.	

Rule F-17 Inlay Extras

Designs (See Details page 228)	50 Sides and over	25 to 49 Sides (Incl.)	10 to 24 Sides (Incl.)	1 to 9 Sides (Incl.)
No. 50 (3 Ply), add per side	\$2.10	\$ 2.20	\$ 2.30	\$ 2.40
No. 50 (Ebonized Wood), add per side	2.10	2.20	2.30	2.40
No. 50 (Holly), add per side	1.80	1.90	2.00	2.10
No. 51, add per side	3.90	4.10	4.30	4.50
No. 52, add per side	5.40	5.70	5.85	6.00
No. 53, add per side	9.00	9.45	9.75	10.05
No. 54, add per side	9.75	10.20	10.95	11.55
No. 55, add per side	4.80	5.10	5.40	5.70
No. 56, add per side	6.60	7.05	7.50	7.95
No. 57, add per side	7.65	7.50	7.95	8.40
No. 58, add per side	9.75	10.35	10.95	11.55
No. 59, add per side	7.80	8.25	8.70	9.15
No. 60, add per side	9.75	10.35	10.95	11.55
No. 61, add per side	7.80	8.25	8.70	9.15
For $\frac{1}{2}$ " wide inlay strips, full length of door, add per strip one side, any wood, single ply	2.10	2.25	2.40	2.55
For $\frac{1}{2}$ " wide inlay strips, full length of door, add per strip one side, any wood, three ply	3.00	3.15	3.30	3.45
If $\frac{3}{4}$ " wide, add to last two extras per line, one side \$0.30.				

For inlaying after staining, see rule F-28.

Foregoing extras are for inlays forming one panel. If inlaid to represent 2 or more panels per side, add to foregoing extras for each extra panel 50%.

For Numeral Inlays, with plain rectangular background, (not over 3 numerals), add per side

For each additional Letter or Numeral, add each

Rule F-18 Lead Lined Doors

	Lead (per square foot)			
Add per square foot in addition to the full basis list of a regular flush door of the same wood and thickness:	$\frac{1}{16}$ "	$\frac{1}{8}$ "	$\frac{3}{16}$	$\frac{1}{4}$ "
CAUTION: Extra weight of lead must be taken into account in figuring freight	\$3.00	\$4.00	\$5.00	\$6.00
For Rectangular Light opening in lead lined doors, add to regular Rectangular Light basis of same wood	\$2.00			
Weight of lead per square foot	4#	8#	12#	16#

Flush Door Inlay Details

(See Rule F-17, page 227)



No. 50



No. 51



No. 52



No. 53



No. 54




No. 55




No. 56




No. 57




No. 58



No. 59



No. 60



No. 61

Flush Door Extras (Continued)

Rule F-19

Rabbeting and Beading

	Plain Rabbeting	Rabbeting and Beading	Rule Joint
Add per Joint or Pair.....	\$0.80	\$1.50	\$1.50
Minimum on any one order.....	3.00	4.00	4.00
If rounded or beveled edges, add per edge \$0.30.			

Rule F-20

Astragals

Add for Stock Designs:

(Add per Joint)

Minimum for Special Design \$4.00	All Other Woods	Otr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
Single "T" Astragal 1 $\frac{3}{8}$ " or 1 $\frac{3}{4}$ ".....	\$1.60	\$2.20	\$2.80
Single "T" Astragal 2 $\frac{1}{4}$ ".....	1.80	2.40	3.20
Batten Astragal (half "T") deduct 10% from the foregoing.			
Sliding Door Astragal, per set.....	2.00	2.60	3.60
Two Wooded Astragal use average and add..	.30	.30	.30

Rule F-21

Stools

Plain Stock One-member Stool.....	\$0.60	\$1.00	\$1.20
Plain Stock with Dentil or Bead.....	1.00	1.50	1.70
Plain Stock with 3 or 4 square blocks below.	1.00	1.50	1.70

Rule F-22

Dutch Doors

Cut through Center Rail, Not Rabbeted.....	\$1.50	\$1.60	\$1.80
Cut through Center Rail; Rabbeted.....	2.50	2.60	2.80
NOTE—Above extras include wide Lock Rail.			
Shelf and Bracket One side, add extra.....	5.00	5.50	6.50
Shelf and Bracket Two Sides, add to the One Side Basis.....	2.50	3.00	4.00

Rule F-23

For Stile and rail framed-up core construction, add (for dowel construction) \$1.70
(for mortise and tenon construction) 2.70

Rule F-24

When crossbanding is omitted, add the framed-up core extra, then deduct \$1.30

Rule F-25

For high test water-proof glue, to stand 48 hour soaking test, add..... \$2.10

Rule F-26

Where Flush Door cores must conform to a specified width, add..... \$1.00
Where Flush Doors must have alternating core strips of one full length piece
add..... 1.80
Where Flush Doors must have all core strips of one full length piece, add..... 3.60

Rule F-27

Bent Face Flush Doors

Add to the basis list of the plain flush door of same wood and design:

For the first door..... \$100.00
For each additional door of the same radius on the same order..... 40.00

Rule F-28 Staining, Priming, Etc.

Note: In addition to any of the following extras for stain or natural finishes, add the extras for belt sanding. (Rule F-15, page 226 or Rule 39, page 216).

Stain and Shellac

The following extras cover staining and priming of faces only.

Minimum on any one order for any one kind of finish. \$10.00

	1-49 Doors	50 Doors and Over
Flush door not inlaid.	\$1.60	\$1.30
Flush door inlaid.	2.00	1.70
Flush transom not inlaid.	.70	.60
Flush transom inlaid.	1.00	.80
One panel door.	1.70	1.40
One long light door.	1.30	1.10
Two panel door.	1.90	1.60
Three panel door.	2.20	1.80
Five cross panel door.	2.30	1.90
Six panel door.	2.40	2.00
French door.	3.10	2.60
If Louvers, add to above.	.90	.70

Acid Stain, Filler and Shellac

The following extras cover staining and priming of faces only.

Minimum on any one order for any one kind of finish. \$20.00

Flush door not inlaid.	\$3.10	\$2.60
Flush door inlaid.	3.60	3.00
Flush transom not inlaid.	1.20	1.00
Flush transom inlaid.	1.60	1.30
One panel door.	3.20	2.70
One long light door.	2.30	1.90
Two panel door.	3.40	2.80
Three panel door.	3.50	2.90
Five cross panel door.	4.20	3.50
Six panel door.	4.30	3.60
French door.	5.80	4.80
If Louvers, add to above.	1.20	1.00

Combined Oil Stain with Filler and Shellac

The following extras cover staining and priming of faces only.

Minimum on any one order for any one kind of finish. \$18.00

Flush door not inlaid.	\$2.30	\$1.90
Flush door inlaid.	2.90	2.40
Flush transom not inlaid.	1.10	.90
Flush transom inlaid.	1.20	1.00
One panel door.	2.40	2.00
One long light door.	1.90	1.60
Two panel door.	2.80	2.30
Three panel door.	2.90	2.40
Five cross panel door.	3.50	2.90
Six panel door.	3.70	3.10
French door.	4.60	3.80
If Louvers, add to above.	1.00	.80

Rule F-28 (Continued)

Prime 1 Coat Lead and Oil

Minimum on any one order for any one kind of finish..... **\$5.00**

	1-49 Doors	50 Doors and Doors
Flush door not inlaid.....	\$0.70	\$0.60
Flush transom not inlaid.....	.40	.30
One panel door.....	.80	.70
One long light door.....	.70	.60
Two panel door.....	1.00	.80
Three panel door.....	1.10	.90
Five cross panel door.....	1.20	1.00
Six panel door.....	1.20	1.00
French door.....	1.60	1.30
If Louvers, add to above.....	.60	.50

For Stall or Toilet doors containing less than 12 square feet use 60% of the full size door basis of the same type.

For Panel and Light Transoms use Flush Transom basis.

If only the panels of a door are primed or stained, before assembly, deduct 50% from the extras for the types shown above, and add 30 cents per door.

If Panels are stained or primed before assembly, apply extras above and add 30 cents per door.

HANDY MOULDING LIST

(1925)

LISTS PER 100 LINEAL FEET

Outside Mould'gs only, $\frac{3}{4}$ in. thick	Finished width, inches	Inside Mould'gs only, $\frac{3}{4}$ in. thick	Inside and Outside Mouldings					STOPS	
			$1\frac{1}{2}$ in. thick	$1\frac{3}{8}$ in. thick	$1\frac{1}{4}$ in. thick	$2\frac{1}{4}$ in. thick	$2\frac{3}{4}$ in. thick	$\frac{1}{2}$ in. thick	$\frac{1}{4}$ in. thick
\$ 2.00	$\frac{7}{8}$	\$2.00						\$2.00	\$2.00
2.50	$1\frac{1}{8}$	2.50	\$4.20					2.00	2.50
3.00	$1\frac{1}{4}$	3.00	5.00					2.20	3.00
3.50	$1\frac{3}{8}$	3.50	5.80	\$7.00				2.20	3.00
3.50	$1\frac{1}{2}$	3.50	5.80	7.00				2.80	3.50
4.00	$1\frac{3}{4}$	4.00	6.60	8.00	\$11.00			2.80	4.00
4.50	2	4.50	7.50	9.00	12.40			3.20	4.50
5.00	$2\frac{1}{4}$	5.00	8.30	10.00	13.80	\$27.50		3.60	5.00
5.50	$2\frac{1}{2}$	5.50	9.10	11.00	15.20	30.30		4.00	5.50
6.00	$2\frac{3}{4}$	6.00	10.00	12.00	16.50	33.00	\$39.60	4.20	6.00
6.50	3	6.50	10.80	13.00	17.90	35.80	42.90		
7.00	$3\frac{1}{4}$	7.00	11.60	14.00	19.30	38.50	46.20		
7.50	$3\frac{1}{2}$	8.40	12.40	15.00	20.60	41.30	49.50		
8.00	$3\frac{3}{8}$	8.40	13.20	16.00	22.00	44.00	52.80		
8.50	$3\frac{3}{4}$	9.00	13.20	16.00	22.00	44.00	52.80		
9.00	4	9.00	14.90	18.00	24.80	49.50	59.40		
9.50	$4\frac{1}{4}$	10.00	15.70	19.00	26.10	52.30	62.70		
10.00	$4\frac{1}{2}$	10.50	16.50	20.00	27.50	55.00	66.00		
11.00	$4\frac{5}{8}$	12.00	18.20	22.00	30.30	60.50	72.60		
11.00	5	12.00	18.20	22.00	30.30	60.50	72.60		
12.00	$5\frac{1}{4}$	12.00	19.80	24.00	33.00	66.00	79.20		
12.00	$5\frac{1}{2}$	13.00	19.80	24.00	33.00	66.00	79.20		
13.00	$5\frac{3}{4}$	13.00	21.50	26.00	35.80	71.50	85.80		
13.00	6	14.00	21.50	26.00	35.80	71.50	85.80		
14.00	$6\frac{1}{4}$	14.00	23.10	28.00	38.50	77.00	92.40		
14.00	$6\frac{1}{2}$	16.00	23.10	28.00	38.50	77.00	92.40		
16.00	7	16.00	26.40	32.00	44.00	88.00	105.60		
16.00	$7\frac{1}{4}$	16.00	26.40	32.00	44.00	88.00	105.60		
19.00	$8\frac{1}{4}$	19.00	31.40	38.00	52.30	104.50	125.40		
19.00	$8\frac{3}{4}$	20.00	31.40	38.00	52.30	104.50	125.40		
21.00	$9\frac{1}{4}$	21.00	34.00	41.00	56.00	112.00	134.40		
24.00	$10\frac{1}{2}$	24.00	39.60	48.00	66.00	132.00	158.40		
24.00	$11\frac{1}{4}$	26.00	39.60	48.00	66.00	132.00	158.40		

NOTES:

1. All interior mouldings not over $\frac{3}{4}$ of an inch in thickness figured on the list for inside mouldings shown above.
2. The list shown above for outside mouldings $\frac{3}{4}$ of an inch thick, applies to soft wood mouldings for paint.
3. Rabbeted moulding—such as back bands, add to list \$0.50.
4. Intermediate sizes use same list as next larger listed size.
5. Wider than listed sizes—combine the largest equal lists, the finished sizes of which equal the required width.

Decimal Equivalents of Fractions

$\frac{1}{64}$	.0156	$\frac{11}{32}$	.3437	$\frac{43}{64}$	.6781
$\frac{1}{32}$	.0132	$\frac{23}{64}$	.3593	$\frac{11}{16}$	.6875
$\frac{3}{64}$	.0468	$\frac{3}{8}$	.3750	$\frac{45}{64}$	.7031
$\frac{1}{16}$	.0625	$\frac{25}{64}$	.3906	$\frac{23}{32}$	.7187
$\frac{5}{64}$	.0781	$\frac{13}{32}$	.4062	$\frac{47}{64}$	.7343
$\frac{3}{32}$	.0937	$\frac{27}{64}$	.4218	$\frac{3}{4}$	.7500
$\frac{7}{64}$	.1093	$\frac{7}{16}$	.4375	$\frac{49}{64}$	.7656
$\frac{1}{8}$	.1250	$\frac{29}{64}$	.4531	$\frac{25}{32}$	.7812
$\frac{9}{64}$	.1406	$\frac{15}{32}$	.4687	$\frac{51}{64}$	.7968
$\frac{5}{32}$	.1562	$\frac{31}{64}$	.4843	$\frac{13}{16}$	.8125
$\frac{11}{64}$	.1719	$\frac{1}{2}$	.5000	$\frac{53}{64}$	.8281
$\frac{3}{16}$	.1875	$\frac{33}{64}$	.5156	$\frac{27}{32}$	.8437
$\frac{13}{64}$	.2031	$\frac{17}{32}$	.5312	$\frac{55}{64}$	.8593
$\frac{7}{32}$	.2187	$\frac{35}{64}$	.5468	$\frac{7}{8}$	.8750
$\frac{15}{64}$	.2343	$\frac{9}{16}$	.5625	$\frac{57}{64}$	.8906
$\frac{1}{4}$	.2500	$\frac{37}{64}$	.5781	$\frac{29}{32}$	.9062
$\frac{17}{64}$	.2656	$\frac{19}{32}$	.5937	$\frac{59}{64}$	.9218
$\frac{9}{32}$	.2812	$\frac{39}{64}$	.6093	$\frac{15}{16}$	.9375
$\frac{19}{64}$	.2968	$\frac{5}{8}$	.6250	$\frac{61}{64}$	.9531
$\frac{5}{16}$	.3125	$\frac{41}{64}$	.6406	$\frac{31}{32}$	.9687
$\frac{21}{64}$	.3281	$\frac{21}{32}$	.6562	$\frac{63}{64}$	.9843

Humidity and Dew Point Table

Showing Grains of Moisture in Air per cu. ft. for Various Temperatures and Relative Humidities and Temperature of Dew Point* for Each. (7000 Grains=1 lb.)

Temp- erature	Hum. 100%	60%	Dew Pt.	50%	Dew Pt.	40%	Dew Pt.	30%	Dew Pt.	20%	Dew Pt.
0°	.48	.29	-9°	.24	-13°	.19	-16°	.14	-20°	.09	-30°
10°	.78	.47	1°	.39	-3°	.31	-8°	.23	-14°	.16	-20°
20°	1.23	.74	9°	.61	6°	.49	2°	.37	-5°	.25	-13°
30°	1.93	1.16	20°	.97	16°	.77	13°	.58	3°	.39	-2°
40°	2.85	1.71	28°	1.42	24°	1.14	20°	.86	14°	.57	5°
50°	4.08	2.44	38°	2.14	33°	1.63	28°	1.22	20°	.81	12°
60°	5.75	3.45	46°	2.87	41°	2.30	36°	1.72	29°	1.15	20°
70°	7.98	4.80	56°	3.99	51°	3.20	44°	2.40	37°	1.20	27°
80°	10.93	6.55	65°	5.46	60°	4.38	53°	3.27	43°	2.18	36°
90°	14.79	8.90	74°	7.40	70°	5.93	62°	4.44	54°	2.97	44°
100°	19.77	11.90	84°	9.90	78°	7.92	72°	5.94	63°	3.97	51°

*Dew Point is the temperature for any given humidity and barometric pressure at which the air becomes saturated and dew or liquid forms.

Markup and Profit Tables

Markup to be Added to Cost to
Produce Various Gross Profits.

Gross Profits Resulting from Various
Markups Added to Cost.

Gross Profit Desired	Markup Over Cost
10%.....	11.11%
12½.....	14.29%
15.....	17.65%
17½.....	21.21%
20.....	25.00%
22½.....	29.03%
25.....	33.33%
27½.....	37.93%
30.....	42.86%
33½.....	50.00%
35.....	53.85%
37½.....	60.00%
40.....	66.67%
42½.....	73.91%
45.....	81.82%
47½.....	90.48%
50.....	100.00%
55.....	122.22%
60.....	150.00%

Markup Over Cost	Resulting Gross Profit
20%.....	16.67%
25%.....	20.00%
27%.....	21.25%
30%.....	23.08%
33⅓%.....	25.00%
35%.....	25.93%
40%.....	28.57%
45%.....	31.03%
50%.....	33.33%
55%.....	35.48%
60%.....	37.50%
66⅔%.....	40.00%
70%.....	41.18%
75%.....	42.86%
80%.....	44.44%
85%.....	45.95%
90%.....	47.37%
95%.....	48.72%
100%.....	50.00%


Net Profit Table

Showing markup over cost required to produce desired NET PROFIT for various costs of doing business.

NET PROFIT ON SALES DESIRED

	%	2	3	4	5	6	7	8	9	10	12	15
12	16.67	17.65	19.05	20.48	21.95	23.46	25.00	26.58	28.21	31.58	36.99	
13	17.65	19.05	20.48	21.95	23.46	25.00	26.58	28.21	29.87	33.33	38.89	
14	19.05	20.48	21.95	23.46	25.00	26.58	28.21	29.87	31.58	35.14	40.85	
15	20.48	21.95	23.46	25.00	26.58	28.21	29.87	31.58	33.33	36.99	42.86	
16	21.95	23.46	25.00	26.58	28.21	29.87	31.58	33.33	35.14	38.89	44.93	
17	23.46	25.00	26.58	28.21	29.87	31.58	33.33	35.14	36.99	40.85	47.06	
18	25.00	26.58	28.21	29.87	31.58	33.33	35.14	36.99	38.89	42.86	49.25	
19	26.58	28.21	29.87	31.58	33.33	35.14	36.99	38.89	40.85	44.93	51.52	
20	28.21	29.87	31.58	33.33	35.14	36.99	38.89	40.85	42.86	47.06	53.85	
21	29.87	31.58	33.33	35.14	36.99	38.89	40.85	42.86	44.93	49.25	56.25	
22	31.58	33.33	35.14	36.99	38.89	40.85	42.86	44.93	47.06	51.52	58.73	
23	33.33	35.14	36.99	38.89	40.85	42.86	44.93	47.06	49.25	53.85	61.29	
24	35.14	36.99	38.89	40.85	42.86	44.93	47.06	49.25	51.52	56.25	63.93	
25	36.99	38.89	40.85	42.86	44.93	47.06	49.25	51.52	53.85	58.73	66.67	

When Cost of Doing Business Figured on Sales is



34

68

1216

2432

3

27

2

27

27

48

102

110